R335-2.1

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

- Length of Stay by Psychiatric Diagnosis, United States, 1986
- Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
- Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
- Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
- Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 175

Appendix 2: Teaching Intensity Program Calculation 176

Appendix 3: State Inclusions and Hospital Counts by Region 177

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 178

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 186

Appendix 6: Patient Characteristic Definitions Used in Graphs 193

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
<100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

- **a.** Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.
- **b.** Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
- Newborn or 0 to 12
- 13-17
- 18-20
- 21-24
- 25-34
- 35-54
- 55-74
- 75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY

TRANSFERRED BY PAYOR



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74 + YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*
PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

HOSPITALS WITH PSY. UNIT/BEDS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54	2	9.0	50	4	4	9	14	14	14	14
55-74	71	9.9	73	2	2	7	12	19	32	43
75 +	189	10.3	99	2	3	7	13	22	40	99 +
ALL AGES	262	10.2	91	2	2	7	13	22	34	94
B. FEMALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54	2	3.0		3	3	3	3	3	3	3
55-74	95	12.0	159	2	3	8	14	28	34	74
75 +	347	9.7	106	2	2	7	12	21	32	99
ALL AGES	444	10.2	117	2	2	7	13	22	32	78
SUBTOTAL	**706**	**10.2**	**107**	**2**	**2**	**7**	**13**	**22**	**32**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54										
55-74	19	12.6	94	2	3	10	18	32	68	99 +
75 +	46	11.1	55	2	5	10	14	22	33	99 +
ALL AGES	65	11.5	67	2	4	10	16	28	34	99 +
B. FEMALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54										
55-74	33	10.4	41	2	4	8	14	20	21	28
75 +	74	11.5	122	1	3	9	13	23	34	62
ALL AGES	107	11.1	98	2	3	8	14	21	29	60
SUBTOTAL	**172**	**11.3**	**85**	**2**	**4**	**9**	**14**	**23**	**33**	**91**
GRAND TOTAL	**878**	**10.4**	**103**	**2**	**2**	**7**	**13**	**22**	**32**	**91**

HOSPITALS WITHOUT PSY. UNIT/BEDS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54	1	2.0		2	2	2	2	2	2	2
55-74	29	7.3	38	1	2	5	10	16	20	27
75 +	124	9.0	112	2	2	6	10	19	30	99 +
ALL AGES	154	8.6	99	2	2	6	10	19	27	98
B. FEMALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54	2	4.5	1	4	4	4	5	5	5	5
55-74	47	7.3	19	2	3	6	11	14	15	17
75 +	174	8.4	108	1	2	6	10	19	33	99 +
ALL AGES	223	8.1	89	1	2	6	10	16	27	99 +
SUBTOTAL	**377**	**8.3**	**93**	**2**	**2**	**6**	**10**	**17**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54										
55-74	2	6.0	8	4	4	8	77	99 +	99 +	99 +
75 +	18	11.3	73	3	4	9	13	25	33	36
ALL AGES	20	10.8	68	3	4	8	13	31	65	99 +
B. FEMALE										
0-12 YRS.										
13-17										
18-20										
21-24										
25-34										
35-54										
55-74	9	13.3	230	4	4	10	11	37	53	53
75 +	36	12.1	178	2	3	7	12	26	48	61
ALL AGES	45	12.3	185	2	4	9	12	27	49	61
SUBTOTAL	**65**	**11.8**	**149**	**3**	**4**	**8**	**12**	**28**	**49**	**94**
GRAND TOTAL	**442**	**8.8**	**102**	**2**	**2**	**6**	**10**	**18**	**30**	**99 +**

PRESENILE DEMENTIA (290.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	10	10.2	40	3	3	9	12	21	22	22	2	2.5	1	2	2	2	3	3	3	3
55-74	106	12.3	204	2	3	7	15	34	44	95	77	9.7	144	1	2	6	10	17	36	69
75 +	161	13.7	280	2	3	8	16	33	51	97	113	8.6	128	1	2	6	10	16	22	99 +
ALL AGES	277	13.1	240	2	3	8	16	33	48	96	193	8.9	133	1	2	6	10	16	28	92
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	14	16.2	376	1	1	11	28	71	93	99 +	1	1.0		1	1	1	1	1	1	1
55-74	135	12.7	141	2	3	9	16	30	54	99 +	73	8.5	63	2	3	6	12	17	24	99 +
75 +	250	10.5	87	2	3	8	13	22	30	56	203	8.1	48	2	2	7	10	16	22	99 +
ALL AGES	400	11.5	115	2	3	8	14	26	38	99 +	278	8.1	53	2	2	6	10	17	23	99 +
SUBTOTAL	**677**	**12.1**	**168**	**2**	**3**	**8**	**15**	**27**	**44**	**99 +**	**471**	**8.5**	**85**	**2**	**2**	**6**	**10**	**16**	**24**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	4	14.8	252	3	3	9	25	38	38	38	1	12.0		12	12	12	12	12	12	12
55-74	35	12.2	92	1	2	9	16	28	31	42	7	6.4	38	1	1	4	12	16	16	16
75 +	26	13.0	53	3	5	12	17	21	27	34	19	7.9	40	2	2	7	9	18	23	26
ALL AGES	67	12.4	82	2	3	10	16	27	32	41	27	7.7	37	2	2	6	10	17	19	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	9.3	51	3	3	12	58	99 +	99 +	99 +	1	23.0		23	23	23	23	23	23	23
55-74	49	14.2	122	2	4	12	18	30	40	99 +	18	7.9	41	2	3	7	8	12	24	31
75 +	58	13.0	136	3	4	9	16	24	26	77	28	7.8	41	3	3	6	8	14	23	33
ALL AGES	111	13.3	128	3	3	10	17	25	39	99 +	47	8.2	44	3	3	6	9	15	24	33
SUBTOTAL	**178**	**13.0**	**109**	**2**	**3**	**10**	**17**	**26**	**36**	**94**	**74**	**8.0**	**41**	**2**	**2**	**6**	**9**	**16**	**23**	**33**
GRAND TOTAL	**855**	**12.3**	**155**	**2**	**3**	**9**	**15**	**27**	**39**	**99 +**	**545**	**8.4**	**79**	**2**	**2**	**6**	**10**	**16**	**23**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	59	16.3	132	3	4	15	20	35	43	46	13	12.5	141	3	3	11	14	54	90	99 +
75 +	122	15.1	169	2	4	13	19	30	43	99 +	41	9.8	105	2	3	7	15	26	71	99 +
ALL AGES	181	15.5	156	3	4	13	20	34	43	99	54	10.5	111	2	3	8	15	30	84	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.0	2	14	14	15	16	16	16	16										
55-74	79	16.7	171	4	5	14	21	31	44	97	20	11.5	77	2	3	10	17	31	65	99 +
75 +	259	16.2	165	3	5	14	21	33	42	99 +	75	12.0	203	2	2	6	13	28	41	74
ALL AGES	340	16.3	165	3	5	14	21	33	42	99 +	95	11.9	175	2	2	7	14	28	41	90
SUBTOTAL	**521**	**16.0**	**163**	**3**	**4**	**13**	**20**	**33**	**42**	**99 +**	**149**	**11.4**	**151**	**2**	**3**	**7**	**14**	**29**	**50**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	12	12.4	143	2	3	6	22	29	38	40	5	5.8	18	2	2	4	8	13	13	13
75 +	36	17.2	103	7	8	14	21	32	42	47	7	6.6	38	1	1	4	11	16	17	17
ALL AGES	48	16.0	114	4	5	13	21	31	40	47	12	6.3	27	1	1	4	10	14	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	38	19.4	270	3	5	14	24	49	89	99 +	5	12.6	142	4	4	7	20	32	32	32
75 +	82	17.4	114	3	5	16	22	33	40	48	10	7.8	42	3	3	5	8	19	24	24
ALL AGES	121	18.0	161	3	5	15	23	39	48	99 +	15	9.4	73	3	4	5	12	24	30	32
SUBTOTAL	**169**	**17.4**	**149**	**4**	**5**	**15**	**22**	**37**	**45**	**95**	**27**	**8.0**	**54**	**1**	**2**	**5**	**11**	**17**	**25**	**32**
GRAND TOTAL	**690**	**16.4**	**158**	**3**	**5**	**14**	**21**	**35**	**43**	**99 +**	**176**	**10.9**	**137**	**2**	**2**	**7**	**14**	**26**	**45**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	51	13.4	164	1	2	9	17	28	35	70	24	8.5	40	2	2	7	12	15	21	30
75 +	174	10.4	96	1	2	8	15	24	29	90	121	8.9	56	2	2	7	11	17	24	37
ALL AGES	225	11.1	112	1	2	8	15	25	31	77	145	8.8	54	2	2	7	11	17	23	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	74	13.4	201	2	3	8	17	30	41	75	34	10.0	170	2	2	6	11	22	30	73
75 +	269	13.0	207	2	3	8	15	29	43	98	210	9.1	122	2	3	6	10	16	34	99 +
ALL AGES	343	13.1	205	2	3	8	15	29	41	94	244	9.2	129	2	3	6	10	17	32	99 +
SUBTOTAL	**568**	**12.3**	**169**	**2**	**2**	**8**	**15**	**28**	**38**	**92**	**389**	**9.1**	**100**	**2**	**2**	**6**	**11**	**17**	**30**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	12.1	80	2	4	8	15	26	33	35	8	11.6	76	3	4	9	17	25	26	26
75 +	26	11.9	367	2	3	7	9	55	88	99 +	24	8.0	33	2	2	7	11	14	22	26
ALL AGES	42	12.0	252	2	3	7	12	29	70	99 +	32	8.9	44	2	3	7	11	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	23.5	113	16	16	23	31	31	31	31	1	1.0		1	1	1	1	1	1	1
55-74	14	11.1	43	5	6	8	12	22	25	26	10	7.7	19	3	3	6	11	14	16	16
75 +	61	13.9	111	4	5	12	16	26	33	60	29	8.7	77	2	2	6	9	23	29	39
ALL AGES	77	13.6	101	4	5	11	16	26	30	58	40	8.3	61	1	2	6	9	16	28	39
SUBTOTAL	**119**	**13.0**	**154**	**3**	**4**	**9**	**15**	**26**	**37**	**90**	**72**	**8.5**	**54**	**2**	**2**	**6**	**10**	**18**	**26**	**37**
GRAND TOTAL	**687**	**12.4**	**167**	**2**	**3**	**8**	**15**	**27**	**38**	**91**	**461**	**9.0**	**93**	**2**	**2**	**6**	**11**	**17**	**28**	**84**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	6	6.7	36	1	1	5	8	17	18	18	1	7.0		7	7	7	7	7	7	7
55-74	82	12.9	97	2	2	11	17	23	35	48	38	8.6	46	2	3	7	10	13	22	39
75 +	151	11.5	121	2	3	8	14	25	35	61	80	9.2	132	2	2	7	10	18	31	91
ALL AGES	240	11.9	111	2	3	9	16	23	35	58	119	9.0	103	2	3	7	10	17	23	80
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	8	7.0	56	1	1	4	11	19	21	21	1	6.0		6	6	6	6	6	6	6
55-74	86	14.7	143	4	5	11	19	29	49	87	41	8.8	62	3	3	6	11	23	34	99 +
75 +	218	11.2	94	2	3	9	14	22	30	77	129	9.9	65	2	3	8	13	20	27	99 +
ALL AGES	312	12.1	108	2	4	9	15	26	37	79	171	9.6	64	2	3	7	13	20	30	99 +
SUBTOTAL	**552**	**12.0**	**109**	**2**	**3**	**9**	**15**	**24**	**35**	**66**	**290**	**9.4**	**79**	**2**	**3**	**7**	**12**	**19**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	12.5	61	7	7	12	18	18	18	18										
55-74	37	11.7	83	2	3	9	14	28	31	41	14	8.9	30	2	2	7	13	16	20	21
75 +	30	15.5	335	3	4	10	18	30	52	95	16	14.1	416	2	2	6	12	44	68	77
ALL AGES	69	13.4	191	3	3	9	16	28	33	87	30	11.7	235	2	2	7	13	24	46	77
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	18.0	127	11	11	12	26	31	31	31										
55-74	31	17.0	188	3	5	13	20	39	45	61	7	11.3	85	3	3	8	16	27	29	29
75 +	42	12.4	68	2	4	11	16	23	30	38	17	12.7	190	2	3	10	14	28	49	59
ALL AGES	76	14.5	121	2	4	12	18	31	37	57	24	12.3	155	2	3	9	14	29	39	59
SUBTOTAL	**145**	**14.0**	**153**	**3**	**4**	**11**	**17**	**29**	**37**	**63**	**54**	**12.0**	**195**	**2**	**3**	**7**	**14**	**28**	**43**	**76**
GRAND TOTAL	**697**	**12.4**	**119**	**2**	**3**	**9**	**16**	**26**	**36**	**64**	**344**	**9.8**	**98**	**2**	**3**	**7**	**12**	**20**	**31**	**99 +**

Total U.S. January - December 1986

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**4.7**	**5**	**2**	**2**	**6**	**6**	**6**	**6**	**6**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**4**	**7.0**	**25**	**2**	**2**	**6**	**10**	**14**	**14**	**14**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	15.0	98	8	8	15	22	22	22	22	1	11.0		11	11	11	11	11	11	11
ALL AGES	2	15.0	98	8	8	15	22	22	22	22	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	15.0		15	15	15	15	15	15	15
75 +	2	5.0	8	3	3	5	7	7	7	7	2	13.5	113	6	6	13	21	21	21	21
ALL AGES	3	6.7	12	3	3	7	9	10	10	10	3	14.0	57	6	6	15	19	21	21	21
SUBTOTAL	**5**	**10.0**	**52**	**3**	**3**	**8**	**13**	**22**	**22**	**22**	**4**	**13.3**	**38**	**6**	**6**	**13**	**18**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	20.0	338	7	7	20	33	33	33	33										
ALL AGES	2	20.0	338	7	7	20	33	33	33	33										
SUBTOTAL	**3**	**16.3**	**211**	**7**	**7**	**9**	**27**	**33**	**33**	**33**										
GRAND TOTAL	**8**	**12.4**	**99**	**3**	**4**	**8**	**16**	**30**	**33**	**33**	**4**	**13.3**	**38**	**6**	**6**	**13**	**18**	**21**	**21**	**21**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	2	2.5	1	2	2	2	3	3	3	3	3	2.7	8	1	1	1	5	6	6	6
25-34	47	5.3	31	1	1	3	6	12	16	30	41	3.5	11	1	1	3	4	6	7	21
35-54	146	5.5	24	1	1	4	7	10	13	26	125	4.8	12	1	2	4	7	9	12	20
55-74	77	8.6	121	2	2	5	9	22	25	68	70	6.7	20	2	2	5	9	12	14	23
75 +	9	8.8	55	2	2	5	12	21	22	22	9	8.4	40	2	2	7	11	18	22	22
ALL AGES	282	6.4	54	1	2	4	7	13	20	31	248	5.2	17	1	2	4	7	11	12	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	10	5.6	15	1	1	5	8	11	12	12	11	3.6	6	1	1	3	6	7	8	8
35-54	25	4.9	6	1	2	5	6	8	9	11	23	4.0	6	1	2	3	4	7	11	12
55-74	20	7.9	22	1	3	7	10	12	18	23	17	5.6	15	1	2	4	8	12	14	15
75 +	4	11.8	19	5	5	13	14	15	15	15	2	3.0		3	3	3	3	3	3	3
ALL AGES	60	6.4	17	1	2	5	9	12	13	22	53	4.4	9	1	2	3	5	8	12	15
SUBTOTAL	**342**	**6.4**	**47**	**1**	**2**	**5**	**7**	**13**	**20**	**30**	**301**	**5.1**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-20											3	3.0	7	1	1	2	5	6	6	6
21-24	6	4.7	6	1	1	4	7	8	8	8	11	10.5	112	1	1	5	19	28	28	28
25-34	149	6.2	54	1	2	4	7	12	17	43	139	9.6	147	1	2	5	10	28	31	43
35-54	474	6.7	40	2	2	5	8	13	18	32	340	7.1	56	1	2	5	7	19	28	31
55-74	206	8.6	42	2	3	7	11	17	25	32	164	8.4	50	2	2	6	10	19	23	33
75 +	19	13.1	81	2	3	12	17	25	35	39	18	9.1	101	2	2	5	11	19	34	44
ALL AGES	856	7.2	45	2	2	5	8	14	19	33	675	8.0	76	1	2	5	9	22	28	33
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20											4	15.5	212	1	1	16	28	29	29	29
21-24	5	3.6	3	2	2	4	5	6	6	6	3	20.7	207	4	4	28	29	30	30	30
25-34	42	7.0	86	1	1	4	8	18	25	52	41	8.5	118	1	1	4	7	27	28	44
35-54	75	10.0	97	2	3	7	12	22	31	52	98	7.6	66	1	2	5	7	26	28	31
55-74	64	8.1	59	2	2	6	10	18	23	44	57	9.6	108	2	2	6	10	24	29	57
75 +	10	6.4	16	1	1	6	9	12	14	14	5	5.0	8	2	2	4	8	8	8	8
ALL AGES	196	8.4	77	2	2	5	10	19	27	50	209	8.6	91	2	2	5	8	27	28	40
SUBTOTAL	**1052**	**7.4**	**51**	**2**	**2**	**5**	**9**	**15**	**21**	**33**	**884**	**8.2**	**79**	**1**	**2**	**5**	**9**	**24**	**28**	**34**
GRAND TOTAL	**1394**	**7.2**	**50**	**2**	**2**	**5**	**8**	**14**	**20**	**33**	**1185**	**7.4**	**65**	**1**	**2**	**5**	**8**	**20**	**28**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	6	6.0	33	1	1	4	7	16	17	17	3	10.3	141	3	3	4	19	24	24	24
55-74	11	14.2	255	1	1	10	17	42	51	52	11	8.5	46	1	2	6	11	18	25	26
75 +	1	28.0		28	28	28	28	28	28	28	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	19	11.8	184	1	1	7	17	32	44	52	16	8.8	50	2	3	6	10	23	25	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	19.0		19	19	19	19	19	19	19	1	54.0		54	54	54	54	54	54	54
55-74	7	17.3	147	4	5	12	30	31	31	31	3	8.3	9	5	5	10	10	10	10	10
75 +	2	11.5	181	2	2	11	21	21	21	21	2	11.5	25	8	8	11	15	15	15	15
ALL AGES	10	16.3	125	2	3	15	28	31	31	31	8	13.5	285	1	2	9	13	42	54	54
SUBTOTAL	**29**	**13.4**	**162**	**1**	**1**	**8**	**19**	**31**	**36**	**52**	**24**	**10.3**	**126**	**1**	**3**	**7**	**11**	**24**	**34**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	16	14.6	323	2	3	10	19	66	91	99 +	5	6.6	20	2	2	5	9	14	14	14
55-74	33	12.4	161	2	2	8	14	28	40	61	14	9.4	84	1	2	6	11	27	32	33
75 +	3	21.3	707	6	6	6	41	52	52	52	3	21.7	84	11	11	26	27	28	28	28
ALL AGES	54	13.2	224	2	2	8	15	31	59	99	22	10.4	87	1	2	7	11	27	30	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	10.5	85	4	4	10	17	17	17	17	3	5.7	20	1	1	6	9	10	10	10
55-74	10	12.3	61	4	4	11	17	24	28	28	12	10.5	49	3	4	7	17	20	23	24
75 +	3	7.7	8	6	6	6	10	11	11	11	2	48.5	25	45	45	48	52	52	52	52
ALL AGES	17	10.3	51	1	4	9	14	20	26	28	17	14.1	209	2	3	8	18	41	50	52
SUBTOTAL	**71**	**12.5**	**183**	**2**	**3**	**8**	**15**	**29**	**51**	**94**	**39**	**12.0**	**140**	**1**	**2**	**7**	**16**	**27**	**40**	**52**
GRAND TOTAL	**100**	**12.8**	**174**	**1**	**2**	**8**	**17**	**30**	**46**	**87**	**63**	**11.4**	**132**	**1**	**3**	**7**	**13**	**26**	**37**	**54**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	3	7.0	108	1	1	10	59	99 +	99 +	99 +
35-54	11	17.7	226	1	4	14	26	40	51	52	7	10.0	105	1	1	9	23	78	99 +	99 +
55-74	35	15.3	201	1	3	14	22	29	66	99 +	30	13.7	216	2	2	8	19	28	41	72
75 +	10	10.1	35	1	2	10	17	51	96	99 +	4	12.8	54	4	4	14	41	99 +	99 +	99 +
ALL AGES	58	14.4	176	1	2	12	21	30	66	99 +	44	12.5	175	1	2	10	20	38	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	3	4.7	16	1	1	4	8	9	9	9
35-54	4	7.5	94	2	2	3	13	22	22	22	3	19.7	338	4	4	15	34	40	40	40
55-74	12	13.3	201	1	1	9	17	33	49	52	15	9.7	47	3	3	8	11	20	27	29
75 +	7	9.6	14	5	5	9	11	16	17	17	3	23.3	28	18	18	24	27	28	28	28
ALL AGES	24	11.2	118	1	2	9	12	23	33	52	24	12.0	97	2	3	8	16	28	32	40
SUBTOTAL	**82**	**13.5**	**159**	**1**	**2**	**10**	**20**	**28**	**52**	**99 +**	**68**	**12.4**	**144**	**1**	**2**	**8**	**20**	**29**	**70**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	10	6.8	111	1	1	2	7	24	34	34	7	6.0	21	1	1	6	7	13	15	15
35-54	28	10.1	115	2	2	6	12	26	40	43	19	6.7	45	1	2	3	11	18	21	23
55-74	67	16.0	257	2	3	10	21	40	51	66	36	9.2	68	1	1	7	13	15	16	48
75 +	15	9.5	98	2	2	6	9	19	35	40	5	14.0	176	2	2	8	21	36	36	36
ALL AGES	123	12.7	200	1	2	7	17	34	44	66	67	8.5	65	1	2	6	13	16	19	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	31.0		31	31	31	31	31	31	31										
35-54	12	14.1	221	4	4	9	11	44	47	48	10	7.0	41	1	2	5	8	16	24	24
55-74	39	12.8	112	4	5	11	18	39	99 +	99 +	20	11.3	184	3	4	6	11	35	49	49
75 +	12	20.8	196	5	7	17	26	45	50	51	6	9.8	65	2	2	7	15	22	23	23
ALL AGES	65	14.6	155	4	4	11	19	43	65	99 +	36	9.9	122	2	3	6	10	23	41	49
SUBTOTAL	**188**	**13.4**	**183**	**1**	**2**	**9**	**18**	**35**	**48**	**99 +**	**103**	**9.0**	**84**	**1**	**2**	**6**	**12**	**16**	**24**	**49**
GRAND TOTAL	**270**	**13.4**	**176**	**1**	**2**	**9**	**18**	**32**	**48**	**99 +**	**171**	**10.3**	**111**	**1**	**2**	**7**	**14**	**23**	**39**	**99 +**

Total U.S. January - December 1986

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	10	6.0	35	1	1	3	11	15	18	18	8	3.0	4	1	1	3	4	6	7	7
35-54	29	6.2	89	1	1	3	5	16	32	42	11	4.2	6	2	2	3	5	8	11	11
55-74	12	7.1	35	2	2	5	9	14	23	24	4	4.0	2	3	3	4	5	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9										
ALL AGES	54	6.3	61	1	1	4	7	13	23	42	24	3.7	4	1	2	3	5	6	8	11
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	2	2.5	1	2	2	2	3	3	3	3	3	5.0	37	1	1	2	9	12	12	12
35-54	6	5.3	15	2	2	4	9	11	11	11	4	8.0	7	6	6	7	10	12	12	12
55-74	8	4.9	4	2	2	5	6	8	9	9	4	3.8		3	3	4	4	4	4	4
75 +																						
ALL AGES	16	4.8	7	2	2	4	6	9	10	11	11	5.6	14	1	2	4	7	12	12	12
SUBTOTAL	**70**	**5.9**	**49**	**1**	**1**	**4**	**7**	**11**	**21**	**40**	**35**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																						
18-20	2	6.5	61	1	1	6	12	12	12	12										
21-24	3	4.3	3	3	3	4	5	6	6	6										
25-34	44	8.3	87	2	2	5	8	22	32	44	23	5.3	130	1	1	3	4	7	25	57
35-54	71	7.0	26	2	2	5	8	15	18	25	48	5.1	44	1	1	4	6	8	14	45
55-74	21	11.8	199	1	2	6	14	31	45	60	17	8.5	26	2	3	6	13	17	18	18
75 +											4	8.0	145	1	1	2	14	26	26	26
ALL AGES	143	7.9	72	2	2	5	8	16	25	45	92	5.9	66	1	1	4	6	13	17	52
B. FEMALE																						
0-12 YRS.																						
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																						
21-24	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
25-34	10	11.7	82	2	2	9	21	25	28	28	3	2.7		2	2	3	3	3	3	3
35-54	26	7.2	32	1	2	6	9	16	19	24	18	4.3	6	1	2	4	5	9	10	10
55-74	14	7.2	37	1	2	5	12	17	20	21	10	5.6	8	1	1	6	7	9	11	11
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	54	7.8	42	1	2	6	11	18	21	28	33	4.5	6	1	2	4	6	8	10	11
SUBTOTAL	**197**	**7.9**	**63**	**2**	**2**	**5**	**9**	**17**	**24**	**41**	**125**	**5.5**	**50**	**1**	**1**	**4**	**6**	**10**	**15**	**48**
GRAND TOTAL	**267**	**7.4**	**60**	**1**	**2**	**5**	**8**	**16**	**23**	**41**	**160**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**43**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	98	1	1	8	15	15	15	15	1	1.0		1	1	1	1	1	1	1
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	2	2.0	2	1	1	2	3	3	3	3	1	30.0		30	30	30	30	30	30	30
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	9	3.7	19	1	1	2	3	11	15	15	2	15.5	421	1	1	15	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**10**	**3.4**	**18**	**1**	**1**	**2**	**3**	**9**	**15**	**15**	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	2	3.5	1	3	3	3	4	4	4	4	1	33.0		33	33	33	33	33	33	33
21-24	7	1.9	2	1	1	1	3	4	4	4										
25-34	10	3.3	6	1	1	2	6	7	8	8	2	19.0	648	1	1	19	37	37	37	37
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	22	4.0	46	1	1	2	4	7	18	33	4	19.0	347	1	1	19	35	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17											2	7.5	85	1	1	7	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	4	1.8		1	1	2	2	2	2	2	4	4.3	42	1	1	1	8	14	14	14
SUBTOTAL	**26**	**3.7**	**39**	**1**	**1**	**2**	**4**	**6**	**13**	**33**	**8**	**11.6**	**230**	**1**	**1**	**3**	**23**	**36**	**37**	**37**
GRAND TOTAL	**36**	**3.6**	**33**	**1**	**1**	**2**	**4**	**6**	**13**	**33**	**10**	**12.4**	**227**	**1**	**1**	**3**	**30**	**35**	**37**	**37**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	5	16.4	53	10	10	13	21	28	28	28										
55-74																						
75 +																						
ALL AGES	6	14.8	59	7	7	12	19	27	28	28											
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	1.0		1	1	1	1	1	1	1											
25-34																						
35-54																						
55-74																						
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**7**	**12.9**	**74**	**1**	**2**	**12**	**17**	**26**	**28**	**28**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	9	17.4	593	3	4	7	17	58	80	80	2	3.0		3	3	3	3	3	3	3
55-74																						
75 +	2	6.0	8	4	4	6	8	8	8	8											
ALL AGES	11	15.4	494	3	4	7	14	46	77	80	2	3.0		3	3	3	3	3	3	3
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	2	7.0	8	5	5	7	9	9	9	9											
55-74																						
75 +																						
ALL AGES	2	7.0	8	5	5	7	9	9	9	9											
SUBTOTAL	**13**	**14.1**	**423**	**3**	**4**	**7**	**11**	**35**	**72**	**80**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**20**	**13.7**	**290**	**2**	**3**	**8**	**14**	**26**	**54**	**80**	**3**	**3.3**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

Total U.S. January - December 1986

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	3.8	3	1	1	4	5	5	5	5	2	21.5	1	21	21	21	22	22	22	22
21-24	31	4.5	4	1	2	5	5	7	7	11	16	6.0	64	1	1	2	4	22	22	22
25-34	261	4.8	18	1	2	5	5	5	7	28	70	4.8	29	1	1	3	6	10	22	22
35-54	624	4.9	18	1	2	5	5	6	9	28	246	4.0	9	1	1	3	5	7	10	16
55-74	219	5.7	28	1	2	5	6	10	15	30	127	5.2	19	1	1	4	6	11	15	21
75 +	23	12.7	218	2	3	7	16	26	42	71	9	9.3	92	1	1	7	11	25	32	32
ALL AGES	1165	5.2	24	1	2	5	5	7	11	28	470	4.7	20	1	1	3	6	9	15	22
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-20	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	14	4.5	6	1	2	5	5	6	11	12	2	3.5	5	2	2	3	5	5	5	5
25-34	61	4.8	7	1	2	5	5	9	10	17	31	3.1	5	1	1	2	4	7	7	10
35-54	126	4.7	17	1	1	5	5	6	9	28	59	3.9	15	1	1	3	5	7	9	22
55-74	63	5.8	19	2	2	5	6	12	16	22	41	6.1	19	1	2	5	7	11	17	23
75 +	4	7.5	36	2	2	6	11	16	16	16	4	4.8	3	2	2	5	6	6	6	6
ALL AGES	269	5.0	15	1	2	5	5	8	12	26	140	4.3	15	1	1	3	6	8	10	22
SUBTOTAL	**1434**	**5.2**	**22**	**1**	**2**	**5**	**5**	**7**	**11**	**28**	**610**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**14**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	3.5	1	3	3	3	4	4	4	4
13-17	2	5.0		5	5	5	5	5	5	5	1	22.0		22	22	22	22	22	22	22
18-20	6	4.2	3	1	1	5	5	6	6	6	16	7.2	53	1	1	5	7	22	26	27
21-24	62	7.9	63	1	2	5	10	20	29	32	64	7.2	65	1	1	4	6	23	24	27
25-34	633	5.9	34	1	2	5	5	10	22	29	545	4.9	20	1	2	4	5	6	9	27
35-54	1465	5.9	28	1	2	5	5	10	17	29	1253	4.9	12	2	2	5	5	6	8	23
55-74	432	7.2	45	2	2	5	8	18	22	33	449	5.4	17	2	2	5	5	9	12	27
75 +	38	7.7	39	1	2	5	10	17	21	28	18	6.1	38	2	2	4	6	12	22	28
ALL AGES	2638	6.2	33	1	2	5	5	12	21	30	2348	5.1	17	2	2	5	5	7	10	27
B. FEMALE																				
0-12 YRS.	3	5.0	12	3	3	3	8	9	9	9										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	6	5.3	20	2	2	4	5	13	14	14	2	4.0	8	2	2	4	6	6	6	6
21-24	24	6.7	67	1	1	5	5	24	28	31	15	7.7	86	1	2	4	5	27	27	27
25-34	177	5.8	31	1	2	5	5	11	20	28	140	5.8	33	1	2	4	5	9	21	32
35-54	315	7.3	44	1	2	5	7	20	24	29	317	5.0	17	2	2	5	5	7	10	30
55-74	129	8.9	73	2	3	5	10	21	29	43	141	4.8	12	2	2	4	5	7	9	27
75 +	14	4.8	4	2	2	5	5	8	9	9	13	6.8	16	1	2	6	10	12	14	15
ALL AGES	668	7.1	47	1	2	5	7	17	24	31	629	5.2	21	2	2	4	5	8	10	29
SUBTOTAL	**3306**	**6.4**	**36**	**1**	**2**	**5**	**6**	**12**	**21**	**30**	**2977**	**5.1**	**18**	**2**	**2**	**5**	**5**	**7**	**10**	**27**
GRAND TOTAL	**4740**	**6.0**	**32**	**1**	**2**	**5**	**5**	**11**	**20**	**29**	**3587**	**5.0**	**18**	**1**	**2**	**4**	**5**	**7**	**11**	**27**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	5	4.2	19	1	1	2	7	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	4	7.0	9	4	4	7	9	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74	3	16.0	49	9	9	16	21	23	23	23	4	11.0	31	6	6	9	14	19	19	19
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	15	6.7	42	1	1	5	10	16	21	23	7	8.7	42	1	1	9	13	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	3	10.0	31	4	4	11	14	15	15	15										
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	10	6.7	19	1	1	6	9	13	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**25**	**6.7**	**31**	**1**	**1**	**6**	**10**	**15**	**18**	**23**	**8**	**7.9**	**41**	**1**	**1**	**7**	**12**	**17**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24	3	2.3	2	1	1	3	3	3	3	3										
25-34	3	7.0	61	2	2	3	13	16	16	16	2	4.5	5	3	3	4	6	6	6	6
35-54	11	5.3	14	1	1	4	8	11	13	13	1	2.0		2	2	2	2	2	2	2
55-74	6	11.0	28	6	6	9	16	19	19	19	3	4.0	7	2	2	3	6	7	7	7
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	24	7.1	31	1	2	5	10	16	18	19	8	3.1	5	1	1	2	5	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	5	9.0	146	1	1	6	13	30	30	30	1	3.0		3	3	3	3	3	3	3
35-54	10	4.8	7	2	2	4	7	9	10	10	3	12.3	323	1	1	3	25	33	33	33
55-74	5	11.2	108	2	2	5	22	23	23	23	3	2.0	1	1	1	2	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11	1	7.0		7	7	7	7	7	7	7
ALL AGES	21	7.6	62	1	1	5	8	22	26	30	9	6.0	106	1	1	3	4	23	33	33
SUBTOTAL	**45**	**7.3**	**45**	**1**	**2**	**5**	**9**	**18**	**22**	**30**	**17**	**4.6**	**58**	**1**	**1**	**3**	**4**	**7**	**24**	**33**
GRAND TOTAL	**70**	**7.1**	**40**	**1**	**1**	**5**	**9**	**16**	**22**	**29**	**25**	**5.7**	**52**	**1**	**1**	**3**	**7**	**14**	**22**	**33**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	5.5	25	2	2	5	9	9	9	9
13-17	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	5	3.2	11	1	1	2	4	9	9	9	1	5.0		5	5	5	5	5	5	5
21-24	2	5.0	18	2	2	5	8	8	8	8	4	3.8	4	1	1	4	5	6	6	6
25-34	45	3.2	2	1	2	3	4	5	5	8	23	4.4	21	1	1	3	6	7	13	23
35-54	29	3.3	3	1	1	3	4	6	6	6	24	4.3	8	1	2	4	5	9	10	10
55-74	15	4.1	12	1	1	3	5	8	12	14	12	3.6	27	1	1	1	4	10	18	19
75 +	7	5.1	17	2	2	4	5	12	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	106	3.5	5	1	1	3	4	5	8	14	68	4.2	15	1	1	3	6	8	10	22
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	3.0		3	3	3	3	3	3	3	2	4.0		4	4	4	4	4	4	4
21-24	12	2.6	1	1	1	3	3	4	5	5	5	3.0	2	2	2	2	4	5	5	5
25-34	43	3.9	8	1	1	3	5	8	10	14	18	3.9	9	1	1	3	5	9	10	10
35-54	28	5.8	21	1	1	4	6	15	16	18	31	5.0	11	1	1	4	7	10	12	13
55-74	25	9.4	44	2	3	8	12	20	22	27	13	6.3	17	2	3	5	7	12	16	17
75 +	5	5.0	21	1	1	3	8	12	12	12	14	4.9	7	3	3	4	5	10	11	11
ALL AGES	116	5.5	24	1	1	4	7	12	17	23	83	4.8	10	1	2	4	6	10	11	16
SUBTOTAL	**222**	**4.6**	**15**	**1**	**1**	**3**	**5**	**9**	**14**	**20**	**151**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	15.3	118	1	2	16	22	29	30	30	12	5.2	5	1	1	6	7	8	9	9
18-20	13	7.9	67	2	2	4	11	22	22	22	35	5.9	31	1	2	5	6	8	22	28
21-24	23	10.4	92	2	2	5	22	26	27	27	85	7.2	50	2	2	5	7	14	28	30
25-34	177	6.4	67	1	2	3	6	18	24	49	597	5.4	25	2	2	4	6	8	16	28
35-54	109	5.8	33	1	2	4	5	13	21	30	318	4.9	17	2	2	4	5	7	10	27
55-74	20	8.6	39	2	2	7	12	18	21	23	25	4.4	7	1	2	4	5	6	11	13
75 +	8	6.4	30	2	2	4	8	16	18	18	6	3.5	3	2	2	3	5	6	6	6
ALL AGES	356	6.8	58	1	2	4	7	20	23	33	1078	5.4	24	2	2	4	6	8	14	28
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	4.7	16	1	1	4	8	9	9	9	1	3.0		3	3	3	3	3	3	3
18-20	8	10.4	215	2	2	3	15	36	40	40	28	5.6	26	1	2	5	6	10	13	28
21-24	31	6.1	42	1	1	3	7	16	23	26	57	5.2	19	1	2	4	6	9	11	27
25-34	150	6.1	52	1	2	4	5	14	27	31	264	6.4	35	2	3	4	7	10	21	31
35-54	96	8.2	60	2	3	5	10	21	28	67	117	5.9	32	1	2	5	7	10	15	32
55-74	45	9.2	66	2	2	6	11	21	27	39	44	6.4	22	2	3	5	8	12	13	30
75 +	17	10.7	82	1	2	9	14	23	30	34	8	9.8	155	2	2	6	8	31	40	40
ALL AGES	351	7.4	60	1	2	4	8	20	28	39	519	6.2	32	2	2	4	7	10	18	31
SUBTOTAL	**707**	**7.1**	**59**	**1**	**2**	**4**	**8**	**20**	**26**	**36**	**1597**	**5.6**	**27**	**2**	**2**	**4**	**6**	**9**	**15**	**29**
GRAND TOTAL	**929**	**6.5**	**50**	**1**	**2**	**4**	**7**	**17**	**22**	**32**	**1748**	**5.6**	**25**	**2**	**2**	**4**	**6**	**9**	**14**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	13.5	313	1	1	13	26	26	26	26										
13-17	6	6.0	46	1	1	4	7	18	19	19	1	2.0		2	2	2	2	2	2	2
18-20	4	4.0	15	1	1	3	7	9	9	9	2	10.5	145	2	2	10	19	19	19	19
21-24	5	8.4	47	1	1	7	15	16	16	16										
25-34	10	7.8	73	1	1	4	9	23	26	26	6	2.5	6	1	1	2	3	7	7	7
35-54	8	6.4	44	1	1	4	8	18	21	21	1	5.0		5	5	5	5	5	5	5
55-74	16	11.1	188	1	2	6	13	34	46	51	18	6.4	50	1	1	4	7	13	25	31
75 +	16	5.5	16	1	1	5	7	10	14	16	4	3.5	2	2	2	3	4	5	5	5
ALL AGES	67	7.7	79	1	1	5	9	19	26	48	32	5.4	38	1	1	3	6	11	19	31
B. FEMALE																						
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	2	4.0		4	4	4	4	4	4	4	3	2.0	3	1	1	1	3	4	4	4
18-20	3	8.0	49	1	1	8	13	15	15	15										
21-24	6	5.2	40	1	1	1	10	15	16	16										
25-34	11	6.5	40	1	2	4	8	17	22	22	3	4.0	19	1	1	2	7	9	9	9
35-54	12	6.4	28	1	2	5	8	14	19	20	3	2.3	2	1	1	3	3	3	3	3
55-74	31	9.6	66	2	3	8	14	20	40	99 +	25	9.1	128	1	2	6	11	16	42	47
75 +	27	5.5	14	2	2	4	6	12	14	17	23	5.7	14	2	2	5	7	10	13	17
ALL AGES	94	7.0	40	1	2	5	10	16	19	74	58	6.7	65	1	1	4	7	13	17	47
SUBTOTAL	**161**	**7.3**	**56**	**1**	**1**	**5**	**10**	**16**	**21**	**50**	**90**	**6.2**	**56**	**1**	**1**	**4**	**7**	**13**	**17**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	9	11.4	124	1	1	10	24	26	27	27	2	2.0		2	2	2	2	2	2	2
18-20	13	12.7	160	1	1	10	19	30	42	45	2	5.5	13	3	3	5	8	8	8	8
21-24	15	10.7	391	2	2	5	9	15	64	81	5	13.8	208	2	2	6	29	30	30	30
25-34	32	6.7	52	1	1	4	8	22	24	27	9	14.9	160	1	1	12	28	28	28	28
35-54	20	6.7	51	1	1	4	7	21	23	24	5	2.8	3	1	1	3	4	5	5	5
55-74	13	5.8	20	2	2	5	7	14	16	16	7	10.9	80	1	2	8	16	25	27	27
75 +	9	7.4	14	3	3	6	11	12	12	12	5	9.6	153	1	1	5	14	31	31	31
ALL AGES	111	8.3	109	1	1	5	10	22	25	59	35	10.2	116	1	1	5	17	28	30	31
B. FEMALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	17.3	603	2	2	6	30	54	54	54	1	3.0		3	3	3	3	3	3	3
18-20	5	19.8	255	1	1	13	33	41	41	41	3	4.0	7	2	2	3	6	7	7	7
21-24	6	10.3	12	4	5	11	12	14	14	14	1	4.0		4	4	4	4	4	4	4
25-34	21	11.6	249	1	1	7	15	28	53	67	4	8.5	111	1	1	4	15	24	24	24
35-54	10	9.0	82	2	2	5	12	23	32	32	7	4.9	8	1	1	4	6	9	10	10
55-74	7	8.4	23	4	4	7	12	16	17	17	5	7.0	47	1	1	4	12	17	17	17
75 +	14	8.9	40	3	4	6	11	18	23	25	13	9.2	64	2	3	6	13	23	24	24
ALL AGES	68	11.0	150	1	2	7	13	23	41	65	34	7.1	46	1	2	4	8	21	24	24
SUBTOTAL	**179**	**9.3**	**126**	**1**	**1**	**5**	**11**	**22**	**27**	**63**	**69**	**8.7**	**82**	**1**	**1**	**5**	**10**	**27**	**28**	**31**
GRAND TOTAL	**340**	**8.4**	**93**	**1**	**1**	**5**	**10**	**18**	**25**	**55**	**159**	**7.3**	**68**	**1**	**1**	**4**	**8**	**19**	**28**	**40**

PATHOLOGIC DRUG INTOX (292.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	2.7	4	1	1	2	4	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
21-24	3	3.0	4	1	1	3	4	5	5	5	1	22.0		22	22	22	22	22	22	22
25-34											7	22.7	193	2	2	30	31	33	33	33
35-54	1	1.0		1	1	1	1	1	1	1	2	5.0	32	1	1	5	9	9	9	9
55-74	3	7.0	27	4	4	4	11	13	13	13	2	8.5	41	4	4	8	13	13	13	13
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	3.6	13	1	1	3	5	8	13	13	15	14.6	169	1	1	9	30	31	32	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											2	18.0	578	1	1	18	35	35	35	35
25-34	1	2.0		2	2	2	2	2	2	2	3	23.0	247	5	5	30	33	34	34	34
35-54	2	10.0	128	2	2	10	18	18	18	18	1	3.0		3	3	3	3	3	3	3
55-74	3	3.7	2	2	2	4	5	5	5	5										
75 +											3	8.3	18	5	5	7	11	13	13	13
ALL AGES	7	4.9	35	1	1	2	5	15	18	18	9	14.8	198	1	2	7	31	35	35	35
SUBTOTAL	**18**	**4.1**	**20**	**1**	**1**	**3**	**5**	**11**	**16**	**18**	**24**	**14.7**	**171**	**1**	**1**	**8**	**30**	**33**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											5	38.0	514	8	8	38	49	71	71	71
18-20	1	1.0		1	1	1	1	1	1	1	4	33.5	59	29	29	30	38	45	45	45
21-24	1	6.0		6	6	6	6	6	6	6	6	25.5	209	1	2	32	36	37	37	37
25-34	3	13.0	172	1	1	11	23	27	27	27	10	21.5	182	1	1	30	30	31	31	31
35-54	2	5.5	1	5	5	5	6	6	6	6	6	19.3	284	2	2	19	36	37	37	37
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	7	8.1	82	1	1	6	10	24	27	27	32	25.3	269	1	2	30	35	39	45	71
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	30.0		30	30	30	30	30	30	30
21-24	1	7.0		7	7	7	7	7	7	7	1	37.0		37	37	37	37	37	37	37
25-34	3	3.3	6	2	2	4	53	99 +	99 +	99 +	4	16.8	232	3	3	17	30	30	30	30
35-54	2	8.5	1	8	8	8	9	9	9	9	2	16.5	421	2	2	16	31	31	31	31
55-74	3	7.0	7	4	4	8	9	9	9	9	3	26.7	1106	5	5	10	51	65	65	65
75 +	3	4.0	12	2	2	2	7	8	8	8	1	7.0		7	7	7	7	7	7	7
ALL AGES	12	5.6	9	2	2	7	8	27	86	99 +	13	19.6	372	1	2	10	30	43	61	65
SUBTOTAL	**19**	**6.5**	**34**	**1**	**1**	**6**	**9**	**19**	**63**	**99 +**	**45**	**23.7**	**295**	**1**	**2**	**30**	**32**	**38**	**50**	**71**
GRAND TOTAL	**37**	**5.4**	**27**	**1**	**1**	**4**	**8**	**12**	**23**	**99 +**	**69**	**20.6**	**266**	**1**	**2**	**29**	**31**	**37**	**42**	**70**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	4	4.5	16	1	1	4	8	8	8	8	2	3.0	8	1	1	3	5	5	5	5
18-20	4	6.5	23	1	1	7	10	11	11	11	4	1.5		1	1	1	2	2	2	2
21-24	4	7.8	92	1	1	4	13	22	22	22										
25-34	17	8.0	174	1	1	5	6	31	44	48	9	2.4	3	1	1	2	3	5	6	6
35-54	27	5.4	31	1	1	3	5	14	17	24	10	6.2	40	1	1	4	5	17	21	21
55-74	60	7.1	72	1	1	4	7	16	32	39	41	6.4	30	1	1	7	8	11	14	33
75 +	54	7.0	43	1	2	5	8	15	18	39	41	5.4	11	2	2	5	7	9	11	18
ALL AGES	171	6.8	62	1	1	4	8	14	22	40	109	5.3	21	1	1	4	7	10	13	26
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	2	6.0	8	4	4	6	8	8	8	8
13-17	5	13.4	353	1	1	4	21	46	46	46	3	2.0	1	1	1	2	3	3	3	3
18-20	4	3.0	16	1	1	1	5	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	6	8.2	69	1	1	5	17	20	20	20	4	1.0		1	1	1	1	1	1	1
25-34	15	4.8	12	1	1	4	8	9	12	13	6	3.3	4	2	2	3	4	7	7	7
35-54	36	4.6	15	1	1	4	6	11	12	17	11	4.6	15	1	1	4	6	11	12	12
55-74	82	9.0	130	1	2	6	12	17	22	73	51	6.1	28	1	1	4	8	12	14	29
75 +	103	6.5	27	1	2	5	8	12	16	28	68	5.1	12	1	2	4	7	10	11	15
ALL AGES	252	7.1	66	1	1	5	9	14	18	46	146	5.2	17	1	1	4	7	11	12	21
SUBTOTAL	**423**	**6.9**	**66**	**1**	**1**	**5**	**8**	**14**	**21**	**42**	**255**	**5.2**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	4.2	17	1	1	4	5	11	14	14	2	1.0		1	1	1	1	1	1	1
18-20	5	6.8	77	1	1	4	10	22	22	22	3	12.0	67	5	5	10	18	21	21	21
21-24	9	12.2	164	6	6	8	10	32	46	46	2	3.0	2	2	2	3	4	4	4	4
25-34	31	10.0	145	1	1	5	12	26	44	47	4	4.0	7	1	1	4	6	7	7	7
35-54	19	9.8	107	1	1	6	17	26	31	34	14	6.9	49	1	1	5	8	17	23	25
55-74	45	9.2	52	2	2	7	14	21	24	31	14	6.6	21	3	3	5	11	16	79	99 +
75 +	25	9.1	26	2	3	8	12	17	19	22	20	5.6	13	2	2	5	7	11	14	16
ALL AGES	143	9.2	80	1	1	7	12	21	25	46	59	6.1	27	1	1	5	8	15	19	92
B. FEMALE																				
0-12 YRS.																				
13-17	7	13.7	96	1	2	16	18	28	30	30	2	1.0		1	1	1	1	1	1	1
18-20	6	6.2	28	1	1	4	10	14	15	15										
21-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	22	7.6	57	1	2	4	13	18	23	29	9	7.9	76	1	1	5	10	22	29	29
35-54	31	9.7	58	1	2	7	14	24	26	27	12	6.2	41	1	2	3	8	15	22	23
55-74	67	8.6	80	2	2	6	10	20	26	52	32	7.9	79	1	1	6	8	17	33	41
75 +	56	9.4	71	2	3	7	11	19	22	47	40	7.0	26	1	2	5	9	16	18	20
ALL AGES	191	8.9	70	1	2	6	12	19	26	44	95	7.1	50	1	1	5	8	16	20	38
SUBTOTAL	**334**	**9.1**	**73**	**1**	**2**	**6**	**12**	**19**	**26**	**46**	**154**	**6.8**	**40**	**1**	**1**	**5**	**8**	**16**	**20**	**41**
GRAND TOTAL	**757**	**7.9**	**70**	**1**	**1**	**5**	**10**	**17**	**23**	**46**	**409**	**5.8**	**28**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	6	14.2	167	2	2	11	25	32	33	33	1	1.0		1	1	1	1	1	1	1
18-20	16	4.5	11	1	1	4	6	7	12	14										
21-24	10	5.8	18	1	1	6	9	49	96	99 +	3	1.3		1	1	1	2	2	2	2
25-34	15	2.7	3	1	1	2	3	6	7	7	2	3.5	5	2	2	3	5	5	5	5
35-54	5	5.2	23	1	1	4	8	13	13	13	3	4.0		4	4	4	4	4	4	4
55-74	6	9.0	157	1	1	4	9	31	34	34	8	6.9	65	1	1	4	7	21	26	26
75 +	17	7.5	18	3	4	6	11	15	15	15	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	76	6.8	64	1	1	4	7	15	30	86	19	4.9	35	1	1	3	5	11	20	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20	2	23.5	1013	1	1	23	46	46	46	46										
21-24	2	11.0	200	1	1	11	21	21	21	21										
25-34	6	9.5	84	2	2	6	14	25	26	26	3	4.3	1	4	4	4	5	5	5	5
35-54	11	5.6	25	1	1	5	8	13	18	18	7	11.1	194	1	1	5	12	35	41	41
55-74	19	8.9	51	2	3	7	12	21	25	25	12	3.2	6	1	1	3	4	6	9	10
75 +	12	9.6	37	4	5	7	12	20	23	24	8	6.1	24	1	1	5	8	14	16	16
ALL AGES	53	9.2	74	1	2	6	13	22	25	45	31	5.8	56	1	1	4	5	12	16	41
SUBTOTAL	**129**	**7.8**	**69**	**1**	**1**	**5**	**9**	**17**	**25**	**59**	**50**	**5.5**	**47**	**1**	**1**	**4**	**5**	**12**	**16**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.6	175	3	3	10	19	36	36	36	3	4.7	4	3	3	4	6	7	7	7
18-20	14	10.5	60	1	2	8	20	21	23	24	6	9.3	140	1	1	2	23	26	26	26
21-24	17	10.5	113	1	1	7	15	28	35	37	2	6.0	18	3	3	6	9	9	9	9
25-34	22	11.0	142	1	2	7	14	32	39	43	1	2.0		2	2	2	2	2	2	2
35-54	7	11.3	114	1	1	7	21	26	27	27	4	10.3	110	1	1	8	18	24	24	24
55-74	5	12.4	90	6	6	9	15	29	29	29	1	5.0		5	5	5	5	5	5	5
75 +	5	7.8	25	1	1	7	10	15	15	15	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	75	10.9	101	1	1	7	15	27	35	42	20	7.0	64	1	1	3	8	23	25	26
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	5	7.2	62	1	1	5	12	20	20	20										
21-24	8	19.4	476	4	4	14	20	56	71	71										
25-34	8	8.3	32	2	3	7	11	17	20	20	4	12.0	164	1	1	11	23	25	25	25
35-54	8	14.8	99	5	5	11	25	28	28	28	5	10.8	43	2	2	13	16	17	17	17
55-74	8	10.8	41	2	2	11	16	19	19	19	6	8.5	136	1	1	4	6	29	32	32
75 +	5	4.4	12	1	1	3	7	9	9	9	5	5.0	4	2	2	6	6	7	7	7
ALL AGES	42	11.5	143	1	2	7	17	21	27	71	21	8.7	75	1	1	6	14	23	28	32
SUBTOTAL	**117**	**11.1**	**116**	**1**	**2**	**7**	**15**	**24**	**30**	**52**	**41**	**7.8**	**70**	**1**	**1**	**4**	**10**	**23**	**25**	**32**
GRAND TOTAL	**246**	**9.4**	**93**	**1**	**1**	**6**	**13**	**22**	**29**	**50**	**91**	**6.5**	**59**	**1**	**1**	**4**	**7**	**17**	**25**	**37**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	3	1.7		1	1	2	2	2	2	2
13-17	5	11.6	394	1	1	3	15	47	47	47	7	2.6	5	1	1	2	4	6	7	7
18-20	2	2.5	1	2	2	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
21-24	3	10.3	125	2	2	6	19	23	23	23	1	7.0		7	7	7	7	7	7	7
25-34	14	4.7	15	1	1	3	8	11	12	12	10	1.7	1	1	1	2	2	3	4	4
35-54	36	7.9	205	1	1	4	7	15	27	84	16	5.4	39	1	1	4	6	6	21	28
55-74	94	7.9	60	2	2	5	10	21	27	36	101	5.1	25	1	1	4	6	10	15	28
75 +	102	7.9	73	1	2	5	9	19	27	43	126	7.9	105	1	2	5	9	16	28	88
ALL AGES	257	7.8	87	1	2	5	9	19	27	46	266	6.2	65	1	1	4	7	13	18	46
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	7.0	72	1	1	7	13	13	13	13	2	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2	2	19.0	512	3	3	19	35	35	35	35
21-24	4	6.8	31	2	2	6	11	13	13	13										
25-34	15	16.7	485	1	2	10	17	47	75	84	5	3.6	4	2	2	3	5	7	7	7
35-54	29	5.1	17	1	1	4	6	13	14	17	22	4.0	26	1	1	3	4	7	17	25
55-74	153	8.0	91	1	2	5	9	15	25	52	126	5.7	38	1	2	4	7	10	13	42
75 +	194	7.5	57	2	2	6	8	14	22	55	181	6.9	55	1	2	5	8	13	17	48
ALL AGES	400	7.8	85	1	2	5	9	15	24	57	339	6.2	49	1	2	4	7	11	16	40
SUBTOTAL	**657**	**7.8**	**86**	**1**	**2**	**5**	**9**	**15**	**25**	**51**	**605**	**6.2**	**56**	**1**	**1**	**4**	**7**	**12**	**16**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
18-20	3	31.0	2611	1	1	2	68	90	90	90	1	1.0		1	1	1	1	1	1	1
21-24	2	12.0	18	9	9	12	15	15	15	15	1	4.0		4	4	4	4	4	4	4
25-34	5	9.4	58	2	2	7	13	22	22	22	4	7.3	97	1	1	3	13	22	22	22
35-54	23	7.7	38	1	1	5	11	17	19	22	8	3.8	13	1	1	2	5	10	11	11
55-74	49	9.7	55	2	2	7	13	20	27	35	33	8.5	86	1	2	6	9	16	28	48
75 +	64	9.7	55	1	2	8	13	19	23	37	30	8.1	58	1	1	7	8	18	25	35
ALL AGES	148	9.7	96	1	2	7	13	19	23	39	78	7.6	65	1	1	6	8	15	25	44
B. FEMALE																				
0-12 YRS.																				
13-17											1	37.0		37	37	37	37	37	37	37
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	3	1.3		1	1	1	2	2	2	2	2	6.0	18	3	3	6	9	9	9	9
25-34	8	7.5	50	1	1	6	7	19	24	24	3	9.3	105	2	2	5	17	21	21	21
35-54	15	8.2	33	2	2	8	12	17	18	19	6	3.7	4	1	1	3	4	7	7	7
55-74	60	9.3	67	3	3	6	10	19	31	38	34	8.3	254	1	1	5	7	12	31	92
75 +	94	9.9	120	3	4	7	11	16	31	90	78	7.7	48	2	3	6	9	15	18	43
ALL AGES	181	9.5	95	2	3	7	10	18	30	73	124	7.9	109	1	2	5	8	15	22	61
SUBTOTAL	**329**	**9.6**	**95**	**2**	**2**	**7**	**12**	**19**	**28**	**64**	**202**	**7.8**	**91**	**1**	**2**	**5**	**8**	**15**	**24**	**49**
GRAND TOTAL	**986**	**8.4**	**89**	**1**	**2**	**6**	**10**	**17**	**26**	**52**	**807**	**6.6**	**65**	**1**	**1**	**5**	**7**	**13**	**19**	**47**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES											PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17												1	1.0		1	1	1	1	1	1	1
18-20																						
21-24	1	4.0		4	4	4	4	4	4	4											
25-34																						
35-54	2	17.0	18	14	14	17	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	4	5.3	14	2	2	5	8	9	9	9	7	15.7	860	2	2	5	8	67	82	82
75 +	5	7.0	26	1	1	10	11	12	12	12	1	16.0		16	16	16	16	16	16	16
ALL AGES	12	7.8	35	1	1	8	11	16	19	20	10	13.0	607	1	1	4	8	49	82	82
B. FEMALE																						
0-12 YRS.	2	1.0		1	1	1	1	1	1	1											
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	3.0		3	3	3	3	3	3	3											
55-74	4	5.8	29	1	1	4	10	13	13	13	4	4.5	10	2	2	3	6	9	9	9
75 +	5	12.6	91	2	2	13	21	23	23	23	4	4.0	13	1	1	3	6	9	9	9
ALL AGES	12	7.6	64	1	1	3	13	22	23	23	8	4.3	9	1	1	3	6	9	9	9
SUBTOTAL	**24**	**7.7**	**47**	**1**	**1**	**6**	**12**	**20**	**22**	**23**	**18**	**9.1**	**345**	**1**	**1**	**4**	**8**	**14**	**56**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	3.0		3	3	3	3	3	3	3											
35-54	2	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
55-74	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
75 +	2	4.5	1	4	4	4	5	5	5	5											
ALL AGES	7	4.1	8	1	1	4	6	8	8	8	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	21.0		21	21	21	21	21	21	21											
35-54	2	5.5	1	5	5	5	6	6	6	6	1	6.0		6	6	6	6	6	6	6
55-74	3	10.7	55	3	3	11	16	18	18	18	2	7.5	61	2	2	7	13	13	13	13
75 +	2	2.5	1	2	2	2	3	3	3	3	3	6.3	17	2	2	7	9	10	10	10
ALL AGES	8	8.6	54	2	2	5	14	20	21	21	6	6.7	19	2	2	6	10	13	13	13
SUBTOTAL	**15**	**6.5**	**36**	**1**	**1**	**5**	**8**	**18**	**20**	**21**	**8**	**6.9**	**13**	**2**	**2**	**7**	**9**	**12**	**13**	**13**
GRAND TOTAL	39	7.3	41	1	1	5	11	19	21	23	26	8.4	240	1	2	5	8	13	29	82

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	40.5	1405	14	14	40	67	67	67	67										
18-20	3	16.3	122	10	10	10	24	29	29	29										
21-24	14	30.6	449	3	5	24	50	65	67	68										
25-34	30	13.3	139	1	3	11	16	23	47	53	4	10.5	32	4	4	10	15	17	17	17
35-54	43	23.8	359	3	8	18	30	59	68	84	5	9.0	35	4	4	7	11	19	19	19
55-74	82	18.6	243	3	5	14	23	36	50	80	8	20.0	496	1	1	13	31	56	65	65
75 +	51	16.0	99	2	3	16	23	28	35	40	9	10.8	166	3	3	6	18	71	99 +	99 +
ALL AGES	226	19.1	254	3	4	15	25	37	54	74	26	13.2	224	2	3	7	19	41	70	99 +
B. FEMALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	4	15.3	113	1	1	18	23	24	24	24	1	1.0		1	1	1	1	1	1	1
18-20	2	6.0	32	2	2	6	10	10	10	10	2	20.0	722	1	1	19	39	39	39	39
21-24	7	17.3	237	5	5	9	32	40	41	41	1	3.0		3	3	3	3	3	3	3
25-34	27	16.6	119	2	4	16	28	34	44	99 +	5	15.8	407	1	1	6	26	50	50	50
35-54	37	16.0	178	2	4	14	20	32	48	61	6	8.8	106	1	1	3	21	23	23	23
55-74	97	20.4	226	3	4	18	26	45	59	99 +	8	9.4	40	1	2	9	12	19	22	22
75 +	88	17.4	140	3	5	14	25	34	37	86	14	18.0	262	3	5	12	25	49	53	54
ALL AGES	263	18.2	180	2	4	15	25	36	47	99 +	37	13.6	208	1	1	8	19	37	50	54
SUBTOTAL	**489**	**18.6**	**214**	**2**	**4**	**15**	**25**	**36**	**52**	**85**	**63**	**13.4**	**212**	**1**	**1**	**8**	**19**	**39**	**51**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	3	10.0	109	3	3	5	18	22	22	22										
18-20	7	13.4	66	3	3	16	19	23	24	24	1	1.0		1	1	1	1	1	1	1
21-24	5	18.6	350	1	1	12	37	41	41	41										
25-34	32	19.3	194	5	6	16	27	34	50	62	5	12.4	124	2	2	11	19	30	30	30
35-54	46	18.0	238	2	4	15	24	37	54	71	8	9.5	52	2	2	9	13	21	23	23
55-74	47	13.4	119	2	4	11	18	26	40	50	2	6.5	1	6	6	6	7	7	7	7
75 +	27	13.0	62	5	6	12	15	19	26	45	1	4.0		4	4	4	4	4	4	4
ALL AGES	168	16.0	163	3	4	13	22	31	41	61	17	9.2	63	1	2	7	13	21	28	30
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	2	9.5	5	8	8	9	11	11	11	11										
18-20	3	13.0	43	7	7	12	18	20	20	20										
21-24	9	19.6	206	6	6	18	26	42	50	50	1	4.0		4	4	4	4	4	4	4
25-34	26	19.7	300	3	4	13	24	52	57	61	4	3.8	4	2	2	4	5	6	6	6
35-54	28	15.9	173	2	4	11	24	34	38	57	7	5.0	23	1	1	4	6	13	15	15
55-74	75	17.3	112	3	4	16	24	32	42	86	12	11.4	142	3	3	6	14	30	41	43
75 +	47	19.2	140	5	7	18	24	31	40	69	3	20.3	242	9	9	14	32	38	38	38
ALL AGES	191	17.8	156	3	5	16	24	33	45	66	27	9.3	112	1	2	5	11	23	39	43
SUBTOTAL	**359**	**17.0**	**158**	**3**	**4**	**14**	**23**	**33**	**42**	**62**	**44**	**9.3**	**90**	**1**	**2**	**6**	**12**	**23**	**32**	**43**
GRAND TOTAL	**848**	**17.9**	**192**	**3**	**4**	**15**	**24**	**35**	**48**	**76**	**107**	**11.7**	**165**	**1**	**2**	**7**	**15**	**30**	**44**	**80**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	5.0	2	4	4	5	6	6	6	6	1	5.0		5	5	5	5	5	5	5
25-34	7	15.0	344	1	1	7	27	45	49	49	5	1.6	1	1	1	1	2	3	3	3
35-54	10	5.7	32	1	1	3	10	15	15	15	8	6.4	30	1	1	4	11	15	15	15
55-74	20	8.4	46	1	1	9	14	21	59	99 +	17	6.0	43	1	1	4	10	23	71	99 +
75 +	15	6.3	78	1	1	3	8	11	30	36	11	3.6	8	1	1	3	6	8	9	9
ALL AGES	56	8.2	90	1	1	4	11	20	34	96	43	4.8	26	1	1	3	7	13	19	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	3	3.3	5	1	1	4	5	5	5	5	2	3.5	5	2	2	3	5	5	5	5
35-54	5	20.4	195	9	9	18	26	44	44	44	6	8.5	25	3	3	8	14	14	14	14
55-74	25	8.2	61	2	3	7	10	12	20	42	16	5.1	22	1	1	4	6	10	17	20
75 +	29	6.0	28	1	1	5	7	12	15	27	24	4.5	10	1	1	4	7	9	10	10
ALL AGES	63	7.8	65	1	2	6	10	13	22	44	50	5.1	15	1	1	4	7	10	14	20
SUBTOTAL	**119**	**8.0**	**76**	**1**	**1**	**6**	**11**	**18**	**29**	**64**	**93**	**4.9**	**21**	**1**	**1**	**4**	**7**	**10**	**14**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
21-24	2	11.0	98	4	4	11	18	18	18	18										
25-34	5	11.6	158	4	4	7	14	34	34	34	3	2.7	2	1	1	3	4	4	4	4
35-54	5	17.2	54	7	7	21	22	24	24	24	3	4.0	19	1	1	2	7	9	9	9
55-74	6	11.2	188	1	1	7	11	35	38	38										
75 +	6	13.3	284	1	1	4	29	39	40	40	1	24.0		24	24	24	24	24	24	24
ALL AGES	27	12.2	140	1	2	7	20	33	38	40	8	5.8	60	1	1	3	6	19	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24	2	5.5	1	5	5	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34	2	10.5	5	9	9	10	12	12	12	12	2	6.5	41	2	2	6	11	11	11	11
35-54	4	10.5	86	4	4	7	16	24	24	24	3	1.3		1	1	1	2	2	2	2
55-74	10	13.9	119	1	3	12	15	31	40	40	4	10.8	52	5	5	8	16	21	21	21
75 +	9	12.8	351	1	2	6	10	42	62	62	5	6.0	7	3	3	6	8	9	9	9
ALL AGES	29	11.6	158	1	3	8	13	24	41	62	15	6.2	28	1	1	5	9	11	19	21
SUBTOTAL	**56**	**11.9**	**147**	**1**	**2**	**8**	**13**	**29**	**39**	**61**	**23**	**6.0**	**38**	**1**	**1**	**4**	**9**	**13**	**22**	**24**
GRAND TOTAL	**175**	**9.2**	**102**	**1**	**1**	**6**	**11**	**22**	**35**	**59**	**116**	**5.2**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**51**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	1.0		1	1	1	1	1	1	1												
35-54	5	6.2	28	1	1	4	10	14	14	14	1	7.0		7	7	7	7	7	7	7
55-74	9	8.9	76	1	1	5	14	23	27	27	11	9.8	593	1	1	2	4	37	79	83
75 +	2	5.5	25	2	2	5	9	9	9	9	2	19.0	450	4	4	19	34	34	34	34
ALL AGES	17	7.2	52	1	1	5	10	17	24	27	14	10.9	503	1	1	3	7	39	73	83
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	2.0		2	2	2	2	2	2	2												
35-54	2	7.0	32	3	3	7	11	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	10	4.0	4	1	1	4	5	7	8	8	7	1.9	3	1	1	1	2	5	6	6
75 +	7	7.7	41	2	2	5	14	16	16	16	6	2.7	5	1	1	2	3	7	7	7
ALL AGES	20	5.5	21	1	2	4	7	13	15	16	14	2.2	4	1	1	2	2	6	7	7
SUBTOTAL	**37**	**6.3**	**34**	**1**	**1**	**4**	**9**	**15**	**17**	**27**	**28**	**6.6**	**263**	**1**	**1**	**2**	**4**	**7**	**39**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	2.0		2	2	2	2	2	2	2												
25-34	2	3.0	2	2	2	3	4	4	4	4	1	22.0		22	22	22	22	22	22	22
35-54	1	13.0		13	13	13	13	13	13	13												
55-74	2	10.0	8	8	8	10	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +																						
ALL AGES	6	6.8	25	2	2	6	12	13	13	13	2	12.0	200	2	2	12	22	22	22	22
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	2.0		2	2	2	2	2	2	2												
35-54	1	1.0		1	1	1	1	1	1	1	1	12.0		12	12	12	12	12	12	12
55-74	1	7.0		7	7	7	7	7	7	7												
75 +	4	14.3	66	7	7	12	19	26	26	26												
ALL AGES	7	9.6	71	1	1	7	12	23	26	26	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**13**	**8.3**	**48**	**1**	**2**	**7**	**12**	**16**	**24**	**26**	**3**	**12.0**	**100**	**2**	**2**	**12**	**19**	**22**	**22**	**22**
GRAND TOTAL	**50**	**6.8**	**38**	**1**	**1**	**5**	**11**	**14**	**18**	**27**	**31**	**7.1**	**246**	**1**	**1**	**2**	**6**	**16**	**33**	**83**

DEMENTIA IN OTH DISEASES (294.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8	1	27.0		27	27	27	27	27	27	27
35-54	9	15.6	421	2	2	10	14	48	69	69	1	50.0		50	50	50	50	50	50	50
55-74	20	13.7	108	1	2	10	19	34	68	99 +	13	10.7	87	1	3	7	13	25	33	35
75 +	19	8.3	86	1	1	7	10	15	31	42	10	8.6	31	3	3	6	12	17	21	21
ALL AGES	49	11.8	155	1	1	9	14	29	42	99 +	25	12.1	130	2	4	7	14	27	39	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	8.0	17	4	4	8	11	12	12	12										
35-54	7	13.9	41	5	6	12	19	23	24	24	3	7.0	52	1	1	5	12	15	15	15
55-74	21	11.6	86	1	2	9	18	24	29	35	7	7.6	42	1	2	5	9	19	21	21
75 +	20	15.4	99	2	6	13	20	31	38	39	3	12.0	271	2	2	3	24	31	31	31
ALL AGES	54	14.0	123	1	4	12	17	25	37	61	13	8.5	79	1	1	5	11	23	29	31
SUBTOTAL	**103**	**13.0**	**137**	**1**	**2**	**10**	**16**	**26**	**40**	**83**	**38**	**10.8**	**114**	**1**	**2**	**6**	**13**	**25**	**33**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	84.0		84	84	84	84	84	84	84
21-24																				
25-34	2	15.5	61	10	10	15	21	21	21	21	1	21.0		21	21	21	21	21	21	21
35-54	2	14.5	181	5	5	14	24	24	24	24										
55-74	12	18.8	348	1	3	12	27	45	64	67	3	7.3	17	5	5	5	10	12	12	12
75 +	3	17.7	356	3	3	11	32	39	39	39	2	5.0		5	5	5	5	5	5	5
ALL AGES	19	17.8	269	2	3	11	23	37	54	67	7	19.6	842	5	5	5	19	71	84	84
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	2	25.5	25	22	22	25	29	29	29	29
55-74	4	15.0	90	7	7	12	22	28	28	28	1	31.0		31	31	31	31	31	31	31
75 +	8	7.3	19	2	2	7	10	14	15	15	3	9.3	51	3	3	8	15	17	17	17
ALL AGES	13	10.1	48	2	3	8	13	18	26	28	6	18.3	128	3	3	19	29	31	31	31
SUBTOTAL	**32**	**14.7**	**189**	**2**	**3**	**10**	**20**	**34**	**39**	**67**	**13**	**19.0**	**475**	**3**	**4**	**12**	**24**	**42**	**76**	**84**
GRAND TOTAL	**135**	**13.4**	**148**	**1**	**2**	**10**	**17**	**29**	**39**	**73**	**51**	**12.9**	**211**	**1**	**3**	**7**	**18**	**30**	**35**	**84**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	2	10	10	11	12	12	12	12										
18-20	1	17.0		17	17	17	17	17	17	17	1	79.0		79	79	79	79	79	79	79
21-24	4	12.8	66	1	1	15	18	20	20	20										
25-34	10	13.6	36	4	4	15	19	20	20	20	3	12.7	5	10	10	13	14	15	15	15
35-54	12	10.8	40	2	2	10	16	19	20	20	3	30.7	678	10	10	22	50	60	60	60
55-74	28	10.9	38	2	3	10	15	19	21	26	4	10.5	40	2	2	13	38	99 +	99 +	99 +
75 +	17	12.8	108	1	1	11	15	32	35	36	4	5.3	28	1	1	7	34	99 +	99 +	99 +
ALL AGES	74	11.9	52	1	2	12	16	20	25	36	15	18.1	483	1	1	13	31	96	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24																				
25-34	10	20.1	463	6	7	13	16	54	78	78	2	56.5	2521	21	21	92	98	99 +	99 +	99 +
35-54	9	13.2	115	2	2	11	18	31	34	34	2	6.5	5	5	5	6	8	8	8	8
55-74	38	15.1	172	1	2	11	22	32	40	62	3	14.7	89	5	5	15	22	24	24	24
75 +	33	9.9	51	1	2	9	14	22	25	27	2	9.5	1	9	9	9	10	10	10	10
ALL AGES	93	13.5	155	1	2	11	16	28	34	71	9	21.0	754	5	5	12	24	96	99 +	99 +
SUBTOTAL	**167**	**12.8**	**109**	**1**	**2**	**11**	**16**	**24**	**32**	**59**	**24**	**19.2**	**558**	**1**	**3**	**13**	**23**	**98**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	55	99 +	99 +	99 +	99 +										
13-17	3	18.7	422	3	3	11	34	42	42	42										
18-20	2	28.0	18	25	25	28	31	31	31	31	2	6.5	25	3	3	6	10	10	10	10
21-24	4	18.8	480	2	2	12	35	49	49	49	2	9.5	25	6	6	9	13	13	13	13
25-34	6	27.7	518	7	7	20	45	62	64	64	4	11.0	82	4	4	13	42	99 +	99 +	99 +
35-54	9	14.4	99	3	3	13	23	28	29	29	6	25.7	660	4	5	27	62	94	99 +	99 +
55-74	17	15.5	112	2	4	12	19	34	36	37	4	11.8	148	4	4	6	18	30	30	30
75 +	6	12.0	32	6	6	11	18	19	19	19	5	14.2	120	4	4	9	23	30	30	30
ALL AGES	48	17.3	188	3	3	13	25	40	50	99 +	23	15.1	252	3	4	9	28	70	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	2	15.0	50	10	10	15	20	20	20	20	1	10.0		10	10	10	10	10	10	10
25-34	4	9.8	44	3	3	10	15	16	16	16	1	17.0		17	17	17	17	17	17	17
35-54	7	17.1	94	2	3	21	25	27	27	27	1	3.0		3	3	3	3	3	3	3
55-74	11	12.5	40	4	6	9	16	23	23	23	4	13.0	103	6	6	9	19	28	28	28
75 +	12	12.0	33	4	4	13	15	20	22	22	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	38	12.9	50	2	4	13	19	23	25	27	9	10.3	62	3	3	8	12	24	28	28
SUBTOTAL	**86**	**15.3**	**133**	**3**	**4**	**13**	**21**	**31**	**42**	**87**	**32**	**13.8**	**198**	**3**	**4**	**8**	**23**	**42**	**94**	**99 +**
GRAND TOTAL	**253**	**13.7**	**117**	**2**	**3**	**12**	**17**	**26**	**34**	**64**	**56**	**16.1**	**353**	**2**	**4**	**10**	**23**	**64**	**99 +**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	32.3	1728	4	4	13	63	80	80	80										
18-20	5	16.0	142	3	3	17	26	30	30	30	1	17.0		17	17	17	17	17	17	17
21-24	3	18.3	156	4	4	25	26	26	26	26	1	10.0		10	10	10	10	10	10	10
25-34	15	10.8	74	1	1	8	16	26	27	27	3	16.0	19	13	13	14	19	21	21	21
35-54	16	15.8	116	2	3	15	25	29	35	38	4	4.5	15	1	1	3	7	10	10	10
55-74	68	12.3	64	2	3	11	16	22	25	45	11	7.9	14	2	4	7	10	13	16	16
75 +	83	13.3	96	2	3	12	17	23	30	56	22	7.2	30	1	2	6	9	15	19	24
ALL AGES	193	13.4	108	2	3	12	17	25	29	56	42	8.0	30	1	2	7	10	16	19	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	66.0		66	66	66	66	66	66	66										
18-20																				
21-24	2	9.5	1	9	9	9	10	10	10	10	1	14.0		14	14	14	14	14	14	14
25-34	5	9.4	13	4	4	10	12	13	13	13	1	4.0		4	4	4	4	4	4	4
35-54	16	11.3	82	2	3	8	13	28	32	34	6	22.2	407	7	7	17	23	57	61	61
55-74	86	15.9	181	2	4	12	21	35	46	62	17	13.0	197	3	4	8	12	36	50	55
75 +	130	14.9	145	3	5	12	20	28	45	99 +	17	10.2	95	2	2	7	10	28	34	36
ALL AGES	240	15.1	160	3	4	11	20	32	45	76	42	13.0	181	2	3	8	14	32	47	61
SUBTOTAL	**433**	**14.3**	**139**	**2**	**4**	**12**	**19**	**27**	**38**	**69**	**84**	**10.5**	**110**	**2**	**2**	**7**	**12**	**21**	**32**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-20	3	21.7	20	18	18	20	25	27	27	27	1	26.0		26	26	26	26	26	26	26
21-24	2	12.0	8	10	10	12	14	14	14	14										
25-34	11	10.9	39	4	4	10	14	21	22	22	1	4.0		4	4	4	4	4	4	4
35-54	14	22.1	402	2	7	17	27	40	73	82										
55-74	29	14.8	137	3	4	10	18	35	44	48	3	3.3	7	1	1	3	5	6	6	6
75 +	29	15.9	159	3	4	14	19	29	44	62	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	88	16.0	172	3	4	13	20	30	43	74	8	18.6	1091	1	2	5	16	76	98	98
B. FEMALE																				
0-12 YRS.																				
13-17	1	83.0		83	83	83	83	83	83	83										
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	3	12.7	55	5	5	16	60	99 +	99 +	99 +										
35-54	13	14.1	80	2	4	10	19	25	33	35	2	19.5	113	12	12	19	27	27	27	27
55-74	38	17.8	153	1	4	16	27	31	39	58	3	9.3	109	1	1	6	17	21	21	21
75 +	37	13.5	140	1	3	9	20	25	39	56	6	14.5	50	4	5	13	22	23	23	23
ALL AGES	94	16.2	180	1	4	13	22	31	44	92	11	14.0	71	1	3	13	22	49	93	99 +
SUBTOTAL	**182**	**16.1**	**175**	**3**	**4**	**13**	**21**	**31**	**43**	**83**	**19**	**15.9**	**470**	**1**	**2**	**12**	**22**	**62**	**99**	**99 +**
GRAND TOTAL	**615**	**14.8**	**151**	**2**	**4**	**12**	**20**	**29**	**39**	**76**	**103**	**11.5**	**177**	**2**	**2**	**7**	**13**	**23**	**37**	**99**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES											PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17												1	4.0		4	4	4	4	4	4	4
18-20																					
21-24	2	15.0	18	12	12	15	18	18	18	18											
25-34	5	11.8	103	1	1	8	17	28	28	28											
35-54	3	21.0	49	16	16	18	26	29	29	29											
55-74	8	9.3	20	2	3	10	13	14	15	15		2	4.0		4	4	4	4	4	4	4
75 +	11	15.1	70	3	5	13	20	27	32	32		3	29.7	811	8	8	19	51	62	62	62
ALL AGES	29	13.5	62	2	4	13	18	26	29	32		6	16.8	525	4	4	6	19	58	62	62
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20	1	12.0		12	12	12	12	12	12	12											
21-24	2	23.5	13	21	21	23	26	26	26	26											
25-34	9	14.3	63	4	5	16	18	26	30	30											
35-54	5	6.0	23	2	2	3	10	13	13	13		2	11.0	50	6	6	11	16	16	16	16
55-74	15	16.3	83	3	8	14	22	27	35	38		1	22.0		22	22	22	22	22	22	22
75 +	17	17.0	260	4	5	12	32	85	99 +	99 +		2	5.5	41	1	1	5	10	10	10	10
ALL AGES	49	15.3	138	3	4	12	20	37	62	99 +		5	11.0	68	1	1	10	17	22	22	22
SUBTOTAL	**78**	**14.7**	**108**	**2**	**4**	**13**	**19**	**29**	**41**	**99 +**		**11**	**14.2**	**298**	**1**	**3**	**8**	**18**	**38**	**60**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	5	8.2	39	1	1	11	13	14	14	14											
35-54	2	27.5	1	27	27	27	28	28	28	28		1	9.0		9	9	9	9	9	9	9
55-74	3	8.7	40	4	4	6	13	16	16	16											
75 +	6	6.8	12	4	4	6	8	12	13	13											
ALL AGES	16	10.2	65	1	2	7	14	26	28	28		1	9.0		9	9	9	9	9	9	9
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	30.0		30	30	30	30	30	30	30											
25-34	1	50.0		50	50	50	50	50	50	50											
35-54	2	7.5	25	4	4	7	11	11	11	11		1	5.0		5	5	5	5	5	5	5
55-74	7	10.9	30	1	2	11	16	17	17	17		1	1.0		1	1	1	1	1	1	1
75 +	9	11.2	39	1	2	13	18	59	99 +	99 +		1	7.0		7	7	7	7	7	7	7
ALL AGES	20	13.6	121	1	3	12	17	38	72	99 +		3	4.3	10	1	1	5	6	7	7	7
SUBTOTAL	**36**	**12.1**	**96**	**1**	**2**	**11**	**16**	**28**	**43**	**99 +**		**4**	**5.5**	**12**	**1**	**1**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**114**	**13.8**	**107**	**2**	**4**	**12**	**18**	**29**	**42**	**99 +**		**15**	**11.9**	**230**	**1**	**1**	**7**	**14**	**22**	**52**	**62**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	2	35.0	128	27	27	35	43	43	43	43										
18-20	3	7.7	20	3	3	8	11	12	12	12										
21-24	14	16.1	128	3	4	13	24	31	40	43	1	19.0		19	19	19	19	19	19	19
25-34	60	14.1	206	1	2	9	20	29	37	82	6	21.7	268	7	7	17	33	47	49	49
35-54	24	14.3	125	2	4	12	20	30	63	99+	5	13.8	61	2	2	17	19	21	21	21
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	106	14.5	172	2	3	10	20	30	43	91	12	18.2	159	2	5	17	20	38	47	49
B. FEMALE																				
0-12 YRS.																				
13-17	9	18.6	66	4	6	20	24	28	30	30										
18-20	4	21.5	270	11	11	14	30	46	46	46										
21-24	11	17.5	162	3	4	18	20	35	49	50										
25-34	32	16.5	193	2	3	12	25	31	35	71	2	4.5	25	1	1	4	8	8	8	8
35-54	43	16.5	273	2	4	13	21	31	45	90	4	10.5	76	3	3	8	16	23	23	23
55-74	19	17.7	103	6	7	15	22	31	42	48										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	118	17.1	192	2	4	14	23	31	42	77	7	9.6	57	1	1	8	14	22	23	23
SUBTOTAL	**224**	**15.9**	**183**	**2**	**3**	**13**	**22**	**30**	**43**	**86**	**19**	**15.0**	**135**	**1**	**2**	**16**	**19**	**29**	**42**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	14.3	88	4	4	13	20	27	27	27										
21-24	10	18.0	376	2	4	12	21	47	70	70	1	11.0		11	11	11	11	11	11	11
25-34	9	17.0	238	6	6	14	18	42	56	56	1	13.0		13	13	13	13	13	13	13
35-54	20	10.8	60	1	2	10	13	24	28	29	1	2.0		2	2	2	2	2	2	2
55-74	5	11.8	27	4	4	15	15	16	16	16	1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	49	13.7	152	2	4	12	15	26	30	70	4	10.0	30	2	2	12	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	8	20.4	565	1	1	11	28	60	73	73	2	2.0		2	2	2	2	2	2	2
25-34	11	13.4	72	3	3	12	19	25	31	31	2	9.5	85	3	3	9	16	16	16	16
35-54	7	12.7	53	2	2	14	17	21	22	22										
55-74	4	9.0	5	6	6	9	10	11	11	11										
75 +																				
ALL AGES	31	14.3	182	2	3	11	17	28	31	73	4	5.8	46	2	2	3	9	16	16	16
SUBTOTAL	**80**	**13.9**	**163**	**2**	**3**	**12**	**16**	**27**	**30**	**72**	**8**	**7.9**	**38**	**2**	**2**	**7**	**13**	**15**	**16**	**16**
GRAND TOTAL	**304**	**15.4**	**177**	**2**	**3**	**12**	**20**	**29**	**40**	**78**	**27**	**12.9**	**115**	**2**	**2**	**11**	**17**	**23**	**35**	**49**

CATATONIC SCHIZOPHRENIA (295.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.3	71	6	6	7	16	24	24	24										
18-20	12	16.1	161	1	3	15	21	36	43	44	2	5.0	8	3	3	5	7	7	7	7
21-24	7	20.0	103	10	10	16	28	34	35	35	4	20.8	415	6	6	13	32	51	51	51
25-34	28	15.9	164	1	2	13	27	31	36	53	7	9.7	186	1	1	5	8	34	40	40
35-54	25	13.4	102	3	3	9	20	28	35	39	6	11.3	26	5	5	11	15	18	18	18
55-74	7	28.0	335	2	4	28	44	49	50	50	2	8.0	2	7	7	8	9	9	9	9
75 +	2	22.5	41	18	18	22	27	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	85	16.5	153	2	4	14	24	34	42	52	22	11.2	147	1	2	8	13	25	44	51
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
13-17	2	68.5	181	59	59	68	78	78	78	78										
18-20	3	22.0	651	3	3	12	41	51	51	51	2	46.0	3698	3	3	46	89	89	89	89
21-24	14	10.9	36	1	2	10	14	20	20	20	6	9.0	98	1	1	6	10	26	28	28
25-34	27	20.5	199	2	3	19	27	40	43	62	7	7.0	62	1	1	1	15	18	18	18
35-54	52	16.1	185	1	3	11	23	35	48	54	12	5.2	16	1	2	4	6	11	15	16
55-74	32	16.1	274	1	2	12	20	36	82	99 +	9	13.2	143	4	5	8	16	34	42	42
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	133	17.1	242	1	2	13	23	38	52	92	37	10.2	249	1	1	5	10	20	37	89
SUBTOTAL	**218**	**16.9**	**205**	**1**	**3**	**13**	**23**	**36**	**47**	**82**	**59**	**10.6**	**208**	**1**	**1**	**7**	**12**	**20**	**41**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	128	1	1	17	79	99 +	99 +	99 +										
18-20	2	33.5	1625	5	5	33	62	62	62	62										
21-24	4	29.3	463	3	3	30	46	53	53	53										
25-34	10	17.8	378	1	1	8	29	51	54	54	1	11.0		11	11	11	11	11	11	11
35-54	10	23.2	276	2	2	25	29	47	53	53	5	4.2	8	2	2	3	5	9	9	9
55-74	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	30	20.7	366	1	2	15	37	54	62	99 +	9	4.9	12	2	2	3	8	10	11	11
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	5	31.0	768	6	6	19	45	77	77	77	1	22.0		22	22	22	22	22	22	22
25-34	8	15.8	16	11	11	14	19	22	23	23										
35-54	9	29.6	731	4	5	25	34	76	89	89	7	8.6	81	2	2	5	12	24	27	27
55-74	15	16.3	469	2	2	7	22	32	72	86	3	6.0		6	6	6	6	6	6	6
75 +	3	8.3	7	6	6	8	10	11	11	11	3	4.3	2	3	3	5	53	99 +	99 +	99 +
ALL AGES	42	21.0	457	3	4	14	25	53	81	89	14	8.1	57	2	2	6	12	27	82	99 +
SUBTOTAL	**72**	**20.9**	**413**	**2**	**3**	**14**	**28**	**53**	**75**	**97**	**23**	**6.8**	**41**	**2**	**2**	**5**	**9**	**22**	**49**	**99 +**
GRAND TOTAL	**290**	**17.8**	**262**	**1**	**3**	**13**	**25**	**39**	**53**	**90**	**82**	**9.5**	**163**	**1**	**2**	**6**	**10**	**21**	**41**	**96**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.8	290	4	4	19	34	36	36	36	1	6.0		6	6	6	6	6	6	6
13-17	61	24.7	460	2	3	21	43	70	99 +	99 +	14	11.5	269	1	1	7	14	22	55	65
18-20	179	17.7	185	2	3	15	24	37	45	63	24	10.9	89	2	2	7	13	25	33	38
21-24	437	17.0	287	1	3	12	22	38	54	85	61	11.8	128	1	2	8	17	23	35	50
25-34	1908	14.3	170	1	3	11	19	31	42	70	232	13.5	204	1	2	8	18	29	43	77
35-54	1284	13.9	150	2	3	10	19	30	38	63	198	11.7	131	1	2	7	16	29	35	47
55-74	208	14.4	109	2	3	13	20	29	36	54	21	13.9	238	3	4	8	17	33	56	64
75 +	27	19.2	180	4	5	16	23	44	48	57	4	5.0	3	3	3	5	6	7	7	7
ALL AGES	4108	14.8	181	2	3	11	20	32	42	73	555	12.4	167	1	2	8	17	29	37	65
B. FEMALE																				
0-12 YRS.	6	14.5	98	4	5	12	16	31	33	33	1	6.0		6	6	6	6	6	6	6
13-17	26	20.5	265	2	3	20	28	46	51	62	2	33.0	1800	3	3	33	63	63	63	63
18-20	58	21.0	313	2	4	15	31	40	49	88	6	14.3	59	5	5	15	21	23	23	23
21-24	203	15.6	192	2	2	12	23	35	41	75	18	14.8	264	1	2	7	27	40	51	55
25-34	904	15.3	158	2	3	12	21	31	40	61	110	11.4	138	1	1	8	15	26	40	77
35-54	1436	15.0	137	2	3	13	20	30	39	63	165	10.9	104	1	2	7	15	25	31	48
55-74	699	17.1	160	3	5	14	22	33	41	64	96	13.8	171	1	2	9	19	32	47	84
75 +	75	17.8	96	3	7	17	25	33	36	86	17	11.2	48	3	3	11	15	22	25	25
ALL AGES	3407	15.7	156	2	3	13	21	32	40	63	415	12.0	139	1	2	8	16	28	38	62
SUBTOTAL	**7515**	**15.2**	**170**	**2**	**3**	**12**	**20**	**32**	**41**	**70**	**970**	**12.3**	**153**	**1**	**2**	**8**	**17**	**28**	**38**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	1301	1	1	26	52	52	52	52	1	7.0		7	7	7	7	7	7	7
13-17	22	17.1	266	1	1	16	25	56	75	99 +										
18-20	65	18.1	206	2	3	14	26	39	48	95	6	10.8	81	3	3	7	15	26	27	27
21-24	181	14.2	174	1	3	10	18	30	41	68	32	13.8	198	1	1	8	19	36	44	45
25-34	574	14.3	159	2	3	11	20	30	37	69	99	11.0	177	1	2	6	15	29	46	99 +
35-54	468	15.1	158	2	3	12	20	31	43	71	78	12.8	180	2	2	7	16	29	46	61
55-74	76	15.4	145	2	3	12	20	30	43	57	7	8.7	82	1	1	4	14	24	26	26
75 +	6	18.3	169	1	1	18	29	35	36	36	2	12.5	265	1	1	12	24	24	24	24
ALL AGES	1394	14.9	164	2	3	11	20	31	41	71	225	11.9	175	1	2	7	16	30	43	86
B. FEMALE																				
0-12 YRS.	2	21.0		21	21	21	21	21	21	21										
13-17	8	15.9	196	1	2	12	21	39	45	45										
18-20	18	14.9	115	1	2	14	22	31	37	38	3	13.0	91	2	2	18	19	19	19	19
21-24	76	18.7	179	2	6	17	24	37	49	63	8	5.9	14	2	2	4	8	12	13	13
25-34	263	16.9	190	3	4	13	22	36	45	73	36	8.9	77	2	3	7	9	13	42	99 +
35-54	345	16.4	197	2	3	13	22	34	43	80	37	9.1	52	2	3	7	11	18	28	33
55-74	182	20.1	206	3	5	17	27	42	55	99 +	11	19.8	313	3	3	14	29	46	62	63
75 +	28	17.8	145	4	4	15	27	35	42	46	4	6.8	57	2	2	4	11	18	18	18
ALL AGES	922	17.5	192	2	4	14	24	36	46	81	99	10.0	96	2	3	7	13	19	33	81
SUBTOTAL	**2316**	**15.9**	**178**	**2**	**3**	**12**	**21**	**34**	**43**	**75**	**324**	**11.3**	**152**	**1**	**2**	**7**	**15**	**29**	**39**	**86**
GRAND TOTAL	**9831**	**15.4**	**171**	**2**	**3**	**12**	**21**	**32**	**42**	**71**	**1294**	**12.0**	**154**	**1**	**2**	**7**	**16**	**28**	**38**	**65**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	313	6	6	31	83	99 +	99 +	99 +										
13-17	23	27.7	440	3	4	21	44	52	71	83	3	28.0	1803	2	2	5	59	77	77	77
18-20	36	19.3	232	1	4	16	27	41	47	62	2	7.5	61	2	2	7	13	13	13	13
21-24	56	14.0	147	2	3	10	21	29	34	59	10	8.0	15	1	2	7	11	13	14	14
25-34	63	12.2	131	1	3	9	17	24	32	65	8	10.8	88	3	3	5	21	23	23	23
35-54	26	18.1	255	1	1	16	22	32	51	77	11	8.5	40	1	1	9	11	18	22	22
55-74	4	11.8	59	2	2	13	18	19	19	19	5	9.8	159	2	2	4	14	32	32	32
75 +																				
ALL AGES	210	16.4	218	1	3	13	22	37	49	79	39	10.5	170	1	2	7	13	22	28	77
B. FEMALE																				
0-12 YRS.																				
13-17	18	26.2	583	1	3	24	41	82	99 +	99 +	1	12.0		12	12	12	12	12	12	12
18-20	19	22.0	247	6	7	19	29	47	55	61	7	14.6	409	1	1	6	18	50	58	58
21-24	33	17.5	141	1	3	16	24	38	50	99 +	5	6.2	20	3	3	5	7	14	14	14
25-34	72	14.5	126	1	2	12	21	30	37	46	7	7.6	36	1	1	7	13	16	16	16
35-54	45	14.4	117	2	2	14	20	29	35	45	15	7.1	29	1	1	6	11	17	17	17
55-74	22	13.9	136	1	2	10	17	33	40	42	6	6.2	25	3	3	4	7	15	16	16
75 +	2	10.5	13	8	8	10	13	13	13	13										
ALL AGES	211	16.5	186	1	2	14	23	35	44	99	41	8.3	92	1	1	5	11	16	18	58
SUBTOTAL	**421**	**16.5**	**200**	**1**	**3**	**14**	**23**	**37**	**46**	**87**	**80**	**9.4**	**129**	**1**	**1**	**6**	**12**	**19**	**23**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	40.9	557	7	9	47	50	73	79	79										
18-20	14	14.7	108	1	2	13	19	31	36	37	4	8.5	48	2	2	7	13	18	18	18
21-24	13	11.2	76	1	2	9	16	25	27	27	4	8.0	25	3	3	7	12	14	14	14
25-34	24	15.7	258	1	2	11	20	35	52	71	3	7.3	18	4	4	6	10	12	12	12
35-54	17	12.2	91	2	3	9	15	26	35	39	2	4.5	5	3	3	4	6	6	6	6
55-74	5	16.2	81	4	4	15	23	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	80	16.3	231	1	2	12	21	36	48	77	14	7.2	23	2	3	5	10	14	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	12	17.8	235	3	3	14	25	43	50	51										
18-20	8	13.8	82	3	4	9	23	26	26	26	1	6.0		6	6	6	6	6	6	6
21-24	18	13.3	95	2	2	12	21	29	34	36	5	7.8	57	2	2	5	10	21	21	21
25-34	17	13.8	146	3	4	11	17	33	44	48	2	13.0	32	9	9	13	17	17	17	17
35-54	15	15.5	228	3	5	11	14	45	52	54	4	8.8	88	2	2	6	15	22	22	22
55-74	12	11.3	63	1	2	9	18	23	26	26	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	82	14.2	140	2	3	11	19	29	41	53	13	8.5	49	2	2	6	11	21	22	22
SUBTOTAL	**162**	**15.2**	**186**	**2**	**3**	**11**	**21**	**34**	**46**	**69**	**27**	**7.8**	**35**	**2**	**2**	**6**	**10**	**18**	**21**	**22**
GRAND TOTAL	**583**	**16.1**	**197**	**2**	**3**	**13**	**22**	**36**	**46**	**78**	**107**	**9.0**	**105**	**1**	**2**	**6**	**12**	**18**	**22**	**66**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	33.0	50	28	28	33	38	38	38	38										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	4	8.3	40	1	1	8	13	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	6	28.0	119	11	12	29	36	40	40	40										
35-54	7	13.1	33	7	7	14	14	22	24	24										
55-74																				
75 +																				
ALL AGES	20	18.3	141	3	6	14	26	37	39	40	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											2	28.0	1352	2	2	28	54	54	54	54
18-20	1	63.0		63	63	63	63	63	63	63										
21-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	12	6.6	22	2	2	5	8	15	16	16										
35-54	28	11.0	38	3	4	9	15	19	24	24										
55-74	4	17.0	21	13	13	16	20	23	23	23										
75 +																				
ALL AGES	47	11.4	96	2	3	9	15	20	24	63	2	28.0	1352	2	2	28	54	54	54	54
SUBTOTAL	**67**	**13.4**	**119**	**2**	**3**	**11**	**17**	**24**	**36**	**59**	**3**	**19.0**	**919**	**1**	**1**	**2**	**41**	**54**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20											1	39.0		39	39	39	39	39	39	39
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	12.0	2	11	11	12	13	13	13	13										
35-54	3	19.0	61	14	14	15	25	28	28	28										
55-74																				
75 +																				
ALL AGES	7	17.4	150	2	4	14	25	37	39	39	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2450	15	15	50	85	85	85	85										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	8	16.6	310	3	4	10	20	47	56	56										
35-54	14	9.4	32	1	2	9	13	17	19	19										
55-74	2	11.0	50	6	6	11	16	16	16	16	1	9.0		9	9	9	9	9	9	9
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	29	14.9	293	2	3	10	15	27	57	85	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**36**	**15.4**	**261**	**2**	**3**	**12**	**16**	**28**	**51**	**85**	**2**	**24.0**	**450**	**9**	**9**	**24**	**39**	**39**	**39**	**39**
GRAND TOTAL	**103**	**14.1**	**168**	**2**	**3**	**11**	**16**	**27**	**38**	**73**	**5**	**21.0**	**580**	**1**	**1**	**9**	**43**	**54**	**54**	**54**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	8.0	47	1	1	7	13	17	17	17										
13-17	9	14.3	226	1	1	10	35	68	99 +	99 +	2	10.0	72	4	4	10	16	16	16	16
18-20	65	16.0	237	1	2	11	21	43	49	60	5	7.2	8	4	4	7	9	11	11	11
21-24	236	15.8	201	2	4	12	20	35	47	72	12	16.3	250	1	2	11	31	39	47	48
25-34	807	14.9	199	1	2	11	20	32	43	73	39	15.4	208	1	2	10	24	34	47	59
35-54	625	13.8	129	1	2	10	19	29	34	56	35	10.5	155	1	2	6	13	20	43	58
55-74	187	14.2	132	2	4	11	18	30	35	61	10	14.8	180	5	5	10	19	35	50	50
75 +	14	17.0	118	1	5	16	20	30	41	44										
ALL AGES	1947	14.6	172	1	3	11	20	31	40	68	103	13.3	180	1	2	8	18	32	49	58
B. FEMALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17	12	22.6	713	2	5	19	43	99 +	99 +	99 +	1	11.0		11	11	11	11	11	11	11
18-20	40	16.9	156	2	4	14	26	32	40	57	2	15.5	221	5	5	15	26	26	26	26
21-24	169	16.0	209	2	3	11	21	37	48	72	8	13.0	222	4	5	7	12	38	49	49
25-34	507	14.4	160	2	3	11	19	31	40	60	19	12.9	194	2	2	6	19	29	45	57
35-54	848	14.6	141	2	3	12	20	32	40	61	49	14.2	219	2	3	10	19	27	36	94
55-74	510	16.6	158	2	4	14	22	34	44	78	38	14.1	280	1	2	9	16	27	57	77
75 +	37	12.6	64	3	4	11	18	26	32	99 +	5	8.8	21	4	4	10	13	13	13	13
ALL AGES	2125	15.2	158	2	3	12	20	33	42	68	122	13.7	217	2	3	9	18	27	38	82
SUBTOTAL	**4072**	**14.9**	**165**	**2**	**3**	**11**	**20**	**32**	**42**	**68**	**225**	**13.5**	**200**	**2**	**2**	**9**	**18**	**30**	**43**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	6	21.0	260	4	4	16	40	41	41	41										
18-20	23	10.8	69	1	3	8	15	25	28	31	1	34.0		34	34	34	34	34	34	34
21-24	90	12.9	142	1	2	9	19	33	45	82	3	6.0	19	3	3	4	9	11	11	11
25-34	296	14.3	167	2	3	11	19	30	41	59	29	8.1	51	1	1	6	13	20	21	26
35-54	248	15.3	177	2	3	11	20	32	43	62	10	7.2	25	1	1	7	11	14	15	15
55-74	64	18.4	270	3	5	15	22	41	46	91	3	6.0	3	4	4	7	7	7	7	7
75 +	4	8.5	20	5	5	7	11	15	15	15	3	9.0	19	6	6	10	57	99 +	99 +	99 +
ALL AGES	732	14.7	176	2	3	11	19	32	43	63	49	8.2	52	1	1	6	13	20	26	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.0	690	3	3	20	44	64	64	64										
18-20	10	9.7	49	3	3	6	18	18	18	18	2	5.5	1	5	5	5	6	6	6	6
21-24	45	17.5	223	1	2	13	25	34	50	61	3	15.3	198	4	4	11	26	31	31	31
25-34	163	13.6	184	1	2	10	18	27	36	86	17	7.2	71	1	1	6	7	12	29	38
35-54	209	14.9	142	2	3	13	19	30	40	53	15	11.7	162	1	2	8	16	29	43	48
55-74	121	17.5	151	4	6	14	23	32	42	64	14	15.0	152	2	4	12	18	32	42	45
75 +	19	14.1	55	5	7	12	15	26	32	35	1	91.0		91	91	91	91	91	91	91
ALL AGES	571	15.3	162	2	3	12	20	31	40	63	52	12.6	248	1	2	7	15	30	44	90
SUBTOTAL	**1303**	**15.0**	**168**	**2**	**3**	**11**	**20**	**31**	**41**	**63**	**101**	**10.5**	**155**	**1**	**2**	**6**	**14**	**27**	**36**	**95**
GRAND TOTAL	**5375**	**14.9**	**167**	**2**	**3**	**11**	**20**	**32**	**41**	**66**	**326**	**12.6**	**187**	**1**	**2**	**8**	**16**	**29**	**38**	**80**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	28.8	453	4	4	27	43	56	56	56										
13-17	33	25.7	356	3	5	29	48	99 +	99 +	99 +	4	23.0	655	4	4	14	40	60	60	60
18-20	81	17.3	364	1	2	11	20	39	61	93	5	12.4	45	2	2	13	17	20	20	20
21-24	216	18.6	262	3	3	15	24	37	53	96	21	13.5	115	3	3	12	16	29	38	47
25-34	638	15.9	171	2	4	13	21	34	41	57	45	16.2	224	2	4	12	20	31	58	65
35-54	547	14.9	163	2	3	11	21	32	40	61	55	16.3	247	2	3	12	19	35	39	87
55-74	124	17.9	140	4	5	16	25	35	53	99 +	4	21.3	258	6	6	17	31	44	44	44
75 +	9	22.2	318	1	4	19	33	51	57	57	5	22.4	139	13	13	19	25	43	43	43
ALL AGES	1652	16.4	196	2	3	13	22	35	44	90	139	16.2	217	2	3	13	19	34	46	72
B. FEMALE																				
0-12 YRS.	4	29.8	466	4	4	29	43	57	57	57										
13-17	30	22.1	316	2	4	18	28	51	63	72	1	49.0		49	49	49	49	49	49	49
18-20	52	21.3	330	1	3	18	30	50	58	77	3	9.0	36	3	3	9	13	15	15	15
21-24	203	17.7	241	2	4	14	24	36	50	74	9	21.1	234	2	5	16	37	43	43	43
25-34	867	16.0	175	2	3	13	21	34	42	67	47	15.4	176	2	3	12	18	39	47	54
35-54	1300	16.3	170	3	4	13	21	32	42	72	106	15.3	162	1	3	12	21	33	39	60
55-74	453	19.1	189	3	5	15	25	37	48	64	43	17.9	200	3	5	15	19	38	43	77
75 +	25	20.6	175	6	7	15	28	42	47	51	5	30.6	510	10	10	21	44	67	67	67
ALL AGES	2934	16.9	187	3	4	13	22	34	44	71	214	16.5	189	2	3	14	21	37	46	68
SUBTOTAL	**4586**	**16.8**	**187**	**2**	**4**	**13**	**22**	**35**	**44**	**73**	**353**	**16.4**	**199**	**2**	**3**	**13**	**20**	**36**	**46**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	47.0	450	32	32	47	62	62	62	62										
13-17	24	33.3	621	6	7	31	43	69	92	95	3	48.7	1615	3	3	64	75	79	79	79
18-20	43	20.0	273	3	4	18	23	40	64	69	6	11.8	99	3	3	10	15	28	29	29
21-24	98	16.5	218	2	3	13	21	34	45	81	8	17.0	135	2	3	17	26	31	33	33
25-34	352	16.0	211	2	4	12	20	32	47	90	29	16.4	196	3	3	13	20	35	51	62
35-54	263	17.0	192	3	4	14	23	34	44	82	28	13.4	149	1	3	9	20	31	41	49
55-74	48	18.5	304	3	4	15	25	41	50	94	1	17.0		17	17	17	17	17	17	17
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	831	17.3	235	2	4	13	22	36	49	91	75	16.3	238	2	3	12	22	34	50	75
B. FEMALE																				
0-12 YRS.	2	33.5	221	23	23	33	44	44	44	44										
13-17	11	20.6	100	10	13	19	25	63	95	99 +										
18-20	31	15.9	301	1	3	8	20	47	57	62	4	11.0	117	2	2	8	19	25	25	25
21-24	105	19.1	199	4	7	15	26	35	43	76	6	11.7	128	2	2	8	11	32	34	34
25-34	400	17.1	197	2	4	13	23	36	46	66	34	16.5	132	2	4	14	24	33	41	44
35-54	525	17.4	202	3	4	14	23	34	48	84	35	14.1	121	1	3	12	18	34	38	41
55-74	206	21.4	238	4	6	19	29	40	51	74	11	12.5	96	2	3	8	16	30	32	32
75 +	11	16.8	241	1	1	15	17	38	57	59	1	16.0		16	16	16	16	16	16	16
ALL AGES	1291	18.1	209	3	4	15	24	37	48	75	91	14.5	120	2	3	12	21	33	38	43
SUBTOTAL	**2122**	**17.8**	**219**	**3**	**4**	**14**	**23**	**36**	**48**	**84**	**166**	**15.3**	**173**	**2**	**3**	**12**	**22**	**33**	**40**	**64**
GRAND TOTAL	**6708**	**17.1**	**198**	**2**	**4**	**14**	**23**	**35**	**45**	**75**	**519**	**16.1**	**189**	**2**	**3**	**12**	**20**	**35**	**43**	**68**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	9.8	19	2	2	12	12	12	12	12										
18-20	9	17.2	279	1	2	12	26	45	48	48	1	35.0		35	35	35	35	35	35	35
21-24	18	13.8	195	2	3	8	18	36	48	53	1	29.0		29	29	29	29	29	29	29
25-34	40	14.6	221	1	2	11	17	32	55	66	5	4.8	47	1	1	2	6	17	17	17
35-54	40	10.2	61	1	1	10	13	21	25	36	7	4.1	51	1	1	1	3	17	20	20
55-74	13	9.7	39	2	2	11	14	17	19	20	2	11.0	128	3	3	11	19	19	19	19
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	126	12.5	144	1	2	10	15	24	40	61	16	8.7	130	1	1	2	18	28	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	214	5	5	24	33	41	41	41	1	32.0		32	32	32	32	32	32	32
18-20	7	12.1	89	2	3	8	17	27	29	29	1	36.0		36	36	36	36	36	36	36
21-24	17	16.5	203	4	5	9	24	44	49	49	1	7.0		7	7	7	7	7	7	7
25-34	38	13.2	146	2	3	10	16	29	37	61	3	14.7	340	4	4	4	28	36	36	36
35-54	65	13.0	142	2	2	10	16	24	40	62	16	7.0	35	1	2	5	9	17	20	21
55-74	28	15.3	82	2	7	14	19	26	31	44	11	15.7	500	1	2	7	11	57	69	70
75 +	6	5.3	26	2	2	3	7	14	15	15										
ALL AGES	165	13.8	135	2	3	11	18	29	39	59	33	12.2	244	1	2	6	12	36	47	70
SUBTOTAL	**291**	**13.2**	**140**	**1**	**2**	**11**	**16**	**27**	**40**	**60**	**49**	**11.1**	**205**	**1**	**1**	**5**	**14**	**34**	**37**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	45.5	3445	4	4	45	87	87	87	87
18-20	4	14.5	46	5	5	16	19	21	21	21	1	2.0		2	2	2	2	2	2	2
21-24	9	15.4	160	2	3	10	20	36	43	43	3	18.3	252	1	1	22	29	32	32	32
25-34	29	12.1	69	1	2	10	16	24	31	35	3	6.7	1	6	6	6	8	8	8	8
35-54	28	9.1	37	2	2	8	14	18	19	23	5	8.4	36	1	1	9	12	17	17	17
55-74	5	21.8	196	7	7	18	33	41	41	41	1	9.0		9	9	9	9	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	76	12.0	82	2	2	10	17	23	31	42	15	14.6	472	1	1	8	15	32	73	87
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	9.3	32	4	4	8	14	16	16	16										
21-24	9	13.9	153	2	2	9	24	33	34	34	1	11.0		11	11	11	11	11	11	11
25-34	33	11.9	90	1	3	9	16	26	33	36	2	26.0	242	15	15	26	37	37	37	37
35-54	27	14.0	155	2	3	10	22	29	39	55	3	5.3	13	2	2	5	8	9	9	9
55-74	10	20.1	191	1	3	17	29	40	42	42	4	8.0	37	2	2	7	13	15	15	15
75 +	4	25.0	403	6	6	20	38	53	53	53	1	2.0		2	2	2	2	2	2	2
ALL AGES	88	14.1	141	2	3	10	22	31	37	54	11	10.3	103	2	2	9	14	24	36	37
SUBTOTAL	**164**	**13.1**	**115**	**2**	**2**	**10**	**18**	**29**	**35**	**52**	**26**	**12.8**	**310**	**1**	**2**	**8**	**15**	**31**	**47**	**87**
GRAND TOTAL	**455**	**13.2**	**129**	**1**	**2**	**10**	**17**	**27**	**38**	**55**	**75**	**11.7**	**238**	**1**	**1**	**6**	**14**	**32**	**37**	**83**

Total U.S. January - December 1986

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	38.5	126	27	27	37	47	52	52	52										
13-17	71	21.5	399	2	4	15	34	57	69	96	7	15.4	364	2	2	7	29	46	49	49
18-20	113	18.6	214	3	4	15	26	40	52	77	9	6.9	23	1	1	7	11	13	14	14
21-24	184	18.2	313	2	2	12	26	41	63	96	25	11.5	155	2	3	9	13	23	40	60
25-34	467	13.7	174	1	2	9	19	31	40	62	86	13.1	124	1	1	11	19	27	36	54
35-54	341	12.9	131	1	2	10	17	26	36	48	50	8.0	30	2	2	7	11	15	17	27
55-74	70	15.7	300	1	3	11	20	33	84	99 +	17	12.8	369	1	1	7	11	38	64	76
75 +	6	10.3	34	2	3	9	14	18	19	19										
ALL AGES	1256	15.2	213	1	2	11	21	34	44	85	194	11.4	129	1	2	8	15	24	35	58
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	48	19.3	308	2	3	15	26	54	59	99 +	5	15.2	29	9	9	15	20	22	22	22
18-20	50	16.3	136	1	6	13	21	37	44	99 +	5	6.0	31	2	2	2	11	13	13	13
21-24	125	15.3	175	2	3	11	21	30	37	66	12	4.3	38	1	1	2	5	11	21	23
25-34	384	15.1	212	1	3	11	19	32	46	82	29	8.9	191	1	1	4	8	23	32	70
35-54	480	15.2	186	2	3	11	19	31	41	73	64	14.2	252	2	3	10	18	28	39	89
55-74	206	17.2	200	3	4	14	22	38	46	78	31	12.8	199	1	1	6	17	30	48	57
75 +	13	10.2	55	1	2	8	15	22	23	23	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	1307	15.7	195	2	3	12	20	32	45	79	148	11.7	200	1	1	7	16	27	33	77
SUBTOTAL	**2563**	**15.4**	**205**	**1**	**3**	**11**	**20**	**33**	**44**	**83**	**342**	**11.5**	**160**	**1**	**2**	**7**	**15**	**26**	**34**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	18.6	188	2	2	27	30	32	32	32										
13-17	33	22.0	301	1	4	16	33	50	53	59	4	22.3	901	2	2	10	42	66	66	66
18-20	41	14.4	149	2	3	10	19	35	45	99 +	7	11.4	102	2	2	8	20	26	27	27
21-24	94	15.4	194	2	3	12	20	32	42	72	8	9.5	46	1	1	9	16	17	18	18
25-34	175	13.2	195	1	2	9	18	30	43	75	30	13.2	176	2	3	8	14	31	44	59
35-54	124	15.0	232	1	2	10	19	33	48	79	24	12.5	156	1	1	7	22	29	39	44
55-74	45	15.5	166	2	3	12	21	31	38	68	3	4.3	2	3	3	5	5	5	5	5
75 +	2	14.5	145	6	6	14	23	23	23	23	1	2.0		2	2	2	2	2	2	2
ALL AGES	521	15.0	204	1	2	11	20	35	46	76	77	12.4	173	1	2	7	16	27	41	64
B. FEMALE																				
0-12 YRS.	4	29.0	418	1	1	32	42	50	50	50										
13-17	28	24.4	430	1	3	18	39	62	76	99 +	1	7.0		7	7	7	7	7	7	7
18-20	18	15.2	257	1	2	10	22	30	54	68	3	16.3	263	7	7	7	28	35	35	35
21-24	51	14.7	153	1	2	10	20	30	42	55	5	15.0	57	7	7	11	22	24	24	24
25-34	122	14.6	191	2	3	10	19	28	46	68	16	10.5	103	1	1	7	16	24	32	36
35-54	161	13.5	150	2	3	10	19	29	34	88	20	15.6	288	2	2	9	20	42	54	64
55-74	70	16.2	109	4	5	14	23	33	39	89	9	11.6	278	2	2	5	11	41	53	53
75 +	7	18.3	437	6	6	10	16	55	65	65	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	461	15.3	186	2	3	12	21	31	46	78	56	13.0	190	2	2	7	17	34	43	63
SUBTOTAL	**982**	**15.1**	**197**	**1**	**2**	**11**	**20**	**33**	**46**	**77**	**133**	**12.7**	**178**	**1**	**2**	**7**	**16**	**28**	**43**	**64**
GRAND TOTAL	**3545**	**15.4**	**200**	**1**	**3**	**11**	**20**	**33**	**45**	**78**	**475**	**11.8**	**166**	**1**	**2**	**7**	**16**	**27**	**36**	**65**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	21.0	61	14	14	19	28	32	33	33	3	3.0	4	1	1	3	4	5	5	5
18-20	7	9.6	55	3	3	8	11	22	25	25	1	1.0		1	1	1	1	1	1	1
21-24	10	19.1	504	1	1	14	22	51	79	79										
25-34	45	15.4	186	1	3	12	21	38	40	65	4	21.3	1285	2	2	4	40	75	75	75
35-54	35	12.4	109	1	2	11	18	23	30	50	5	12.6	63	3	3	11	19	23	23	23
55-74	36	12.7	75	2	4	11	18	26	32	34	7	4.4	8	2	2	4	6	8	9	9
75 +	3	31.7	566	15	15	21	49	59	59	59	3	8.0	25	3	3	8	12	13	13	13
ALL AGES	143	14.6	159	2	3	12	19	29	38	66	23	9.3	236	1	1	5	9	19	41	75
B. FEMALE																				
0-12 YRS.																				
13-17	2	38.5	761	19	19	38	58	58	58	58	1	3.0		3	3	3	3	3	3	3
18-20	9	15.1	88	2	3	14	19	29	33	33										
21-24	14	13.1	125	1	2	10	18	25	40	44										
25-34	39	14.5	89	2	3	14	21	27	31	38	2	9.0	128	1	1	9	17	17	17	17
35-54	95	11.7	80	1	2	9	15	27	32	36	9	10.2	94	1	1	7	14	27	27	27
55-74	72	14.6	104	3	4	12	20	27	35	54	13	7.4	30	1	2	6	9	17	19	19
75 +	14	14.8	73	2	4	17	18	24	31	33	2	12.0	50	7	7	12	17	17	17	17
ALL AGES	245	13.6	98	2	3	12	19	27	33	45	27	8.6	54	1	1	6	10	19	26	27
SUBTOTAL	**388**	**13.9**	**123**	**2**	**3**	**12**	**19**	**28**	**34**	**58**	**50**	**8.9**	**135**	**1**	**1**	**6**	**10**	**18**	**26**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	3	24.7	668	5	5	15	44	54	54	54	1	59.0		59	59	59	59	59	59	59
18-20	5	6.6	31	2	2	6	9	16	16	16										
21-24	9	10.7	38	1	2	12	15	18	20	20										
25-34	19	16.2	306	1	2	11	19	36	58	75	2	2.0	2	1	1	1	3	3	3	3
35-54	22	11.5	148	2	3	8	14	20	39	59										
55-74	6	10.8	69	3	3	9	15	23	24	24	2	6.5	13	4	4	6	9	9	9	9
75 +	1	77.0		77	77	77	77	77	77	77	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	66	13.9	241	2	3	10	15	27	55	77	7	11.9	437	1	1	4	8	49	59	59
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	3	8.7	40	4	4	6	13	16	16	16										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	16	15.0	166	4	4	9	24	32	43	48										
35-54	30	15.4	256	3	4	13	18	26	31	90	2	3.0	8	1	1	2	5	5	5	5
55-74	20	12.6	90	3	3	8	21	25	30	34	5	4.4	18	2	2	3	5	12	12	12
75 +	4	21.5	140	9	9	20	30	37	37	37	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	75	14.6	171	3	4	11	20	29	33	79	9	3.9	11	1	1	3	4	9	12	12
SUBTOTAL	**141**	**14.3**	**201**	**3**	**3**	**10**	**18**	**28**	**37**	**78**	**16**	**7.4**	**197**	**1**	**1**	**3**	**5**	**12**	**45**	**59**
GRAND TOTAL	**529**	**14.0**	**144**	**2**	**3**	**12**	**19**	**28**	**34**	**60**	**66**	**8.5**	**148**	**1**	**1**	**5**	**9**	**18**	**26**	**72**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	6.0	25	1	1	6	10	11	11	11										
21-24	4	8.0	33	1	1	8	12	14	14	14										
25-34	23	12.9	108	2	3	10	18	29	33	36	3	5.0	48	1	1	1	10	13	13	13
35-54	32	9.4	30	2	3	9	13	16	19	23										
55-74	24	14.8	66	2	3	12	22	28	46	99 +	1	15.0		15	15	15	15	15	15	15
75 +	6	21.2	448	4	4	14	27	58	61	61	1	3.0		3	3	3	3	3	3	3
ALL AGES	92	12.3	91	2	3	11	15	27	28	83	5	6.6	47	1	1	3	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	17.5	13	15	15	17	20	20	20	20										
21-24	5	12.0	77	4	4	12	17	25	25	25										
25-34	31	16.6	200	1	2	11	27	35	46	58	5	9.2	54	1	1	6	17	17	17	17
35-54	55	14.0	107	2	3	11	19	30	35	45	4	7.3	63	1	1	4	12	19	19	19
55-74	47	18.5	147	6	6	15	24	35	48	51	4	4.0	6	1	1	4	6	6	6	6
75 +	7	14.0	136	6	6	11	16	35	39	39	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	147	16.0	138	2	3	13	21	32	41	51	15	7.1	38	1	1	5	11	17	19	19
SUBTOTAL	**239**	**14.5**	**125**	**2**	**3**	**12**	**20**	**29**	**37**	**58**	**20**	**7.0**	**37**	**1**	**1**	**5**	**12**	**17**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	4	5.5	25	3	3	3	8	13	13	13										
25-34	12	9.0	28	3	4	7	13	17	20	20	1	1.0		1	1	1	1	1	1	1
35-54	9	5.3	12	1	2	5	7	11	13	13										
55-74	10	15.2	60	8	8	13	19	27	34	34										
75 +																				
ALL AGES	37	9.6	44	3	3	8	13	18	20	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20	2	25.0	968	3	3	25	47	47	47	47										
21-24	2	18.0	72	12	12	18	24	24	24	24	1	4.0		4	4	4	4	4	4	4
25-34	15	13.1	115	1	1	9	20	30	34	36	2	5.5	13	3	3	5	8	8	8	8
35-54	23	15.3	95	5	6	11	21	28	34	42	3	2.7	2	1	1	3	4	4	4	4
55-74	14	18.4	208	1	3	14	32	40	44	45										
75 +	5	20.8	102	11	11	16	30	34	34	34	2	10.0	98	3	3	10	17	17	17	17
ALL AGES	62	16.4	137	2	4	13	23	35	40	47	8	5.4	26	1	1	4	6	14	17	17
SUBTOTAL	**99**	**13.9**	**111**	**3**	**3**	**11**	**20**	**30**	**37**	**46**	**9**	**4.9**	**25**	**1**	**1**	**3**	**5**	**13**	**17**	**17**
GRAND TOTAL	**338**	**14.3**	**121**	**2**	**3**	**11**	**20**	**30**	**37**	**52**	**29**	**6.3**	**34**	**1**	**1**	**4**	**9**	**17**	**17**	**19**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	51	23.9	279	2	3	25	33	47	53	72	2	25.5	1013	3	3	25	48	48	48	48
13-17	273	24.1	346	3	5	21	34	51	71	99 +	22	22.9	353	1	2	18	34	50	61	62
18-20	102	14.3	188	1	2	11	20	38	51	99 +	11	13.3	101	2	2	15	21	26	32	32
21-24	186	10.7	66	1	2	9	14	22	28	41	19	10.7	96	1	1	7	17	27	30	31
25-34	647	13.4	163	1	2	9	18	30	38	58	80	8.1	79	1	1	5	9	20	30	42
35-54	1287	13.5	115	2	3	11	18	27	33	53	144	10.8	113	1	2	8	15	24	29	46
55-74	976	17.0	160	2	4	14	22	34	43	60	169	8.2	85	1	2	5	9	19	27	44
75 +	308	18.6	190	3	5	15	25	38	47	88	64	11.5	96	2	3	8	15	29	33	40
ALL AGES	3830	15.6	168	2	3	12	21	32	42	67	511	10.2	117	1	2	7	14	25	32	47
B. FEMALE																				
0-12 YRS.	57	29.2	324	2	6	29	43	57	64	98	2	15.0		15	15	15	15	15	15	15
13-17	499	22.2	380	2	3	18	32	58	72	99 +	51	14.0	184	1	1	12	28	39	88	99 +
18-20	197	13.8	199	1	1	9	19	32	45	62	24	12.8	173	1	1	6	23	32	38	44
21-24	345	13.0	136	1	2	10	18	29	39	54	33	8.5	119	1	1	4	11	22	24	54
25-34	1462	13.8	140	1	3	10	19	29	37	57	190	9.4	108	1	1	5	13	24	31	52
35-54	2544	14.9	143	2	3	12	20	30	40	61	307	10.0	121	1	2	6	12	23	32	60
55-74	2210	18.2	178	3	5	15	24	35	45	65	323	11.5	106	2	3	8	15	25	32	52
75 +	836	19.8	229	3	4	17	26	39	53	78	139	10.5	84	2	3	7	14	24	28	42
ALL AGES	8150	16.5	187	2	3	13	22	34	45	68	1069	10.6	115	1	2	7	14	25	32	57
SUBTOTAL	**11980**	**16.2**	**181**	**2**	**3**	**13**	**22**	**34**	**44**	**68**	**1580**	**10.5**	**115**	**1**	**2**	**7**	**14**	**25**	**32**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	71	33.2	446	4	7	32	51	70	89	99 +	8	54.9	802	23	23	66	97	99 +	99 +	99 +
13-17	330	28.5	519	3	5	23	47	69	93	99 +	23	23.3	715	1	1	13	37	77	99	99 +
18-20	130	15.3	238	2	3	11	21	30	43	97	10	22.1	774	1	2	9	39	68	86	86
21-24	210	15.3	218	2	3	11	21	31	48	76	26	13.2	299	1	2	6	10	36	46	76
25-34	831	13.1	111	2	3	10	19	27	32	53	77	8.4	79	1	1	5	10	22	28	43
35-54	1193	14.3	129	2	3	12	20	29	35	60	101	10.5	121	1	2	8	14	22	30	63
55-74	559	17.5	182	3	4	14	24	34	44	70	62	10.1	88	1	2	6	16	22	33	93
75 +	152	17.0	101	3	5	16	24	29	32	52	20	16.5	354	1	2	7	27	50	59	60
ALL AGES	3476	16.5	208	2	3	13	22	34	48	86	327	12.9	263	1	2	7	16	33	55	99 +
B. FEMALE																				
0-12 YRS.	33	26.7	427	1	5	21	46	61	93	99 +	4	51.8	306	27	27	55	62	69	69	69
13-17	477	27.8	444	3	5	25	42	65	87	99 +	44	24.8	746	1	2	12	49	71	98	99 +
18-20	191	17.7	244	2	3	14	23	43	50	88	16	7.3	106	1	1	2	9	21	34	39
21-24	364	14.8	185	2	3	11	20	34	44	79	32	15.1	512	1	1	5	14	52	75	84
25-34	1322	15.7	170	2	3	12	21	32	42	65	136	9.9	141	1	1	5	12	28	37	74
35-54	1706	15.9	164	2	4	13	21	31	41	76	182	9.3	70	1	2	7	13	21	29	40
55-74	1004	19.0	189	3	5	16	25	38	47	72	142	11.5	100	2	2	8	16	26	32	44
75 +	375	19.5	189	4	6	16	26	38	49	68	56	11.8	145	2	4	7	15	29	37	58
ALL AGES	5472	17.8	213	2	4	14	23	38	49	84	612	11.8	197	1	2	7	14	30	42	79
SUBTOTAL	**8948**	**17.3**	**211**	**2**	**4**	**14**	**23**	**37**	**49**	**85**	**939**	**12.2**	**220**	**1**	**2**	**7**	**15**	**31**	**46**	**97**
GRAND TOTAL	**20928**	**16.7**	**193**	**2**	**3**	**13**	**22**	**35**	**46**	**75**	**2519**	**11.1**	**155**	**1**	**2**	**7**	**14**	**27**	**36**	**72**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	25.0	344	1	2	27	46	89	99+	99+										
13-17	59	17.8	175	2	3	18	28	39	49	99+	8	31.5	748	3	3	30	53	70	73	73
18-20	48	13.9	147	2	3	11	19	29	33	65	1	15.0		15	15	15	15	15	15	15
21-24	78	14.6	199	1	2	11	20	31	39	76	6	12.2	389	1	1	5	9	48	52	52
25-34	396	14.5	133	2	3	12	20	28	38	55	32	11.2	88	1	2	8	14	27	33	34
35-54	795	15.8	151	2	4	13	21	32	40	56	77	10.3	108	1	2	7	11	25	34	45
55-74	799	19.4	187	4	5	16	26	36	47	69	62	14.5	178	1	2	11	22	32	41	61
75 +	208	20.8	205	5	6	18	28	40	50	75	24	21.2	204	5	8	17	29	37	51	64
ALL AGES	2389	17.2	172	2	4	14	24	35	43	66	210	13.8	185	1	2	9	20	33	43	63
B. FEMALE																				
0-12 YRS.	14	21.9	291	1	2	17	35	47	56	59										
13-17	130	19.0	362	2	2	14	25	51	71	99+	17	22.4	625	1	1	15	34	58	78	87
18-20	85	12.5	200	1	1	7	17	36	44	61	5	5.4	59	1	1	2	8	19	19	19
21-24	195	13.3	138	1	2	10	18	28	39	54	13	3.8	10	1	1	2	5	9	11	11
25-34	971	14.6	170	2	3	11	19	30	40	69	71	10.5	156	1	1	5	16	24	33	67
35-54	2136	15.2	130	2	4	13	20	30	37	58	167	11.9	163	1	2	8	15	27	38	75
55-74	2294	20.5	194	4	6	18	28	38	48	79	199	16.2	209	2	3	12	22	36	48	66
75 +	848	22.7	228	4	7	20	29	42	56	84	95	16.5	173	2	3	14	22	33	41	93
ALL AGES	6673	17.9	186	3	4	15	24	35	44	72	567	14.1	198	1	2	10	19	31	43	80
SUBTOTAL	**9062**	**17.7**	**183**	**2**	**4**	**15**	**24**	**35**	**44**	**70**	**777**	**14.0**	**195**	**1**	**2**	**9**	**19**	**32**	**43**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	20.0	391	2	2	20	52	95	99+	99+										
13-17	86	23.2	526	2	3	15	35	61	83	98	8	13.6	349	2	2	8	11	45	59	59
18-20	72	15.2	155	2	3	13	21	38	59	99+	3	5.7	10	2	2	7	8	8	8	8
21-24	117	12.2	100	1	3	11	16	25	35	48	4	9.8	181	3	3	3	17	30	30	30
25-34	535	14.7	158	2	3	11	21	30	38	73	42	11.0	175	1	1	6	10	38	43	50
35-54	854	14.9	154	2	3	12	20	30	40	61	57	10.6	71	1	2	8	16	23	30	36
55-74	413	18.6	174	4	5	16	24	37	48	99+	31	9.4	33	1	2	7	14	18	19	22
75 +	102	20.0	209	5	6	15	28	43	52	87	16	18.3	374	2	4	13	25	40	66	77
ALL AGES	2184	16.0	178	2	3	13	21	32	44	77	161	11.3	136	1	2	7	15	25	36	58
B. FEMALE																				
0-12 YRS.	6	33.0	791	7	8	26	30	82	88	88	1	34.0		34	34	34	34	34	34	34
13-17	144	24.4	420	2	4	19	37	62	83	99+	16	16.6	427	1	2	9	20	51	64	69
18-20	124	15.7	221	2	3	10	22	35	49	67	12	7.4	51	1	1	5	10	19	24	25
21-24	300	15.8	211	2	3	11	21	36	51	95	14	6.2	51	1	2	5	7	10	25	30
25-34	1159	15.9	198	2	3	12	22	34	49	86	101	9.8	98	1	2	7	11	24	32	48
35-54	1819	16.9	179	3	4	14	23	34	42	74	142	9.6	64	2	2	7	12	20	27	44
55-74	1082	20.5	210	4	6	17	28	41	49	90	90	11.8	91	2	3	9	15	27	32	40
75 +	328	21.8	224	4	5	18	30	43	51	75	44	14.4	131	3	5	9	18	33	35	54
ALL AGES	4962	17.9	210	3	4	14	24	37	49	84	420	10.8	101	2	2	8	13	25	33	48
SUBTOTAL	**7146**	**17.3**	**201**	**3**	**4**	**14**	**24**	**36**	**47**	**82**	**581**	**10.9**	**111**	**1**	**2**	**7**	**13**	**25**	**33**	**50**
GRAND TOTAL	**16208**	**17.5**	**192**	**3**	**4**	**14**	**24**	**35**	**45**	**76**	**1358**	**12.7**	**161**	**1**	**2**	**9**	**17**	**29**	**39**	**62**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	49.0	8	47	47	49	51	51	51	51											
13-17	32	19.9	229	4	5	15	25	42	46	76	1	1.0		1	1	1	1	1	1	1
18-20	70	17.9	191	1	3	14	24	38	51	56	1	37.0		37	37	37	37	37	37	37
21-24	149	17.7	218	2	4	14	22	39	43	81	15	9.1	81	1	2	5	11	25	30	32
25-34	413	15.5	148	2	4	13	20	31	39	69	44	9.3	95	1	2	5	12	23	33	41
35-54	530	14.1	100	2	4	12	19	27	33	54	47	8.9	39	1	2	7	12	21	22	24
55-74	291	17.1	127	3	4	15	24	32	38	56	13	13.8	148	2	4	7	21	35	37	37
75 +	21	16.5	70	4	5	16	19	30	34	36	4	22.8	539	5	5	14	36	57	57	57
ALL AGES	1508	15.8	140	2	4	14	20	31	39	58	125	10.2	98	1	2	7	14	23	32	45
B. FEMALE																					
0-12 YRS.	1	57.0		57	57	57	57	57	57	57											
13-17	25	19.5	299	3	4	14	26	56	77	99 +											
18-20	76	16.2	121	2	4	14	20	31	43	48	3	9.0	28	3	3	11	12	13	13	13
21-24	115	16.3	207	3	4	14	20	32	43	78	17	14.5	231	3	4	10	17	20	52	70
25-34	571	16.1	144	2	4	13	21	30	39	62	37	14.7	105	2	3	12	20	32	35	38
35-54	1113	16.5	138	3	4	14	22	32	40	53	75	10.5	103	1	2	7	14	25	35	48
55-74	718	17.6	134	4	6	15	23	31	37	65	43	12.4	151	2	3	8	15	24	38	65
75 +	93	19.6	149	5	7	18	26	34	42	66	3	22.0	372	8	8	14	36	44	44	44
ALL AGES	2712	16.8	145	3	5	14	22	32	39	60	178	12.4	130	2	3	9	16	25	37	61
SUBTOTAL	**4220**	**16.5**	**141**	**3**	**4**	**14**	**21**	**31**	**39**	**60**	**303**	**11.5**	**117**	**2**	**2**	**8**	**15**	**25**	**35**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	2	51.0	288	39	39	51	63	63	63	63											
13-17	13	20.7	97	6	8	19	28	33	38	39											
18-20	27	20.7	313	3	6	16	24	50	59	74	3	11.3	263	1	1	3	23	30	30	30
21-24	47	16.6	168	3	5	12	24	31	36	75	8	11.3	152	2	2	5	19	31	32	32
25-34	157	15.3	153	2	3	13	21	31	44	69	24	9.0	50	2	3	7	12	20	27	28
35-54	196	16.2	149	2	3	14	23	33	45	83	31	9.2	164	2	2	6	9	15	27	72
55-74	75	19.6	196	6	8	16	24	38	44	81	7	9.3	107	3	3	7	9	27	32	32
75 +	7	16.3	85	7	8	12	24	30	31	31	1	6.0		6	6	6	6	6	6	6
ALL AGES	524	16.9	172	2	4	14	23	33	46	74	74	9.4	115	2	3	6	10	26	30	62
B. FEMALE																					
0-12 YRS.																					
13-17	8	28.8	789	1	2	22	55	95	99 +	99 +	1	24.0		24	24	62	99 +	99 +	99 +	99 +
18-20	16	17.6	135	1	2	16	23	34	40	42	5	7.0	9	4	4	6	9	11	11	11
21-24	37	20.8	199	5	6	16	25	45	53	55	4	6.3	7	4	4	6	8	10	10	10
25-34	156	16.7	149	3	4	15	21	30	38	65	13	14.9	136	1	2	15	21	29	40	43
35-54	217	15.8	148	2	3	14	21	31	37	56	31	13.5	191	2	3	9	17	26	28	74
55-74	145	19.4	190	4	6	16	27	35	46	66	14	14.7	160	2	2	9	26	32	39	41
75 +	22	19.2	114	3	4	19	26	35	38	40	3	14.0	93	3	3	18	20	21	21	21
ALL AGES	601	17.6	169	3	4	15	23	34	42	65	71	13.3	146	2	3	9	19	27	40	94
SUBTOTAL	**1125**	**17.3**	**169**	**3**	**4**	**15**	**23**	**34**	**44**	**69**	**145**	**11.3**	**133**	**2**	**3**	**7**	**15**	**27**	**31**	**75**
GRAND TOTAL	**5345**	**16.6**	**149**	**3**	**4**	**14**	**22**	**32**	**40**	**62**	**448**	**11.4**	**123**	**2**	**2**	**8**	**15**	**25**	**32**	**65**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	16.7	113	10	10	11	24	29	29	29										
13-17	10	19.5	457	3	3	8	39	54	57	57										
18-20	20	18.2	379	1	2	13	23	38	65	84	2	14.5	25	11	11	14	18	18	18	18
21-24	30	13.0	64	4	5	11	19	25	29	34	3	5.7	22	2	2	4	9	11	11	11
25-34	135	14.8	116	2	3	13	19	32	40	46	15	13.9	116	3	3	10	19	33	37	39
35-54	218	15.4	183	2	3	12	20	31	44	64	21	11.1	61	1	2	10	17	24	25	25
55-74	134	16.3	137	3	4	13	24	33	38	71	9	18.4	197	1	3	10	30	37	39	39
75 +	21	18.6	289	3	4	15	26	53	86	99 +	4	26.3	225	8	8	26	36	45	45	45
ALL AGES	571	15.6	165	2	4	12	21	32	42	67	54	14.1	118	2	3	10	21	29	38	45
B. FEMALE																				
0-12 YRS.																				
13-17	13	15.2	148	4	6	13	17	27	47	52	1	3.0		3	3	3	3	3	3	3
18-20	24	11.9	180	1	1	8	16	32	70	99 +	1	6.0		6	6	6	6	6	6	6
21-24	38	14.4	104	4	6	11	21	25	35	52	2	4.5	1	4	4	4	5	5	5	5
25-34	225	15.0	130	3	4	12	19	27	40	59	17	13.6	127	2	3	7	27	29	33	35
35-54	495	15.6	128	2	4	14	21	30	37	57	28	11.5	84	1	3	9	17	23	33	38
55-74	371	20.5	203	4	5	18	28	39	47	94	24	20.0	212	3	6	17	23	43	54	56
75 +	68	20.7	217	5	6	16	25	43	55	61	19	23.6	228	6	7	20	39	42	50	55
ALL AGES	1234	17.1	163	3	4	14	23	35	43	64	92	16.3	175	3	3	12	22	39	42	56
SUBTOTAL	**1805**	**16.6**	**165**	**3**	**4**	**14**	**22**	**34**	**42**	**65**	**146**	**15.5**	**154**	**2**	**3**	**11**	**22**	**35**	**41**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	12	21.2	194	2	2	21	29	41	48	49	2	60.0	2	59	59	60	61	61	61	61
18-20	14	15.8	122	3	4	13	22	33	34	34	1	2.0		2	2	2	2	2	2	2
21-24	24	18.5	322	2	4	13	24	43	57	79	3	5.3	3	4	4	5	6	7	7	7
25-34	84	13.3	130	2	3	11	18	24	36	88	6	7.3	14	1	2	8	9	12	12	12
35-54	129	15.0	122	3	4	14	20	28	36	70	16	14.1	102	3	3	12	20	28	35	38
55-74	45	17.0	98	3	5	17	22	34	35	41	5	16.2	135	7	7	13	21	36	36	36
75 +	10	20.9	220	4	5	18	38	69	97	99 +	4	15.0	117	3	3	15	24	26	26	26
ALL AGES	319	15.6	143	2	4	14	21	33	39	85	37	14.8	205	2	3	9	20	35	52	61
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48	1	51.0		51	51	51	51	51	51	51
13-17	16	28.2	777	2	6	15	52	92	99	99 +	1	6.0		6	6	6	6	6	6	6
18-20	11	12.8	45	4	7	12	15	22	29	30	1	4.0		4	4	4	4	4	4	4
21-24	28	17.0	191	2	4	12	22	40	45	52	3	7.7	10	4	4	9	10	10	10	10
25-34	142	14.4	135	2	3	11	20	30	38	66	11	14.2	56	3	5	14	20	24	29	29
35-54	243	16.3	158	3	4	14	21	31	43	63	24	10.4	88	1	2	7	13	26	32	36
55-74	104	21.7	215	5	7	18	29	39	46	78	15	20.6	343	3	3	11	42	44	49	51
75 +	21	22.2	250	4	6	20	37	47	81	99 +	4	18.5	2	17	17	18	19	20	20	20
ALL AGES	566	17.4	192	3	4	14	23	37	47	71	60	14.5	172	2	3	10	20	39	43	51
SUBTOTAL	**885**	**16.7**	**177**	**3**	**4**	**14**	**22**	**35**	**45**	**76**	**97**	**14.6**	**183**	**2**	**3**	**10**	**20**	**36**	**43**	**60**
GRAND TOTAL	**2690**	**16.7**	**167**	**3**	**4**	**14**	**22**	**34**	**43**	**68**	**243**	**15.1**	**166**	**2**	**3**	**10**	**21**	**36**	**42**	**56**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	45.7	1076	18	18	37	71	82	82	82	1	10.0		10	10	10	10	10	10	10
13-17	11	28.5	580	4	5	20	45	68	74	75	1	35.0		35	35	35	35	35	35	35
18-20	10	19.5	188	4	6	15	33	40	45	45	1	28.0		28	28	28	28	28	28	28
21-24	25	15.8	104	4	5	13	20	32	37	41	3	16.0	112	8	8	12	24	28	28	28
25-34	108	15.3	127	3	4	13	20	30	35	62	20	13.3	75	3	5	10	21	26	30	32
35-54	163	15.4	143	3	4	11	22	31	43	52	15	16.2	446	2	4	8	18	32	73	87
55-74	58	18.3	208	3	4	15	23	39	48	70	5	12.4	74	4	4	10	19	25	25	25
75 +	12	19.3	163	3	4	18	29	37	40	41	1	17.0		17	17	17	17	17	17	17
ALL AGES	390	16.6	175	3	4	13	22	34	42	67	47	15.1	193	4	5	10	20	28	33	87
B. FEMALE																				
0-12 YRS.																				
13-17	12	15.6	171	2	3	10	24	38	41	42	1	6.0		6	6	6	6	6	6	6
18-20	19	13.2	225	2	2	9	17	20	47	69	2	11.0	18	8	8	11	14	14	14	14
21-24	39	14.7	183	2	3	11	19	29	61	99 +	3	11.3	83	3	3	10	18	21	21	21
25-34	210	14.4	126	3	4	12	18	28	39	55	9	9.0	30	4	4	7	10	18	22	22
35-54	407	16.1	131	4	5	14	21	30	35	60	42	14.0	159	4	5	11	15	26	44	63
55-74	233	19.8	176	4	6	17	26	38	44	81	21	24.1	308	2	6	20	30	54	60	67
75 +	39	22.8	192	8	9	19	31	45	62	99 +	2	17.5	5	16	16	17	19	19	19	19
ALL AGES	959	16.8	152	3	4	14	21	32	42	71	80	15.9	194	3	5	12	19	31	54	66
SUBTOTAL	**1349**	**16.7**	**160**	**3**	**4**	**14**	**22**	**32**	**42**	**69**	**127**	**15.6**	**192**	**3**	**5**	**11**	**19**	**29**	**44**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	14.9	102	6	6	9	23	31	32	32										
18-20	11	24.8	938	1	1	8	50	75	83	84	1	11.0		11	11	11	11	11	11	11
21-24	29	16.2	204	2	4	13	17	39	53	59	2	7.0	32	3	3	7	11	11	11	11
25-34	77	18.0	232	3	4	12	23	35	48	83	4	9.8	79	1	1	8	16	22	22	22
35-54	96	15.6	125	3	4	14	22	30	38	49	12	17.3	216	1	3	12	26	43	43	43
55-74	30	17.5	123	4	5	16	23	34	41	45	5	24.4	636	5	5	17	33	68	68	68
75 +	3	36.7	1007	14	14	23	60	73	73	73										
ALL AGES	253	17.3	209	3	4	14	22	34	48	73	24	16.4	257	1	3	11	21	43	51	68
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
13-17	6	22.7	296	3	4	29	44	90	99 +	99 +										
18-20	12	15.7	180	2	3	11	25	37	40	40	1	2.0		2	2	2	2	2	2	2
21-24	15	20.2	219	6	6	15	27	51	52	52	1	4.0		4	4	4	4	4	4	4
25-34	104	17.4	159	3	4	16	21	32	41	70	11	10.6	60	4	4	7	15	22	28	29
35-54	147	15.3	142	2	4	12	21	30	36	57	15	10.9	67	3	4	7	13	29	29	29
55-74	82	21.2	199	4	6	19	27	39	49	71	2	5.5	13	3	3	5	8	8	8	8
75 +	6	17.5	140	5	5	15	22	36	38	38	1	18.0		18	18	18	18	18	18	18
ALL AGES	373	17.6	167	3	4	15	23	34	43	76	31	10.2	58	3	3	7	14	22	29	29
SUBTOTAL	**626**	**17.5**	**183**	**3**	**4**	**15**	**23**	**34**	**46**	**74**	**55**	**12.9**	**152**	**2**	**3**	**10**	**16**	**29**	**40**	**67**
GRAND TOTAL	**1975**	**17.0**	**166**	**3**	**4**	**14**	**22**	**33**	**42**	**72**	**182**	**14.8**	**180**	**3**	**4**	**10**	**18**	**29**	**42**	**68**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	22.8	185	4	4	20	35	38	38	38										
13-17	24	21.0	163	3	4	19	30	37	44	48										
18-20	29	17.2	162	4	5	13	24	34	44	55	2	3.0	8	1	1	3	5	5	5	5
21-24	40	17.9	146	4	5	15	24	36	43	54	7	12.3	44	4	5	11	15	23	25	25
25-34	157	14.3	165	1	2	10	19	30	38	58	7	9.7	80	3	3	6	14	25	27	27
35-54	197	14.8	141	1	3	12	19	30	38	58	25	14.8	449	1	2	8	13	33	77	88
55-74	76	15.5	116	3	4	14	21	29	39	51	6	10.8	120	5	5	7	8	30	33	33
75 +	20	17.5	111	3	5	15	24	35	37	38	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	548	15.6	146	1	3	13	21	31	39	55	49	12.4	263	2	2	8	12	26	35	88
B. FEMALE																				
0-12 YRS.	5	34.8	514	10	10	38	51	65	65	65										
13-17	41	22.3	175	3	7	21	31	39	48	55										
18-20	27	13.4	56	3	4	13	19	26	27	27										
21-24	43	14.2	79	1	2	14	21	26	29	36	3	12.7	49	5	5	14	18	19	19	19
25-34	236	13.8	99	2	3	12	19	26	34	46	20	11.2	98	1	1	8	18	24	31	37
35-54	369	16.2	141	3	4	14	21	32	38	60	29	14.7	201	2	4	10	18	35	41	68
55-74	257	17.4	157	3	5	15	23	34	42	71	23	13.3	200	3	3	8	17	24	43	70
75 +	26	22.0	167	6	8	20	29	36	52	55	8	20.5	325	3	3	15	34	48	52	52
ALL AGES	1004	16.3	138	2	4	14	22	32	39	56	83	13.9	182	2	3	9	18	29	40	69
SUBTOTAL	**1552**	**16.0**	**143**	**2**	**3**	**13**	**21**	**31**	**39**	**55**	**132**	**13.4**	**209**	**2**	**3**	**9**	**16**	**28**	**40**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	26.3	397	4	4	33	40	42	42	42										
13-17	25	23.2	453	4	5	18	34	54	74	79	1	61.0		61	61	61	61	61	61	61
18-20	11	13.6	81	2	3	12	22	26	28	28										
21-24	43	17.4	171	2	6	14	22	29	48	65	3	17.7	81	11	11	14	24	28	28	28
25-34	143	17.2	158	2	4	16	22	29	39	64	10	9.7	24	4	4	9	15	17	18	18
35-54	157	16.7	201	2	3	13	21	34	43	67	17	8.5	54	2	2	6	12	20	26	28
55-74	40	17.8	106	4	6	16	25	29	34	53	3	22.3	207	10	10	19	33	38	38	38
75 +	6	20.2	130	11	11	15	28	39	40	40										
ALL AGES	428	17.4	188	2	4	14	23	33	44	67	34	12.4	144	2	3	10	15	28	36	61
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	37	31.1	487	2	5	27	43	65	79	83	1	71.0		71	71	85	99 +	99 +	99 +	99 +
18-20	18	24.2	531	2	4	14	42	56	76	86										
21-24	42	19.5	341	3	4	15	22	42	70	77	3	3.7	2	2	2	4	5	5	5	5
25-34	164	14.2	157	1	2	11	20	28	36	67	12	10.7	78	2	2	8	16	22	30	31
35-54	172	16.8	142	3	4	15	22	30	40	58	15	9.3	44	2	2	7	14	19	22	23
55-74	93	18.9	193	5	6	16	23	31	43	84	11	12.7	90	2	2	10	19	27	28	28
75 +	10	15.4	69	5	6	14	20	28	30	30	2	29.5	1405	3	3	29	56	56	56	56
ALL AGES	537	17.8	224	2	4	15	23	33	47	76	44	12.5	190	2	2	7	17	28	60	99 +
SUBTOTAL	**965**	**17.7**	**205**	**2**	**4**	**15**	**23**	**33**	**46**	**73**	**78**	**12.5**	**167**	**2**	**2**	**9**	**16**	**28**	**48**	**92**
GRAND TOTAL	**2517**	**16.6**	**169**	**2**	**4**	**14**	**22**	**32**	**42**	**66**	**210**	**13.0**	**194**	**2**	**3**	**9**	**16**	**28**	**40**	**79**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	221	14	14	24	35	35	35	35										
13-17	33	17.7	285	2	3	14	27	39	71	99 +	7	23.7	366	1	3	19	34	54	58	58
18-20	20	13.2	178	1	1	8	18	35	43	50	2	3.0	8	1	1	3	5	5	5	5
21-24	32	12.9	123	1	2	12	19	24	31	51	3	13.7	159	4	4	9	23	28	28	28
25-34	92	12.7	128	2	3	10	16	25	36	62	13	5.5	29	1	1	3	9	15	16	16
35-54	131	14.0	177	2	4	10	18	28	36	78	19	6.1	40	1	1	3	10	16	20	21
55-74	77	14.0	161	2	3	10	18	30	43	62	13	7.3	39	1	1	5	9	16	22	24
75 +	13	14.8	131	1	3	15	19	27	42	46	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	400	14.0	164	1	3	10	18	30	37	74	59	8.5	105	1	1	5	12	22	32	96
B. FEMALE																				
0-12 YRS.	3	9.3	23	4	4	11	12	13	13	13										
13-17	29	21.2	329	2	3	21	29	41	61	78	9	26.4	515	6	7	17	49	61	61	61
18-20	26	15.0	219	2	3	11	18	29	46	69										
21-24	41	12.2	119	1	2	9	16	31	33	45	8	8.3	59	1	1	5	11	22	24	24
25-34	203	13.8	142	1	2	10	18	30	38	53	42	21.1	209	2	4	21	30	33	41	78
35-54	283	14.9	183	2	3	11	20	34	43	73	53	16.7	266	1	2	12	28	38	52	73
55-74	216	16.0	132	2	4	13	22	34	38	54	37	11.1	98	2	3	7	16	24	31	46
75 +	41	19.1	236	2	4	15	26	40	53	64	6	6.3	20	1	1	5	11	12	12	12
ALL AGES	842	15.2	167	2	3	12	21	33	41	64	155	16.3	224	2	2	12	26	31	46	73
SUBTOTAL	**1242**	**14.8**	**166**	**2**	**3**	**11**	**20**	**32**	**40**	**66**	**214**	**14.1**	**204**	**1**	**1**	**9**	**22**	**31**	**45**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	379	1	1	13	34	49	52	52	1	60.0		60	60	60	60	60	60	60
13-17	41	25.5	503	1	3	21	37	65	91	99 +	4	16.8	618	3	3	30	99 +	99 +	99 +	99 +
18-20	20	21.5	431	3	4	15	35	48	69	82	1	30.0		30	30	30	30	30	30	30
21-24	48	15.6	143	2	2	14	24	34	37	48	3	4.3	3	3	3	4	5	6	6	6
25-34	113	12.3	128	1	3	9	16	26	29	65	12	15.3	286	2	2	8	23	39	58	61
35-54	154	15.7	189	2	3	12	21	31	44	65	15	13.3	490	2	4	8	10	17	73	92
55-74	41	19.2	145	4	7	16	27	35	44	53	3	6.0	1	5	5	6	7	7	7	7
75 +	3	34.7	669	5	5	46	51	53	53	53	1	18.0		18	18	18	18	18	18	18
ALL AGES	427	16.5	224	2	3	13	22	36	48	78	40	14.7	380	2	3	7	18	60	95	99 +
B. FEMALE																				
0-12 YRS.	3	35.0	1036	5	5	31	59	69	69	69	2	45.5	481	30	30	45	61	61	61	61
13-17	60	23.3	507	1	2	17	41	77	99 +	99 +	6	29.2	259	7	8	28	45	49	49	49
18-20	40	14.2	298	1	2	10	17	30	56	79										
21-24	56	14.2	245	2	2	9	17	32	47	78	4	21.5	191	6	6	20	31	39	39	39
25-34	213	15.9	253	1	2	11	21	34	44	89	17	17.1	291	1	3	12	29	58	86	99 +
35-54	248	16.5	201	2	3	13	22	35	44	99 +	25	12.2	81	3	4	12	20	25	27	33
55-74	102	20.9	273	3	6	16	28	40	56	85	24	11.8	123	1	2	7	17	31	36	38
75 +	30	14.4	126	3	3	11	18	32	43	45	5	9.4	60	4	4	6	12	23	23	23
ALL AGES	752	17.2	262	2	3	13	23	37	54	98	83	15.4	194	2	3	11	24	35	46	88
SUBTOTAL	**1179**	**16.9**	**250**	**2**	**3**	**13**	**23**	**36**	**52**	**92**	**123**	**15.2**	**251**	**2**	**3**	**8**	**24**	**39**	**61**	**99 +**
GRAND TOTAL	**2421**	**15.8**	**209**	**2**	**3**	**12**	**21**	**34**	**44**	**79**	**337**	**14.5**	**221**	**1**	**2**	**9**	**22**	**32**	**51**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.7	253	3	3	6	25	32	32	32										
13-17	5	18.6	200	2	2	19	32	34	34	34										
18-20	5	25.4	503	3	3	16	46	55	55	55										
21-24	8	16.6	193	2	3	12	25	39	41	41										
25-34	19	11.1	51	2	4	10	14	22	26	29	5	14.4	95	7	7	8	22	29	29	29
35-54	39	16.7	204	3	5	11	21	33	48	68	7	9.7	225	1	1	4	9	36	43	43
55-74	24	14.2	114	2	3	12	19	26	38	46	8	15.1	79	6	6	12	23	27	28	28
75 +	7	10.7	41	1	2	12	14	19	20	20	4	10.0	76	5	5	6	15	23	23	23
ALL AGES	110	15.2	159	2	3	11	20	33	43	60	24	12.5	116	1	3	8	21	28	33	43
B. FEMALE																				
0-12 YRS.																				
13-17	11	15.9	145	2	2	15	26	33	37	37	2	8.5	13	6	6	8	11	11	11	11
18-20	6	19.3	341	4	4	14	26	50	53	53										
21-24	10	8.0	44	1	1	6	11	19	22	22										
25-34	32	12.8	122	3	3	10	17	20	36	58	10	8.5	237	1	1	3	7	32	51	51
35-54	81	14.4	141	2	2	11	20	31	40	50	20	11.2	143	1	2	7	11	25	41	53
55-74	53	15.8	142	2	4	13	20	31	41	58	9	13.8	201	3	4	7	19	37	48	48
75 +	16	18.2	210	4	6	13	24	40	52	57	6	13.5	59	5	5	12	20	24	25	25
ALL AGES	209	14.7	145	2	3	11	19	31	40	57	47	11.3	151	1	2	7	12	24	48	53
SUBTOTAL	**319**	**14.9**	**149**	**2**	**3**	**11**	**20**	**31**	**41**	**57**	**71**	**11.7**	**138**	**1**	**2**	**7**	**15**	**26**	**42**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.3	13	1	1	4	7	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	11	25.6	499	1	2	18	49	55	56	56	1	2.0		2	2	2	2	2	2	2
18-20	5	12.6	131	2	2	9	17	32	32	32	2	2.0	2	1	1	1	3	3	3	3
21-24	9	16.0	164	2	3	8	28	31	33	33	1	29.0		29	29	29	29	29	29	29
25-34	32	15.2	215	1	2	10	25	30	35	71	3	3.7	2	2	2	4	5	5	5	5
35-54	36	12.8	149	1	2	8	15	30	40	53	4	9.3	36	4	4	7	13	18	18	18
55-74	25	16.2	139	3	6	12	22	32	42	48	2	5.0	18	2	2	5	8	8	8	8
75 +	2	11.5	145	3	3	11	20	20	20	20	4	13.0	72	3	3	14	20	21	21	21
ALL AGES	123	15.3	196	1	2	10	25	33	46	60	18	10.0	102	1	2	6	18	27	33	35
B. FEMALE																				
0-12 YRS.	3	36.3	2586	6	6	8	73	95	95	95										
13-17	8	21.9	248	3	4	20	32	46	49	49	2	41.0	338	28	28	54	88	99 +	99 +	99 +
18-20	4	9.5	51	4	4	7	14	20	20	20										
21-24	7	12.1	58	3	3	12	17	23	24	24										
25-34	55	15.1	238	2	3	10	19	31	64	99	12	7.1	25	1	2	5	12	14	15	15
35-54	66	14.5	163	1	3	10	22	40	46	91	12	12.9	101	1	2	11	24	25	26	26
55-74	48	18.3	145	4	6	15	22	35	45	56	16	14.6	178	2	3	11	18	41	44	45
75 +	7	26.3	139	7	9	25	37	39	39	39	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	198	16.4	212	2	3	12	22	38	49	97	44	12.9	152	1	2	10	18	28	47	99 +
SUBTOTAL	**321**	**16.0**	**205**	**2**	**3**	**11**	**23**	**36**	**48**	**82**	**62**	**12.1**	**137**	**1**	**2**	**8**	**18**	**28**	**43**	**94**
GRAND TOTAL	**640**	**15.4**	**179**	**2**	**3**	**11**	**21**	**33**	**44**	**67**	**133**	**11.9**	**136**	**1**	**2**	**8**	**18**	**28**	**43**	**61**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	2	12.5	41	8	8	12	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +	4	17.5	804	2	2	4	32	60	60	60										
ALL AGES	6	18.8	656	1	1	4	42	58	60	60										
SUBTOTAL	**8**	**17.3**	**480**	**1**	**1**	**6**	**29**	**55**	**60**	**60**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	6.0	8	4	4	6	8	8	8	8										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	3	5.3	6	4	4	4	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											2	9.5	1	9	9	9	10	10	10	10
75 +	3	11.7	5	9	9	12	13	14	14	14	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	11.7	5	9	9	12	13	14	14	14	3	9.3	1	9	9	9	10	10	10	10
SUBTOTAL	**6**	**8.5**	**17**	**4**	**4**	**8**	**12**	**14**	**14**	**14**	**3**	**9.3**	**1**	**9**	**9**	**9**	**10**	**10**	**10**	**10**
GRAND TOTAL	**14**	**13.5**	**286**	**1**	**2**	**8**	**14**	**44**	**56**	**60**	**3**	**9.3**	**1**	**9**	**9**	**9**	**10**	**10**	**10**	**10**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	18.0	288	6	6	18	30	30	30	30										
21-24	3	13.3	263	4	4	4	25	32	32	32										
25-34	19	12.9	234	1	1	7	16	39	52	55	1	1.0		1	1	1	1	1	1	1
35-54	28	8.9	56	1	1	7	13	18	22	34	3	13.7	199	5	5	6	24	30	30	30
55-74	13	13.2	59	2	3	12	19	24	25	25	5	9.2	65	2	2	5	16	21	21	21
75 +	9	9.8	70	3	3	6	12	23	30	30	4	5.8	7	2	2	6	8	8	8	8
ALL AGES	75	11.1	112	1	2	7	14	24	32	53	13	8.5	72	1	1	5	10	23	29	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	15	12.7	80	2	3	11	18	26	30	32										
35-54	40	12.8	103	2	4	10	16	25	29	56	1	12.0		12	12	12	12	12	12	12
55-74	69	15.1	116	3	5	13	20	33	41	49	12	6.4	22	2	3	4	9	14	14	14
75 +	28	13.9	144	2	2	13	19	26	45	50	5	13.8	71	4	4	14	21	24	24	24
ALL AGES	153	14.1	111	2	4	12	19	27	36	51	19	8.4	43	1	2	5	14	18	22	24
SUBTOTAL	**228**	**13.1**	**113**	**2**	**3**	**11**	**17**	**26**	**34**	**52**	**32**	**8.4**	**53**	**1**	**2**	**5**	**14**	**20**	**24**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	5	9.0	26	1	1	12	12	13	13	13										
25-34	18	12.9	179	2	2	7	19	37	42	44	3	4.3	6	3	3	3	6	7	7	7
35-54	22	10.6	54	3	4	8	14	20	27	32	1	3.0		3	3	3	3	3	3	3
55-74	13	13.3	95	3	5	12	16	24	38	41	3	9.0	37	5	5	6	13	16	16	16
75 +	3	19.0	133	8	8	18	28	31	31	31	1	5.0		5	5	5	5	5	5	5
ALL AGES	62	12.2	97	2	3	9	15	26	37	44	8	6.0	19	3	3	5	6	13	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	8	21.9	93	2	6	23	28	32	34	34	1	4.0		4	4	4	4	4	4	4
35-54	22	16.9	112	2	4	16	25	34	36	38	2	20.5	421	6	6	20	35	35	35	35
55-74	24	13.5	139	2	2	10	16	32	40	49	2	5.5	5	4	4	5	7	7	7	7
75 +	12	17.3	180	3	4	14	21	34	51	54	3	11.0	97	3	3	8	18	22	22	22
ALL AGES	68	16.1	131	2	3	13	23	33	36	53	8	11.1	130	3	3	6	15	31	35	35
SUBTOTAL	**130**	**14.2**	**119**	**2**	**3**	**12**	**19**	**31**	**36**	**50**	**16**	**8.6**	**76**	**3**	**3**	**5**	**8**	**21**	**31**	**35**
GRAND TOTAL	**358**	**13.5**	**115**	**2**	**3**	**11**	**18**	**28**	**35**	**51**	**48**	**8.5**	**59**	**2**	**2**	**5**	**13**	**21**	**25**	**35**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	16.0	259	1	1	14	28	33	33	33	1	6.0		6	6	6	6	6	6	6
75 +	3	22.0	327	5	5	20	36	41	41	41										
ALL AGES	6	19.0	245	1	1	17	33	40	41	41	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	6	19.3	194	5	5	16	25	42	44	44	6	13.2	117	2	2	11	21	29	30	30
75 +	7	17.1	161	6	6	10	27	35	37	37	1	15.0		15	15	15	15	15	15	15
ALL AGES	14	17.5	155	5	6	12	26	38	43	44	7	13.4	100	2	2	14	19	28	30	30
SUBTOTAL	**20**	**18.0**	**169**	**3**	**5**	**14**	**26**	**39**	**42**	**44**	**8**	**12.5**	**92**	**2**	**2**	**11**	**18**	**27**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	3	43.7	626	16	16	50	61	65	65	65	1	10.0		10	10	10	10	10	10	10
75 +	4	33.5	230	24	24	27	42	56	56	56										
ALL AGES	8	34.8	377	13	14	27	53	62	65	65	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.5	221	5	5	15	26	26	26	26										
55-74	6	33.7	374	18	18	27	37	68	71	71										
75 +	11	27.5	339	7	9	27	34	56	65	66										
ALL AGES	20	28.3	314	6	8	26	34	58	68	71										
SUBTOTAL	**28**	**30.1**	**332**	**7**	**10**	**26**	**36**	**62**	**66**	**71**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**48**	**25.1**	**293**	**5**	**6**	**24**	**33**	**50**	**65**	**71**	**9**	**12.2**	**82**	**2**	**2**	**10**	**16**	**26**	**30**	**30**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	2	25.0	800	5	5	25	45	45	45	45	1	3.0		3	3	3	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	14.8	406	3	3	5	25	45	45	45	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	6.0		6	6	6	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	5.7	2	4	4	6	7	7	7	7	3	4.0	1	3	3	4	5	5	5	5
SUBTOTAL	**7**	**10.9**	**227**	**3**	**3**	**6**	**7**	**37**	**45**	**45**	**4**	**3.8**		**3**	**3**	**4**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	48.0		48	48	48	48	48	48	48										
21-24																				
25-34	2	7.5	13	5	5	7	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	3	21.0	553	5	5	10	38	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	3	11.0	84	3	3	9	18	21	21	21										
SUBTOTAL	**6**	**16.0**	**285**	**3**	**3**	**9**	**21**	**45**	**48**	**48**										
GRAND TOTAL	**13**	**13.2**	**241**	**3**	**3**	**6**	**13**	**46**	**48**	**48**	**4**	**3.8**		**3**	**3**	**4**	**4**	**5**	**5**	**5**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	4	14.3	278	2	2	8	24	39	39	39										
35-54	1	34.0		34	34	34	34	34	34	34										
55-74	4	14.5	44	8	8	14	20	22	22	22										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	17.6	248	2	3	9	28	43	50	51										
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24																				
25-34	2	11.0	72	5	5	11	17	17	17	17										
35-54	6	8.3	23	3	3	8	13	14	14	14										
55-74	2	18.0	50	13	13	18	23	23	23	23	1	6.0		6	6	6	6	6	6	6
75 +	3	6.3	25	3	3	4	10	12	12	12										
ALL AGES	14	9.7	36	3	3	9	13	18	22	23	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**26**	**13.3**	**145**	**3**	**3**	**9**	**17**	**33**	**41**	**51**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	10.5	85	4	4	10	17	17	17	17										
25-34	2	15.5	13	13	13	15	18	18	18	18										
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	5	15.6	64	4	4	17	20	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	16.0	90	4	4	16	22	27	27	27										
35-54	2	34.5	5	33	33	34	36	36	36	36	1	3.0		3	3	3	3	3	3	3
55-74	7	16.0	17	10	10	16	19	21	22	22										
75 +	3	9.7		9	9	9	11	11	11	11										
ALL AGES	18	17.7	79	6	9	16	22	32	35	36	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**17.2**	**75**	**4**	**8**	**16**	**21**	**31**	**34**	**36**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**49**	**15.2**	**112**	**3**	**4**	**13**	**19**	**32**	**36**	**51**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	8	9.4	138	1	1	4	14	30	35	35										
21-24	16	10.1	70	1	1	9	12	25	27	28										
25-34	53	11.5	88	1	2	9	18	27	30	35	4	10.5	178	1	1	5	19	30	30	30
35-54	73	11.8	97	2	3	9	16	25	31	49	10	18.6	318	2	4	12	17	51	57	57
55-74	49	17.3	174	1	3	14	24	40	45	51	10	8.3	114	1	1	4	10	24	37	37
75 +	28	16.6	196	4	4	13	20	40	52	58	5	4.4	7	3	3	3	5	9	9	9
ALL AGES	229	13.2	128	1	2	10	18	28	35	51	29	11.5	189	1	2	7	12	34	46	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	9	12.4	76	2	3	7	19	25	27	27	1	34.0		34	34	34	34	34	34	34
25-34	59	11.7	119	2	3	9	15	24	32	64	3	6.3	57	2	2	2	12	15	15	15
35-54	134	12.5	104	1	2	10	17	25	33	52	5	8.4	42	1	1	9	12	18	18	18
55-74	115	13.8	114	2	3	11	18	28	33	52	18	10.3	43	1	2	9	17	20	22	23
75 +	65	17.8	284	2	4	13	22	37	60	75	16	10.0	44	1	3	9	15	20	21	21
ALL AGES	384	13.7	141	2	3	11	18	27	37	62	43	10.2	56	1	2	9	16	20	22	34
SUBTOTAL	**613**	**13.5**	**137**	**1**	**3**	**11**	**18**	**28**	**36**	**56**	**72**	**10.7**	**109**	**1**	**2**	**9**	**14**	**21**	**34**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	7	41.7	434	15	17	40	50	74	80	80	1	6.0		6	6	6	6	6	6	6
18-20	8	7.1	11	3	3	7	10	11	12	12	2	15.0	2	14	14	15	16	16	16	16
21-24	13	10.5	30	1	3	12	16	17	18	18										
25-34	53	11.0	78	1	2	9	15	24	31	36	4	3.8	8	2	2	3	5	8	8	8
35-54	60	14.0	119	2	3	10	21	27	35	46	4	14.3	69	6	6	12	19	26	26	26
55-74	38	13.3	67	2	3	11	18	24	27	41	6	18.2	176	7	7	11	32	37	38	38
75 +	9	15.2	85	1	3	15	22	28	28	28	5	7.4	30	4	4	6	9	17	17	17
ALL AGES	189	13.6	125	2	2	10	19	27	35	49	22	11.5	93	2	3	8	14	28	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	512	1	1	17	33	33	33	33										
18-20	4	14.0	186	1	1	13	25	29	29	29										
21-24	8	9.3	92	2	2	5	12	26	30	30	1	28.0		28	28	28	28	28	28	28
25-34	27	9.4	67	1	1	6	12	19	30	33										
35-54	57	16.8	175	3	4	13	22	35	46	63	7	8.1	50	2	2	6	14	19	20	20
55-74	67	18.8	182	4	7	15	24	36	47	71	14	7.6	25	2	3	6	10	16	18	18
75 +	35	20.1	215	3	5	16	26	45	49	54	11	15.7	237	2	3	10	17	43	52	53
ALL AGES	200	16.7	176	2	3	13	22	35	45	59	33	11.1	115	2	2	7	16	22	35	53
SUBTOTAL	**389**	**15.2**	**154**	**2**	**3**	**12**	**20**	**31**	**41**	**54**	**55**	**11.3**	**104**	**2**	**2**	**8**	**15**	**26**	**35**	**52**
GRAND TOTAL	**1002**	**14.2**	**143**	**1**	**3**	**11**	**19**	**29**	**38**	**54**	**127**	**11.0**	**105**	**2**	**2**	**8**	**15**	**21**	**34**	**54**

Total U.S. January - December 1986

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42										
13-17	2	28.5	421	14	14	28	43	43	43	43										
18-20											2	3.0	2	2	2	3	4	4	4	4
21-24	3	5.7	52	1	1	2	11	14	14	14										
25-34	4	17.0	127	6	6	15	26	31	31	31	2	4.0	8	2	2	4	6	6	6	6
35-54	16	7.9	31	1	2	7	11	17	18	18	3	4.7	10	1	1	6	7	7	7	7
55-74	12	11.1	114	1	1	5	17	27	35	36	4	6.0	14	1	1	6	8	10	10	10
75 +	3	18.0	3	16	16	19	19	19	19	19	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	42	12.7	128	1	2	9	18	32	39	43	13	4.6	8	1	1	6	6	8	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	200	1	1	11	21	21	21	21	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	3	4.7	22	1	1	6	55	99 +	99 +	99 +										
25-34	17	8.6	48	1	2	8	12	17	24	28	4	3.0	1	2	2	3	4	4	4	4
35-54	30	12.6	88	1	2	10	19	24	29	40	2	2.5	5	1	1	2	4	4	4	4
55-74	39	15.9	158	2	4	14	21	28	35	72	12	10.3	71	2	3	6	17	23	26	26
75 +	15	12.9	79	4	6	8	16	30	31	31	6	10.3	16	6	6	10	13	16	16	16
ALL AGES	106	12.9	112	1	3	11	19	25	31	84	25	8.3	47	2	2	5	12	21	23	26
SUBTOTAL	**148**	**12.9**	**114**	**1**	**2**	**10**	**18**	**27**	**36**	**72**	**38**	**7.0**	**37**	**1**	**2**	**5**	**8**	**15**	**22**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	2	9.0	98	2	2	9	16	16	16	16										
21-24	3	2.0		2	2	2	2	2	2	2										
25-34	10	13.1	140	1	2	7	21	31	34	34	2	2.0	2	1	1	2	3	3	3	3
35-54	5	8.4	91	2	2	4	12	25	25	25	1	8.0		8	8	8	8	8	8	8
55-74	6	13.3	131	3	3	8	21	32	33	33	1	8.0		8	8	8	8	8	8	8
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	26	10.7	108	1	2	6	19	29	33	34	7	4.1	8	1	1	3	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	40.0	-	40	40	40	40	40	40	40										
13-17	2	9.5	145	1	1	9	18	18	18	18										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24	2	18.5	13	16	16	18	21	21	21	21										
25-34	7	22.1	454	1	1	18	44	50	50	50	3	7.0	61	2	2	3	13	16	16	16
35-54	13	13.5	142	1	3	10	18	35	37	38	5	4.0	4	1	1	4	5	6	6	6
55-74	13	21.9	489	2	3	21	28	43	79	87	5	6.2	3	5	5	6	7	9	9	9
75 +	2	5.5	13	3	3	5	8	8	8	8	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	41	18.0	301	1	2	13	26	39	50	87	15	5.1	13	1	2	5	6	9	14	16
SUBTOTAL	**67**	**15.2**	**235**	**1**	**2**	**10**	**21**	**34**	**41**	**81**	**22**	**4.8**	**11**	**1**	**2**	**4**	**6**	**8**	**12**	**16**
GRAND TOTAL	**215**	**13.6**	**152**	**1**	**2**	**10**	**19**	**30**	**36**	**77**	**60**	**6.2**	**28**	**1**	**2**	**5**	**7**	**13**	**19**	**26**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	2	7	7	8	9	9	9	9										
18-20	3	5.3	57	1	1	1	11	14	14	14										
21-24	6	7.3	40	1	1	7	7	18	19	19	2	17.0	512	1	1	17	33	33	33	33
25-34	7	7.9	55	1	1	5	15	19	19	19	3	1.3		1	1	1	2	2	2	2
35-54	15	4.9	13	1	1	5	6	8	13	15	5	9.0	49	1	1	8	15	18	18	18
55-74	5	10.8	97	3	3	8	13	28	28	28	13	12.2	160	1	2	7	15	38	40	40
75 +	6	6.0	21	1	1	5	11	12	12	12	10	10.8	42	1	3	11	12	19	26	26
ALL AGES	44	6.7	34	1	1	5	8	15	19	28	33	10.6	106	1	1	8	13	27	37	40
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	10.0	162	1	1	9	19	19	19	19	1	2.0		2	2	2	2	2	2	2
18-20	3	12.3	107	1	1	15	19	21	21	21	3	3.0	7	1	1	2	5	6	6	6
21-24	4	8.0	58	1	1	7	14	16	16	16	2	7.0	2	6	6	7	8	8	8	8
25-34	16	8.4	48	2	2	6	11	22	24	25	4	3.5	2	2	2	3	4	5	5	5
35-54	15	7.9	58	1	1	6	11	18	25	27	10	5.3	15	1	1	4	7	12	13	13
55-74	27	10.4	94	1	2	7	14	20	31	46	24	9.7	174	1	2	5	11	20	42	61
75 +	9	7.0	26	1	1	7	10	15	16	16	11	10.1	151	3	3	6	9	27	44	46
ALL AGES	76	9.0	66	1	1	7	13	20	24	41	56	7.8	111	1	2	5	8	15	29	60
SUBTOTAL	**120**	**8.2**	**54**	**1**	**1**	**6**	**12**	**18**	**22**	**34**	**89**	**8.9**	**109**	**1**	**1**	**6**	**11**	**17**	**34**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	32	4	4	8	12	12	12	12	1	8.0		8	8	8	8	8	8	8
18-20											1	7.0		7	7	7	7	7	7	7
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	6	7.2	34	1	1	6	12	15	15	15	7	3.4	2	2	2	3	5	5	5	5
35-54	7	6.6	1	5	5	7	8	72	99 +	99 +	7	8.7	206	1	1	5	5	34	41	41
55-74	4	10.5	34	3	3	11	15	16	16	16	5	7.2	36	3	3	4	11	17	17	17
75 +	1	4.0		4	4	4	4	4	4	4	6	7.2	31	1	1	6	11	15	16	16
ALL AGES	21	7.3	20	2	2	7	12	15	50	99 +	28	6.4	63	1	1	4	7	14	19	41
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20											1	59.0		59	59	59	59	59	59	59
21-24	1	30.0		30	30	30	30	30	30	30	1	1.0		1	1	1	1	1	1	1
25-34	7	10.1	35	4	4	8	16	18	18	18	3	4.3	6	3	3	3	6	7	7	7
35-54	21	10.2	96	1	1	8	16	31	62	99 +	7	9.3	55	1	1	8	11	21	24	24
55-74	10	11.7	33	5	6	11	13	20	26	26	10	5.9	15	2	2	4	9	12	14	14
75 +	10	14.5	168	2	5	10	14	34	49	49	12	12.0	65	3	3	10	19	24	25	25
ALL AGES	50	11.6	92	1	2	10	14	27	36	99 +	35	9.8	119	1	2	7	12	23	25	59
SUBTOTAL	**71**	**10.4**	**72**	**1**	**2**	**9**	**14**	**23**	**35**	**99 +**	**63**	**8.3**	**95**	**1**	**2**	**5**	**10**	**18**	**24**	**57**
GRAND TOTAL	**191**	**9.0**	**62**	**1**	**1**	**7**	**13**	**19**	**27**	**78**	**152**	**8.6**	**104**	**1**	**1**	**5**	**10**	**17**	**32**	**59**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74											2	6.0	8	4	4	6	8	8	8	8
75 +											5	6.2	17	1	1	7	9	11	11	11
ALL AGES	2	4.5	1	4	4	4	5	5	5	5	10	4.8	13	1	1	3	8	10	11	11
B. FEMALE																				
0-12 YRS.											3	2.0	1	1	1	2	3	3	3	3
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	7.6	72	1	1	3	13	21	21	21	2	2.5	5	1	1	2	4	4	4	4
35-54	3	4.0	7	1	1	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	5	7.4	160	1	1	2	10	30	30	30	4	2.3	2	1	1	2	3	4	4	4
75 +	4	10.3	2	8	8	10	11	12	12	12	6	5.2	8	1	1	5	6	10	10	10
ALL AGES	18	7.2	62	1	1	4	11	18	26	30	16	3.3	6	1	1	3	5	6	9	10
SUBTOTAL	**20**	**6.9**	**56**	**1**	**1**	**4**	**10**	**16**	**25**	**30**	**26**	**3.9**	**9**	**1**	**1**	**3**	**5**	**9**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	6.0	19	1	1	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	3	5.3	5	3	3	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	6.7	21	1	1	6	9	13	16	16	5	16.0	1016	1	1	2	20	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34											3	7.7	30	2	2	8	12	13	13	13
35-54	5	14.8	237	3	3	7	24	40	40	40										
55-74	3	18.0	196	2	2	24	27	28	28	28	3	7.7	30	2	2	8	12	13	13	13
75 +	1	2.0		2	2	2	2	2	2	2	2	11.5	61	6	6	11	17	17	17	17
ALL AGES	9	14.4	193	2	2	7	25	35	40	40	10	7.3	30	2	2	7	13	15	17	17
SUBTOTAL	**19**	**10.4**	**111**	**1**	**2**	**7**	**15**	**26**	**35**	**40**	**15**	**10.2**	**328**	**1**	**1**	**3**	**12**	**17**	**59**	**73**
GRAND TOTAL	**39**	**8.6**	**84**	**1**	**1**	**5**	**11**	**23**	**29**	**40**	**41**	**6.2**	**130**	**1**	**1**	**3**	**7**	**12**	**15**	**73**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	6.3	17	2	2	7	9	10	10	10										
21-24	3	16.3	116	7	7	14	24	28	28	28										
25-34	16	10.9	87	1	1	7	19	25	28	29	1	4.0		4	4	4	4	4	4	4
35-54	19	11.9	54	1	1	12	18	22	23	23	2	3.5	1	3	3	3	4	4	4	4
55-74	9	10.1	77	2	3	7	13	25	26	26	2	5.5	1	5	5	5	6	6	6	6
75 +	5	11.0	42	5	5	9	13	22	22	22	4	3.3	2	1	1	3	4	5	5	5
ALL AGES	55	11.2	64	1	2	9	18	23	26	29	9	3.9	2	1	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											2	23.0	968	1	1	23	45	45	45	45
18-20	2	15.0	128	7	7	15	23	23	23	23										
21-24	2	5.0	18	2	2	5	8	8	8	8	2	2.5	5	1	1	2	4	4	4	4
25-34	17	8.9	48	1	1	7	11	21	24	25										
35-54	27	9.6	25	3	4	10	13	16	18	21	5	7.8	34	4	4	6	10	18	18	18
55-74	16	13.8	81	4	5	12	18	28	31	32	8	8.0	45	2	2	6	10	20	22	22
75 +	9	12.9	95	1	2	11	20	27	31	31	5	5.2	18	1	1	5	9	10	10	10
ALL AGES	73	10.8	54	1	3	10	14	22	27	32	22	8.2	97	1	1	5	9	19	31	45
SUBTOTAL	**128**	**11.0**	**57**	**1**	**2**	**9**	**15**	**23**	**26**	**31**	**31**	**6.9**	**73**	**1**	**1**	**4**	**7**	**16**	**22**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	4	18.0	145	7	7	16	28	32	32	32										
21-24																				
25-34	19	9.2	48	1	1	8	11	22	23	24	2	3.0	8	1	1	3	5	5	5	5
35-54	14	17.6	293	2	2	13	18	52	56	57										
55-74	10	10.8	43	2	3	9	14	21	23	23	1	6.0		6	6	6	6	6	6	6
75 +	4	9.0	13	6	6	9	12	13	13	13	3	26.7	483	12	12	16	43	52	52	52
ALL AGES	51	12.5	126	1	2	9	16	24	32	57	6	15.3	352	1	1	9	16	48	52	52
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24	2	31.0	1568	3	3	31	59	59	59	59	1	10.0		10	10	10	10	10	10	10
25-34	11	8.8	56	2	3	7	10	20	28	29	2	5.0	2	4	4	5	6	6	6	6
35-54	7	13.4	32	6	6	13	18	21	21	21	3	7.0	36	1	1	7	11	13	13	13
55-74	15	14.9	71	1	2	15	20	32	80	99 +	3	10.0	21	5	5	11	13	14	14	14
75 +	12	20.2	147	3	7	19	25	39	46	47	3	8.7	51	4	4	5	14	17	17	17
ALL AGES	48	15.1	134	2	3	14	20	31	48	99 +	12	8.1	23	1	3	6	12	15	17	17
SUBTOTAL	**99**	**13.8**	**129**	**2**	**2**	**11**	**19**	**28**	**41**	**79**	**18**	**10.5**	**131**	**1**	**2**	**7**	**13**	**17**	**38**	**52**
GRAND TOTAL	**227**	**12.2**	**91**	**1**	**2**	**10**	**17**	**24**	**29**	**57**	**49**	**8.2**	**96**	**1**	**1**	**5**	**10**	**17**	**23**	**52**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	2	17.0	98	10	10	17	24	24	24	24										
75 +																				
ALL AGES	4	19.0	188	6	6	17	30	36	36	36										
SUBTOTAL	**5**	**17.2**	**157**	**6**	**6**	**10**	**27**	**36**	**36**	**36**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	2	24.5	113	17	17	24	32	32	32	32										
SUBTOTAL	**3**	**23.3**	**63**	**17**	**17**	**21**	**29**	**32**	**32**	**32**										
GRAND TOTAL	**8**	**19.5**	**117**	**6**	**7**	**19**	**28**	**35**	**36**	**36**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	16	11.3	140	1	1	7	17	33	38	39										
18-20	25	12.2	63	3	4	11	16	25	29	31	1	1.0		1	1	1	1	1	1	1
21-24	31	12.3	262	2	2	7	18	23	30	89	2	2.0	2	1	1	2	3	3	3	3
25-34	54	8.6	44	1	2	7	12	16	22	32	7	8.1	189	1	1	3	5	32	39	39
35-54	54	8.1	36	1	2	6	11	16	23	26	6	6.8	79	1	1	3	8	22	24	24
55-74	21	10.9	40	3	4	9	12	22	25	25	10	4.4	6	1	1	4	7	8	8	8
75 +	11	10.2	16	4	5	12	14	15	15	15	7	7.3	43	3	3	5	7	19	22	22
ALL AGES	212	9.9	83	1	2	8	13	20	25	37	34	5.9	60	1	1	4	6	10	24	39
B. FEMALE																				
0-12 YRS.	5	9.2	103	2	2	6	12	27	27	27										
13-17	19	9.7	84	1	2	7	14	25	29	33										
18-20	23	10.9	83	1	1	8	12	28	32	38	1	6.0		6	6	6	6	6	6	6
21-24	28	12.5	126	1	3	8	15	29	40	45	3	8.3	11	6	6	7	11	12	12	12
25-34	128	9.6	92	1	2	7	13	18	29	53	8	6.3	31	1	1	5	9	15	17	17
35-54	154	9.5	56	2	2	8	11	20	28	36	13	4.2	8	1	1	3	5	9	11	11
55-74	78	10.5	67	2	3	9	13	21	28	43	8	3.4	2	2	2	3	4	6	7	7
75 +	17	12.4	42	2	4	12	16	19	26	30	9	15.0	172	2	2	10	24	36	39	39
ALL AGES	452	10.1	74	1	2	8	13	21	29	45	42	7.1	61	1	2	5	8	14	26	39
SUBTOTAL	**664**	**10.0**	**78**	**1**	**2**	**8**	**13**	**20**	**28**	**39**	**76**	**6.5**	**61**	**1**	**1**	**4**	**7**	**12**	**23**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	27.0		27	27	27	27	27	27	27
13-17	12	18.8	337	1	2	17	40	66	94	99 +										
18-20	18	8.4	80	1	2	6	9	17	32	40	1	2.0		2	2	2	2	2	2	2
21-24	26	7.7	54	1	1	5	13	17	22	29	3	3.7	2	2	2	4	5	5	5	5
25-34	50	8.3	53	1	2	5	11	19	25	33	4	4.5	6	2	2	4	6	8	8	8
35-54	36	12.3	249	1	1	8	15	22	50	79	4	17.8	309	2	2	13	30	42	42	42
55-74	12	13.7	71	2	3	12	22	25	26	26	2	4.5	5	3	3	4	6	6	6	6
75 +	5	17.0	12	11	11	18	19	20	20	20	1	6.0		6	6	6	6	6	6	6
ALL AGES	160	10.8	136	1	2	8	15	23	36	77	16	9.0	124	2	2	5	8	26	37	42
B. FEMALE																				
0-12 YRS.																				
13-17	23	13.2	137	1	2	8	20	27	37	47										
18-20	12	8.8	49	1	1	7	10	21	24	25										
21-24	31	13.4	132	3	3	10	19	29	39	47	4	6.3	3	4	4	6	8	8	8	8
25-34	97	10.2	73	1	3	8	13	24	27	39	1	3.0		3	3	3	3	3	3	3
35-54	83	10.8	85	1	2	8	16	25	31	37	10	11.0	33	3	4	9	17	19	20	20
55-74	42	12.7	76	1	2	12	19	24	25	42	8	5.3	12	1	1	5	6	11	13	13
75 +	10	23.5	639	3	4	14	25	66	87	87	1	11.0		11	11	11	11	11	11	11
ALL AGES	298	11.7	108	1	2	9	17	25	31	46	24	8.0	25	1	3	7	11	17	19	20
SUBTOTAL	**458**	**11.4**	**117**	**1**	**2**	**8**	**16**	**25**	**31**	**56**	**40**	**8.4**	**63**	**2**	**2**	**6**	**10**	**18**	**23**	**42**
GRAND TOTAL	**1122**	**10.6**	**94**	**1**	**2**	**8**	**14**	**22**	**29**	**46**	**116**	**7.2**	**61**	**1**	**2**	**5**	**8**	**17**	**23**	**40**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	17.8	380	1	1	11	28	43	54	81	2	1.0		1	1	1	1	1	1	1
13-17	56	15.3	244	1	2	11	23	34	58	99	13	14.6	482	1	1	4	24	68	93	99 +
18-20	51	12.8	206	1	2	8	15	29	34	84	6	15.5	81	2	3	14	25	26	26	26
21-24	89	11.4	121	1	2	8	17	26	32	52	10	6.5	42	1	1	4	12	17	21	21
25-34	203	10.4	97	1	2	8	15	21	27	41	39	5.0	31	1	1	4	6	11	18	28
35-54	211	10.5	137	1	2	7	13	22	34	57	58	5.4	48	1	1	4	6	9	17	46
55-74	294	9.3	78	1	2	7	13	20	27	43	147	6.0	23	1	2	5	8	11	16	27
75 +	232	10.9	124	1	2	7	14	22	31	57	166	7.8	42	2	2	6	10	19	22	36
ALL AGES	1161	10.8	127	1	2	7	14	23	31	57	441	6.9	51	1	1	5	8	15	22	57
B. FEMALE																				
0-12 YRS.	8	21.0	1020	1	1	9	23	75	97	97	6	3.3	4	2	2	3	4	7	7	7
13-17	43	16.6	302	1	2	10	22	46	68	99 +	5	7.4	6	4	4	8	9	10	10	10
18-20	44	14.1	170	1	3	8	20	34	45	54	3	3.7	21	1	1	1	7	9	9	9
21-24	61	10.8	92	1	2	7	14	27	32	39	11	1.7	1	1	1	1	3	4	4	4
25-34	262	11.6	116	1	2	8	16	29	34	62	34	5.9	21	1	1	5	9	12	15	17
35-54	348	11.8	120	1	2	9	16	25	32	57	65	6.4	40	1	1	5	8	19	21	89
55-74	457	10.2	80	2	2	7	14	22	28	39	235	6.5	41	1	2	5	8	12	17	39
75 +	433	10.0	124	1	2	7	12	20	31	78	279	7.0	33	1	2	6	9	13	20	32
ALL AGES	1656	11.0	121	1	2	8	15	24	33	61	638	6.6	35	1	2	5	8	13	18	32
SUBTOTAL	**2817**	**10.9**	**124**	**1**	**2**	**8**	**14**	**23**	**32**	**58**	**1079**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**20**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	21.0	87	9	9	23	29	31	31	31										
13-17	51	21.7	244	3	5	18	34	44	56	99	1	3.0		3	3	3	3	3	3	3
18-20	37	15.4	341	1	2	10	18	30	67	80	5	2.6	3	1	1	3	5	90	99 +	99 +
21-24	59	11.8	105	1	2	9	16	27	34	47	14	5.9	16	1	1	5	8	11	14	15
25-34	139	10.1	92	1	1	7	15	24	30	45	15	9.5	53	2	3	7	15	26	78	99 +
35-54	123	10.9	132	1	2	8	15	22	33	88	36	4.2	8	1	1	4	6	8	13	99 +
55-74	123	12.3	144	2	3	8	15	28	35	62	50	7.4	56	1	2	5	8	15	26	41
75 +	66	9.7	49	1	1	8	15	18	22	30	52	6.0	24	1	2	5	7	12	19	21
ALL AGES	603	12.2	145	1	2	9	16	28	35	71	173	6.2	33	1	1	5	8	14	21	99 +
B. FEMALE																				
0-12 YRS.	3	5.0	13	1	1	6	7	8	8	8										
13-17	25	22.0	414	4	5	14	31	50	65	91	1	10.0		10	10	10	10	10	10	10
18-20	28	17.2	500	1	2	8	18	58	73	85										
21-24	54	11.8	153	1	3	8	14	22	38	72	9	8.3	56	1	1	8	11	20	24	24
25-34	159	12.3	162	1	2	8	16	25	32	79	23	5.2	18	1	1	4	6	12	15	18
35-54	208	12.3	93	2	3	10	17	26	30	44	35	7.1	67	1	1	4	8	18	25	39
55-74	174	12.7	130	2	3	9	17	23	40	56	76	8.3	81	2	3	6	10	15	19	60
75 +	147	11.9	110	2	3	9	14	26	34	47	91	8.3	65	2	2	6	10	15	24	47
ALL AGES	798	12.7	149	2	3	9	16	27	35	63	235	7.8	66	1	2	5	9	15	21	42
SUBTOTAL	**1401**	**12.5**	**147**	**1**	**2**	**9**	**16**	**27**	**35**	**64**	**408**	**7.1**	**53**	**1**	**2**	**5**	**8**	**15**	**21**	**60**
GRAND TOTAL	**4218**	**11.5**	**130**	**1**	**2**	**8**	**15**	**25**	**34**	**62**	**1487**	**6.8**	**45**	**1**	**2**	**5**	**8**	**14**	**20**	**41**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	14.1	369	1	2	6	34	90	99 +	99 +	6	21.8	618	2	2	11	43	60	62	62
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	14.1	369	1	2	6	34	90	99 +	99 +	7	19.6	548	2	2	11	35	58	62	62
B. FEMALE																				
0-12 YRS.	8	13.5	117	1	1	15	22	26	28	28	1	23.0		23	23	23	23	23	23	23
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	13.5	117	1	1	15	22	26	28	28	2	12.0	242	1	1	12	23	23	23	23
SUBTOTAL	**24**	**13.9**	**276**	**1**	**1**	**7**	**27**	**65**	**99 +**	**99 +**	**9**	**17.9**	**453**	**1**	**1**	**11**	**28**	**54**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	27.1	438	2	4	26	42	55	60	60										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	27.1	438	2	4	26	42	55	60	60										
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
SUBTOTAL	**9**	**27.8**	**385**	**2**	**5**	**33**	**41**	**54**	**60**	**60**										
GRAND TOTAL	**33**	**17.7**	**334**	**1**	**2**	**12**	**34**	**60**	**92**	**99 +**	**9**	**17.9**	**453**	**1**	**1**	**11**	**28**	**54**	**62**	**62**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	26	15.3	195	2	3	10	25	44	55	99 +	1	25.0		25	25	62	99 +	99 +	99 +	99 +
13-17	3	35.0	409	12	12	43	48	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	17.3	242	2	3	12	28	45	50	99 +	1	25.0		25	25	62	99 +	99 +	99 +	99 +
B. FEMALE																						
0-12 YRS.	10	25.8	628	4	4	18	29	68	83	83	2	49.5	761	30	30	49	69	69	69	69
13-17	4	12.8	101	2	2	11	20	26	26	26	1	22.0		22	22	22	22	22	22	22
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	22.1	494	2	4	13	26	57	77	83	3	40.3	636	22	22	30	59	69	69	69
SUBTOTAL	**43**	**18.9**	**318**	**2**	**3**	**12**	**27**	**47**	**63**	**99 +**	**4**	**36.5**	**480**	**22**	**22**	**30**	**77**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	21	31.6	558	2	3	36	44	79	95	99 +	3	47.3	1669	4	4	69	92	99 +	99 +	99 +
13-17	5	44.6	664	13	13	35	67	78	78	78	1	34.0		34	34	34	34	34	34	34
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	34.1	580	3	4	35	45	77	92	99 +	4	44.0	1154	4	4	53	89	99 +	99 +	99 +
B. FEMALE																						
0-12 YRS.	3	38.7	990	8	8	54	85	99 +	99 +	99 +	1	60.0		60	60	60	60	60	60	60
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.8	909	7	7	37	78	99 +	99 +	99 +	1	60.0		60	60	60	60	60	60	60
SUBTOTAL	**30**	**33.7**	**593**	**3**	**5**	**36**	**48**	**82**	**99**	**99 +**	**5**	**47.2**	**917**	**4**	**7**	**56**	**85**	**98**	**99 +**	**99 +**
GRAND TOTAL	**73**	**24.9**	**482**	**2**	**3**	**22**	**42**	**70**	**89**	**99 +**	**9**	**42.4**	**675**	**5**	**15**	**53**	**81**	**99 +**	**99 +**	**99 +**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	28.3	539	4	6	29	44	84	96	99 +										
13-17	2	35.5	85	29	29	42	85	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	29.2	479	4	6	29	46	95	99 +	99 +										
B. FEMALE																				
0-12 YRS.	4	51.0	691	27	27	45	70	87	87	87	1	13.0		13	13	13	13	13	13	13
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	42.0	923	6	6	37	61	87	87	87	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**22**	**32.1**	**571**	**5**	**6**	**30**	**50**	**88**	**99 +**	**99 +**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	46.4	1185	1	9	47	95	98	99 +	99 +	2	53.0	128	45	45	53	61	61	61	61
13-17	4	24.5	266	8	8	21	34	47	47	47										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	39.1	943	2	7	28	67	96	99	99 +	2	53.0	128	45	45	53	61	61	61	61
B. FEMALE																				
0-12 YRS.	4	32.8	119	24	24	29	39	49	49	49										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	29.0	163	14	14	28	35	49	49	49										
SUBTOTAL	**17**	**36.1**	**714**	**4**	**10**	**28**	**49**	**95**	**98**	**99 +**	**2**	**53.0**	**128**	**45**	**45**	**53**	**61**	**61**	**61**	**61**
GRAND TOTAL	**39**	**33.8**	**623**	**5**	**6**	**29**	**49**	**95**	**99 +**	**99 +**	**3**	**39.7**	**593**	**13**	**13**	**45**	**57**	**61**	**61**	**61**

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	7.7	161	1	1	2	8	31	40	42	7	1.7	1	1	1	2	2	3	3	3
13-17	18	12.6	237	1	1	5	18	42	44	44	13	1.7	2	1	1	1	2	4	6	6
18-20	24	5.8	49	1	1	3	7	15	21	30	9	3.2	5	1	1	3	4	7	7	7
21-24	39	7.4	71	1	1	4	10	25	26	31	15	2.5	3	1	1	2	3	5	6	6
25-34	147	6.7	57	1	1	4	10	16	22	34	72	2.8	4	1	1	2	4	6	8	9
35-54	282	6.0	49	1	1	4	7	15	21	37	157	2.7	4	1	1	2	3	6	7	15
55-74	160	6.1	31	1	1	4	8	14	18	29	103	3.1	5	1	1	3	4	6	8	11
75 +	32	6.7	67	1	1	4	7	17	19	42	41	3.5	15	1	1	2	4	7	14	18
ALL AGES	715	6.5	55	1	1	4	8	16	22	41	417	2.8	6	1	1	2	4	6	7	14
B. FEMALE																				
0-12 YRS.	7	5.7	43	1	1	3	6	17	20	20	2	1.0		1	1	1	1	1	1	1
13-17	34	10.9	205	1	1	5	13	33	42	61	29	2.1	2	1	1	2	3	4	5	5
18-20	25	6.0	42	1	1	3	10	17	20	23	20	3.5	10	1	1	3	5	6	10	15
21-24	59	7.3	81	1	1	4	9	18	31	39	24	3.2	20	1	1	2	3	5	12	23
25-34	269	6.5	41	1	1	5	9	15	18	31	155	3.2	7	1	1	2	4	6	8	14
35-54	442	6.5	46	1	1	4	8	15	22	32	323	3.3	14	1	1	3	4	6	8	23
55-74	386	6.1	37	1	1	4	8	13	18	28	289	3.6	8	1	1	3	4	6	8	13
75 +	138	6.3	55	1	2	4	7	14	18	36	142	3.9	9	1	1	3	5	9	10	14
ALL AGES	1360	6.5	49	1	1	4	8	15	20	33	984	3.4	10	1	1	3	4	6	8	16
SUBTOTAL	**2075**	**6.5**	**51**	**1**	**1**	**4**	**8**	**15**	**21**	**36**	**1401**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	15.0	280	1	1	10	26	39	39	39	1	1.0		1	1	1	1	1	1	1
13-17	16	17.3	293	1	3	10	24	48	55	57	6	10.2	169	1	1	4	14	33	35	35
18-20	27	10.7	146	1	1	5	16	22	44	47	2	14.0	162	5	5	14	23	23	23	23
21-24	38	9.6	95	1	1	7	14	20	25	52	7	7.4	88	2	2	4	8	24	28	28
25-34	148	10.3	78	1	2	8	14	22	30	39	39	4.2	38	1	1	3	4	6	18	33
35-54	243	8.9	65	1	2	6	14	20	24	30	82	4.5	32	1	1	3	4	10	18	28
55-74	92	9.9	78	1	2	7	15	23	28	39	41	5.5	33	1	1	4	6	13	19	29
75 +	14	10.9	38	1	3	11	15	17	22	24	11	3.6	8	1	1	3	6	7	8	8
ALL AGES	582	9.9	83	1	2	7	14	22	28	44	189	5.0	39	1	1	3	5	10	20	32
B. FEMALE																				
0-12 YRS.	4	3.5	10	1	1	2	5	8	8	8	3	16.7	645	1	1	3	35	46	46	46
13-17	29	14.3	298	1	2	10	18	52	74	99 +	8	2.6	8	1	1	1	3	7	9	9
18-20	25	11.3	106	1	2	7	19	27	30	38	6	4.3	8	1	1	5	6	8	8	8
21-24	71	12.2	222	1	1	7	19	29	30	89	24	3.9	7	1	1	3	5	7	10	12
25-34	287	10.5	90	1	2	7	14	25	30	41	84	4.7	27	1	1	3	5	9	16	29
35-54	432	11.1	116	1	2	8	15	25	32	56	148	4.9	28	1	1	3	6	10	14	29
55-74	270	10.8	99	1	2	8	14	21	25	49	116	4.2	11	1	1	4	5	8	10	19
75 +	92	9.6	65	2	2	7	14	21	25	37	29	4.6	10	1	1	4	7	10	11	13
ALL AGES	1210	10.9	112	1	2	8	15	24	30	54	418	4.6	24	1	1	3	5	8	12	28
SUBTOTAL	**1792**	**10.6**	**102**	**1**	**2**	**7**	**15**	**23**	**29**	**52**	**607**	**4.7**	**29**	**1**	**1**	**3**	**5**	**9**	**15**	**29**
GRAND TOTAL	**3867**	**8.4**	**79**	**1**	**1**	**5**	**11**	**20**	**25**	**44**	**2008**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	2.4	2	1	1	2	3	4	6	6	13	4.8	86	1	1	1	5	13	31	35
13-17	22	6.2	138	1	1	3	4	12	33	56	20	2.6	4	1	1	2	4	5	7	8
18-20	25	4.1	41	1	1	2	4	8	14	33	7	3.3	12	1	1	2	3	9	11	11
21-24	23	5.3	51	1	1	3	5	9	19	36	20	3.2	15	1	1	2	4	6	13	18
25-34	49	4.2	11	1	1	3	5	9	12	16	24	3.4	5	1	1	2	5	7	8	9
35-54	51	5.5	35	1	1	3	7	14	18	29	37	4.6	11	1	1	4	6	8	12	17
55-74	27	3.7	8	1	1	3	5	8	10	11	21	4.2	14	1	1	4	5	9	12	15
75 +	4	2.5	2	1	1	2	3	4	4	4	10	4.7	12	1	1	4	5	10	14	14
ALL AGES	216	4.6	36	1	1	3	5	9	14	34	152	3.9	16	1	1	3	5	7	11	18
B. FEMALE																				
0-12 YRS.	22	4.5	22	1	1	3	5	9	16	22	18	6.9	248	1	1	3	4	11	47	69
13-17	82	10.7	302	1	1	4	9	27	54	89	43	4.5	82	1	1	2	3	10	17	55
18-20	38	7.4	161	1	1	4	7	15	35	68	20	2.8	4	1	1	2	4	6	7	8
21-24	55	4.3	16	1	1	3	6	8	10	21	38	2.7	9	1	1	1	3	7	10	14
25-34	129	7.9	133	1	1	5	9	18	22	95	93	5.1	75	1	1	2	5	9	21	53
35-54	180	7.5	127	1	1	4	7	15	27	60	110	4.4	13	1	1	4	6	9	10	57
55-74	67	5.9	32	1	1	4	8	13	19	28	75	4.0	14	1	1	3	4	8	10	21
75 +	24	6.5	44	1	1	4	9	15	24	25	30	4.3	11	1	1	3	5	9	10	16
ALL AGES	597	7.4	128	1	1	4	8	16	25	68	427	4.4	42	1	1	3	5	9	11	50
SUBTOTAL	**813**	**6.6**	**106**	**1**	**1**	**4**	**7**	**14**	**22**	**60**	**579**	**4.2**	**36**	**1**	**1**	**3**	**5**	**8**	**11**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
13-17	10	13.8	346	1	1	4	23	46	54	54	5	11.4	161	4	4	7	14	34	34	34
18-20	11	4.5	13	1	1	4	6	11	11	11	4	2.5	1	1	1	3	3	3	3	3
21-24	9	5.4	12	1	1	5	9	10	10	10	6	5.3	21	1	1	4	6	13	14	14
25-34	35	6.0	25	1	1	5	8	14	18	20	14	6.1	43	1	2	3	8	14	23	25
35-54	43	9.9	213	1	1	4	13	26	32	84	16	2.5	4	1	1	2	4	5	7	8
55-74	18	7.3	49	1	1	4	11	15	23	28	9	5.9	29	1	1	4	7	15	16	16
75 +	3	3.7	1	3	3	3	5	5	5	5	2	1.0		1	1	1	1	1	1	1
ALL AGES	132	7.7	115	1	1	4	9	19	28	59	57	5.1	36	1	1	3	6	13	15	33
B. FEMALE																				
0-12 YRS.	9	11.2	108	1	1	6	22	23	24	24	1	2.0		2	2	2	2	2	2	2
13-17	38	11.4	198	1	1	6	14	33	45	63	12	3.1	2	2	2	3	3	6	7	7
18-20	22	11.0	156	1	2	6	14	30	42	48	8	3.5	10	1	1	3	4	9	11	11
21-24	43	8.2	187	1	1	3	8	19	35	77	19	4.6	39	1	1	3	4	10	20	28
25-34	97	13.0	246	1	1	8	19	32	55	90	52	3.8	8	1	1	3	5	7	8	17
35-54	134	11.3	156	1	2	7	14	25	37	67	70	3.8	11	1	1	3	5	8	11	16
55-74	52	8.7	66	1	2	6	11	23	26	36	34	4.9	21	1	1	4	6	7	18	21
75 +	15	11.0	50	2	2	9	18	21	22	22	13	4.2	4	1	1	4	5	7	8	8
ALL AGES	410	11.0	169	1	1	7	14	24	38	75	209	4.0	14	1	1	3	5	8	10	21
SUBTOTAL	**542**	**10.2**	**157**	**1**	**1**	**6**	**13**	**23**	**36**	**74**	**266**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**24**
GRAND TOTAL	**1355**	**8.1**	**129**	**1**	**1**	**4**	**9**	**19**	**27**	**68**	**845**	**4.2**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40	1	4.0		4	4	4	4	4	4	4
13-17	2	12.5	181	3	3	12	22	22	22	22	2	1.5	1	1	1	1	2	2	2	2
18-20	3	4.3	2	3	3	5	5	5	5	5										
21-24	4	7.8	108	1	1	4	14	23	23	23	1	18.0		18	18	18	18	18	18	18
25-34	5	6.6	12	3	3	7	10	10	10	10	2	6.5	13	4	4	6	9	9	9	3
35-54	16	10.2	52	1	1	10	13	20	26	28	1	6.0		6	6	6	6	6	6	6
55-74	3	12.3	148	3	3	8	21	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	35	9.8	83	1	1	8	12	23	27	40	9	5.2	30	1	1	4	7	14	18	18
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17	4	7.8	30	4	4	5	11	16	16	16	3	2.0	1	1	1	2	3	3	3	3
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	7	6.6	21	1	1	4	11	12	12	12										
25-34	28	11.4	119	1	1	8	18	25	38	41	6	9.7	71	3	3	7	11	24	26	26
35-54	35	10.9	80	1	2	8	17	25	30	32	12	6.6	16	1	2	6	9	12	14	14
55-74	21	9.4	74	1	2	6	11	24	30	33	3	12.0	93	1	1	16	18	19	19	19
75 +	4	18.5	217	4	4	18	31	34	34	34	3	8.0	7	5	5	9	10	10	10	10
ALL AGES	102	10.4	88	1	2	7	16	25	31	39	28	7.3	36	1	1	5	10	15	20	26
SUBTOTAL	**137**	**10.2**	**87**	**1**	**2**	**7**	**15**	**25**	**30**	**40**	**37**	**6.8**	**34**	**1**	**1**	**4**	**9**	**16**	**19**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17	4	20.0	193	3	3	20	29	37	37	37	2	51.0	1058	28	28	51	74	74	74	74
18-20	3	16.7	89	7	7	17	24	26	26	26										
21-24	4	12.0	149	4	4	7	19	30	30	30										
25-34	12	14.4	508	1	1	6	17	41	76	82	1	5.0		5	5	5	5	5	5	5
35-54	32	14.2	77	4	5	12	20	28	28	33	3	5.7	21	3	3	3	9	11	11	11
55-74	11	18.5	102	2	4	21	26	30	33	33	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	68	14.9	162	2	3	12	22	28	33	74	8	16.8	605	2	2	6	19	60	74	74
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33	1	99.0		99	99	99	99	99	99 +	99 +
13-17	5	28.2	1166	6	6	12	43	87	87	87										
18-20	4	10.8	30	6	6	10	15	17	17	17										
21-24	8	10.3	29	5	5	9	13	19	21	21	1	7.0		7	7	7	7	7	7	7
25-34	23	17.6	217	1	2	13	30	36	47	59	4	2.8	3	1	1	2	4	5	5	5
35-54	59	13.4	127	2	3	10	16	33	39	47	8	11.4	121	1	1	10	14	29	35	35
55-74	20	14.0	89	4	4	10	21	29	31	33	4	10.0	13	6	6	10	13	13	13	13
75 +	5	9.2	19	3	3	10	12	14	14	14										
ALL AGES	125	14.6	166	2	4	11	18	33	36	66	18	13.8	517	1	1	7	13	29	73	99
SUBTOTAL	**193**	**14.7**	**164**	**2**	**4**	**11**	**21**	**32**	**35**	**72**	**26**	**14.7**	**524**	**1**	**1**	**7**	**13**	**34**	**79**	**99**
GRAND TOTAL	**330**	**12.8**	**137**	**1**	**2**	**9**	**17**	**28**	**33**	**49**	**63**	**10.1**	**246**	**1**	**1**	**6**	**11**	**18**	**30**	**96**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	4	24.8	152	8	8	26	33	38	38	38	1	2.0		2	2	2	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	7	26.6	604	4	5	16	51	62	63	63										
25-34	22	22.5	480	2	4	17	28	48	79	91	3	13.3	356	1	1	4	27	35	35	35
35-54	15	21.8	607	2	3	19	25	94	99 +	99 +										
55-74	2	30.0	162	21	21	30	39	39	39	39	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	54	21.9	462	2	4	17	28	58	86	99 +	5	9.0	213	1	1	3	12	35	35	35
B. FEMALE																				
0-12 YRS.	2	26.0	800	6	6	26	46	46	46	46	1	4.0		4	4	4	4	4	4	4
13-17	2	30.0	72	24	24	30	36	36	36	36										
18-20	2	1.5	1	1	1	1	2	2	2	2										
21-24	7	10.7	34	4	4	9	15	19	20	20	2	12.0	162	3	3	12	21	21	21	21
25-34	20	20.4	384	1	2	18	44	76	99 +	99 +	2	13.5	313	1	1	13	26	26	26	26
35-54	7	14.6	161	3	3	8	23	35	37	37	2	8.0	8	6	6	8	10	10	10	10
55-74	6	24.5	331	10	10	16	40	53	54	54	1	5.0		5	5	5	5	5	5	5
75 +	5	24.8	66	16	16	27	30	35	35	35	1	36.0		36	36	36	36	36	36	36
ALL AGES	51	19.0	266	2	3	16	31	47	64	99 +	9	12.4	152	1	2	6	22	32	36	36
SUBTOTAL	**105**	**20.5**	**365**	**2**	**3**	**17**	**28**	**51**	**73**	**99 +**	**14**	**11.2**	**161**	**1**	**1**	**5**	**21**	**35**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	4	29.8	910	6	6	20	51	72	72	72	1	4.0		4	4	4	4	4	4	4
18-20	3	12.0	171	3	3	6	22	27	27	27	1	13.0		13	13	13	13	13	13	13
21-24	7	14.6	128	4	4	10	23	33	34	34										
25-34	13	13.4	123	2	2	9	20	29	38	40	4	31.8	897	9	9	22	54	73	73	73
35-54	12	25.2	416	12	13	17	26	55	80	84	2	13.5	61	8	8	13	19	19	19	19
55-74	7	16.0	115	4	4	16	26	30	31	31										
75 +	2	9.5	85	3	3	9	16	16	16	16										
ALL AGES	49	17.7	266	3	4	13	25	33	44	84	8	21.4	526	4	5	11	27	62	73	73
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	1	12.0		12	12	56	99 +	99 +	99 +	99 +	2	6.0	50	1	1	6	11	11	11	11
18-20	4	13.3	102	5	5	11	21	26	26	26										
21-24	5	12.6	82	6	6	11	16	28	28	28	1	7.0		7	7	7	7	7	7	7
25-34	18	22.6	502	2	3	18	27	62	80	83	1	23.0		23	23	23	23	23	23	23
35-54	15	27.1	216	3	8	28	39	46	46	46	1	3.0		3	3	3	3	3	3	3
55-74	15	22.5	400	2	3	16	27	48	70	77	1	11.0		11	11	11	11	11	11	11
75 +	2	21.5	113	14	14	21	29	29	29	29										
ALL AGES	61	22.6	339	3	4	18	30	47	76	98	6	9.3	62	1	1	9	11	22	23	23
SUBTOTAL	**110**	**20.4**	**310**	**3**	**4**	**16**	**28**	**43**	**71**	**90**	**14**	**16.2**	**346**	**1**	**3**	**10**	**19**	**39**	**65**	**73**
GRAND TOTAL	**215**	**20.5**	**333**	**2**	**4**	**16**	**28**	**46**	**72**	**99 +**	**28**	**13.7**	**251**	**1**	**2**	**8**	**20**	**35**	**40**	**73**

Total U.S. January - December 1986

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	25.8	302	3	6	25	41	56	93	99+	1	2.0		2	2	2	2	2	2	2
13-17	195	23.2	386	2	3	17	37	56	69	99+	12	23.1	681	1	1	19	27	60	89	94
18-20	66	8.7	89	1	1	5	11	24	31	40	7	2.0	1	1	1	2	3	4	4	4
21-24	105	7.7	69	1	1	5	11	17	24	43	20	2.8	2	1	1	3	3	5	6	6
25-34	332	9.5	107	1	1	7	12	21	28	46	63	5.8	116	1	1	3	5	10	21	66
35-54	496	10.5	74	1	2	8	14	23	28	44	112	5.7	40	1	1	4	6	13	24	30
55-74	242	9.6	70	1	2	7	13	20	28	42	75	6.4	84	2	2	4	6	12	15	64
75 +	69	10.5	103	2	3	8	13	21	24	61	35	6.9	107	1	2	4	8	9	21	61
ALL AGES	1537	11.8	150	1	2	8	15	28	39	69	325	6.4	101	1	1	4	6	13	24	63
B. FEMALE																				
0-12 YRS.	41	25.2	280	4	6	23	37	55	79	99+	3	7.7	66	2	2	4	14	17	17	17
13-17	419	22.9	415	1	2	17	37	56	67	99+	42	10.3	336	1	1	4	8	28	52	88
18-20	153	9.0	116	1	1	6	12	18	30	82	28	5.4	89	1	1	3	5	9	18	51
21-24	204	8.4	84	1	1	6	11	18	29	45	33	5.1	35	1	1	3	6	11	23	25
25-34	778	9.8	92	1	2	7	13	22	28	45	181	6.0	42	1	1	4	7	13	20	35
35-54	1153	10.4	95	1	2	7	14	22	28	50	355	6.0	43	1	2	4	7	13	17	35
55-74	684	11.6	104	2	3	9	15	23	29	55	278	5.9	25	1	2	5	7	11	14	28
75 +	213	10.6	115	2	3	8	13	21	29	59	86	6.9	35	2	2	5	8	12	17	36
ALL AGES	3645	12.0	153	1	2	8	15	28	39	66	1006	6.2	51	1	2	4	7	12	17	36
SUBTOTAL	**5182**	**11.9**	**153**	**1**	**2**	**8**	**15**	**28**	**39**	**67**	**1331**	**6.2**	**64**	**1**	**1**	**4**	**7**	**12**	**18**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	101	36.9	473	7	11	35	51	78	90	99+	4	38.5	1014	11	11	63	77	99+	99+	99+
13-17	287	26.9	444	2	5	23	43	68	99+	99+	23	24.7	474	1	1	18	44	58	62	68
18-20	139	14.9	208	1	2	10	20	36	48	61	10	2.8	6	1	1	2	3	6	9	9
21-24	186	11.5	118	1	1	8	17	27	31	47	20	6.2	45	1	1	4	8	17	23	25
25-34	619	11.3	99	1	2	9	17	23	29	44	70	10.8	176	1	1	6	15	27	29	65
35-54	717	12.2	106	2	3	9	18	25	30	46	107	7.4	67	1	1	4	9	19	30	38
55-74	216	13.6	110	2	3	11	19	27	34	51	45	6.1	33	1	1	5	7	11	17	29
75 +	33	14.1	132	1	2	11	24	32	35	40	17	6.1	16	2	2	6	8	13	15	15
ALL AGES	2298	15.2	214	1	2	11	21	34	49	91	296	9.4	157	1	1	5	10	26	39	67
B. FEMALE																				
0-12 YRS.	48	34.0	552	4	5	32	59	80	99+	99+	4	33.0	1162	2	2	33	62	63	63	63
13-17	477	26.6	470	3	4	22	43	67	98	99+	34	13.0	298	1	2	7	23	97	99+	99+
18-20	159	14.3	185	1	2	10	20	34	43	67	14	8.4	79	1	1	5	14	22	27	29
21-24	287	11.2	136	1	1	7	16	25	30	60	32	6.2	50	1	2	4	6	14	28	30
25-34	920	12.0	107	1	2	9	17	26	33	53	128	7.9	90	1	1	5	9	22	27	45
35-54	1089	12.5	109	2	3	9	18	27	32	51	208	7.9	71	1	2	5	8	18	27	41
55-74	443	13.0	102	2	3	11	18	26	31	50	79	7.4	56	2	2	6	9	12	15	50
75 +	100	12.7	83	2	3	10	17	27	32	38	32	9.4	55	2	3	7	10	17	29	35
ALL AGES	3523	14.6	196	2	3	11	20	32	46	93	531	8.3	98	1	2	5	9	20	30	67
SUBTOTAL	**5821**	**14.8**	**205**	**2**	**2**	**11**	**21**	**33**	**47**	**92**	**827**	**8.7**	**119**	**1**	**1**	**5**	**10**	**22**	**30**	**66**
GRAND TOTAL	**11003**	**13.5**	**181**	**1**	**2**	**9**	**18**	**30**	**43**	**80**	**2158**	**7.2**	**86**	**1**	**1**	**4**	**8**	**15**	**25**	**59**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	4	2.3	1	1	1	2	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
75 +											2	4.5	1	4	4	4	5	5	5	5
ALL AGES	3	3.3	11	1	1	2	6	7	7	7	11	2.5	1	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34											2	8.0	72	2	2	8	14	14	14	14
35-54	6	5.0	16	1	1	5	9	9	9	9	6	5.0	4	3	3	4	7	8	8	8
55-74	1	2.0		2	2	2	2	2	2	2	5	5.0	13	1	1	4	8	10	10	10
75 +	2	4.5	5	3	3	4	6	6	6	6	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	10	4.4	11	1	1	3	8	9	9	9	16	5.6	20	1	1	4	8	14	15	16
SUBTOTAL	**13**	**4.2**	**10**	**1**	**1**	**3**	**7**	**9**	**9**	**9**	**27**	**4.3**	**15**	**1**	**1**	**3**	**5**	**10**	**14**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	10.3	160	2	2	5	18	29	29	29	2	3.5	1	3	3	3	4	4	4	4
35-54											3	8.7	29	3	3	9	13	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1	3	3.3	2	2	2	4	4	4	4	4
75 +																				
ALL AGES	5	8.4	138	1	1	3	12	29	29	29	8	5.4	16	2	2	4	7	12	14	14
SUBTOTAL	**6**	**7.8**	**113**	**1**	**1**	**4**	**7**	**27**	**29**	**29**	**9**	**4.9**	**16**	**1**	**1**	**4**	**5**	**12**	**14**	**14**
GRAND TOTAL	**19**	**5.3**	**41**	**1**	**1**	**3**	**7**	**9**	**20**	**29**	**36**	**4.5**	**15**	**1**	**1**	**3**	**5**	**10**	**14**	**16**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	59.0		59	59	59	59	59	59	59										
18-20																				
21-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	28.3	744	7	7	19	49	59	59	59										
SUBTOTAL	**3**	**28.3**	**744**	**7**	**7**	**19**	**49**	**59**	**59**	**59**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20																				
21-24	2	9.0	18	6	6	9	12	12	12	12										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.0	597	6	6	12	41	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.0	8	5	5	7	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	5	9.2	43	3	3	9	12	20	20	20	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**8**	**14.4**	**245**	**3**	**4**	**9**	**16**	**42**	**51**	**51**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**11**	**18.2**	**362**	**3**	**4**	**9**	**20**	**54**	**59**	**59**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24																				
25-34	2	3.5	13	1	1	3	6	6	6	6										
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74	5	14.4	71	4	4	15	20	26	26	26	2	26.5	1105	3	3	26	50	50	50	50
75 +	2	14.5	181	5	5	14	24	24	24	24	1	3.0		3	3	3	3	3	3	3
ALL AGES	13	9.7	69	1	2	6	16	24	26	26	3	18.7	734	3	3	3	38	50	50	50
SUBTOTAL	**15**	**8.9**	**63**	**1**	**3**	**5**	**13**	**24**	**25**	**26**	**4**	**14.5**	**560**	**2**	**2**	**3**	**27**	**50**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	4	7.3	7	5	5	7	9	11	11	11	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	6	5.8	11	2	2	5	8	11	11	11	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	23.5	481	8	8	23	39	39	39	39										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	2	5.5	13	3	3	5	8	8	8	8	1	21.0		21	21	21	21	21	21	21
35-54	2	17.0	98	10	10	17	24	24	24	24										
55-74	5	10.6	55	3	3	9	16	21	21	21										
75 +	5	13.0	124	3	3	11	21	29	29	29										
ALL AGES	17	12.4	115	2	3	9	19	28	35	39	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**23**	**10.7**	**94**	**2**	**2**	**8**	**14**	**25**	**32**	**39**	**3**	**9.7**	**96**	**3**	**3**	**5**	**17**	**21**	**21**	**21**
GRAND TOTAL	**38**	**10.0**	**81**	**1**	**3**	**6**	**15**	**24**	**28**	**39**	**7**	**12.4**	**320**	**2**	**2**	**3**	**17**	**44**	**50**	**50**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	19.0		19	19	19	19	19	19	19										
18-20																						
21-24																						
25-34	3	2.0	1	1	1	2	3	3	3	3	1	21.0		21	21	21	21	21	21	21
35-54	7	11.3	75	1	2	10	16	25	27	27										
55-74	4	10.3	43	1	1	11	15	18	18	18	2	2.5	1	2	2	2	3	3	3	3
75 +	2	5.5	13	3	3	5	8	8	8	8										
ALL AGES	17	9.2	58	1	1	8	13	19	24	27	3	8.7	113	2	2	3	16	21	21	21
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17	3	21.0	772	3	3	7	41	53	53	53	1	2.0		2	2	2	2	2	2	2
18-20											1	3.0		3	3	3	3	3	3	3
21-24	3	5.3	6	4	4	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	7	3.7	15	1	1	2	6	10	11	11	4	4.8	6	2	2	4	6	8	8	8
35-54	30	9.1	115	1	1	6	13	19	30	52	33	5.3	20	1	2	4	6	9	14	25
55-74	18	11.8	64	2	3	10	15	21	29	34	5	17.8	292	3	3	8	33	41	41	41
75 +	6	14.3	324	1	1	7	18	46	49	49	2	12.0	98	5	5	12	19	19	19	19
ALL AGES	68	10.0	128	1	1	7	13	21	35	53	48	6.6	58	1	2	4	6	14	26	41
SUBTOTAL	**85**	**9.8**	**114**	**1**	**1**	**7**	**13**	**20**	**31**	**53**	**51**	**6.7**	**60**	**1**	**2**	**4**	**6**	**17**	**25**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	45.0		45	45	45	45	45	45	45										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	5.5	25	2	2	5	9	9	9	9	1	2.0		2	2	2	2	2	2	2
25-34	8	8.5	15	4	4	8	11	14	15	15										
35-54	9	14.0	64	2	4	13	19	25	27	27	2	14.5	221	4	4	14	25	25	25	25
55-74	3	7.3	22	2	2	10	10	10	10	10	1	9.0		9	9	9	9	9	9	9
75 +	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10
ALL AGES	25	12.5	90	2	2	10	18	22	31	45	5	10.0	82	2	2	9	14	25	25	25
B. FEMALE																						
0-12 YRS.	3	16.3	43	9	9	19	20	21	21	21										
13-17	4	23.0	255	10	10	18	33	46	46	46										
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	5	17.4	467	2	2	6	28	54	54	54	2	4.5	5	3	3	4	6	6	6	6
25-34	18	9.8	92	1	1	8	11	15	33	44	2	16.5	421	2	2	16	31	31	31	31
35-54	51	14.4	278	3	3	9	19	24	52	97	2	7.0	8	5	5	7	9	9	9	9
55-74	31	14.7	120	3	4	10	21	33	41	41	1	4.0		4	4	4	4	4	4	4
75 +	2	20.0	288	8	8	20	32	32	32	32	1	11.0		11	11	11	11	11	11	11
ALL AGES	115	14.3	201	2	3	10	19	29	43	74	8	8.9	88	2	2	5	10	25	31	31
SUBTOTAL	**140**	**14.0**	**180**	**2**	**3**	**10**	**18**	**26**	**43**	**65**	**13**	**9.3**	**80**	**2**	**2**	**6**	**10**	**26**	**30**	**31**
GRAND TOTAL	**225**	**12.4**	**159**	**1**	**2**	**9**	**16**	**23**	**41**	**56**	**64**	**7.2**	**64**	**1**	**2**	**4**	**8**	**19**	**27**	**40**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	9	8.0	198	1	1	3	5	31	45	45	2	2.0		2	2	2	2	2	2	2
13-17	19	5.8	74	1	1	3	5	19	30	32	10	1.4		1	1	1	2	3	3	3
18-20	14	4.3	34	1	1	2	5	9	20	23	3	1.7	1	1	1	1	2	3	3	3
21-24	12	3.3	21	1	1	2	3	11	15	16	3	2.7	8	1	1	1	5	6	6	6
25-34	30	4.0	27	1	1	2	5	8	12	27	18	2.6	5	1	1	2	3	7	8	9
35-54	45	9.2	75	1	1	5	17	23	27	30	16	2.7	4	1	1	2	4	6	7	8
55-74	30	8.1	56	1	1	5	12	21	24	27	29	5.8	46	1	2	3	6	11	23	32
75 +	24	6.2	15	1	2	6	8	11	15	15	23	5.0	27	1	1	4	7	9	16	26
ALL AGES	183	6.6	58	1	1	4	8	18	24	31	104	3.9	23	1	1	2	5	8	10	29
B. FEMALE																					
0-12 YRS.	5	3.0	2	2	2	3	4	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17	34	5.2	62	1	1	2	6	12	16	43	26	1.8	2	1	1	1	2	4	5	6
18-20	21	2.6	18	1	1	1	3	5	12	20	6	1.3	1	1	1	1	1	3	3	3
21-24	20	5.7	71	1	1	2	8	11	25	38	10	3.1	25	1	1	1	3	10	17	17
25-34	34	6.6	29	1	1	6	11	15	17	20	22	2.2	3	1	1	2	3	5	6	6
35-54	58	6.0	29	1	1	4	9	14	17	23	28	3.5	7	1	1	3	5	7	9	11
55-74	44	9.4	67	2	2	6	14	24	29	99 +	35	4.4	8	1	1	4	6	10	11	99 +
75 +	45	11.1	156	2	3	7	13	28	40	61	33	7.5	24	3	3	7	9	15	19	22
ALL AGES	261	7.1	68	1	1	4	9	17	23	49	162	3.9	14	1	1	3	5	8	12	22
SUBTOTAL	**444**	**6.9**	**64**	**1**	**1**	**4**	**9**	**17**	**23**	**43**	**266**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	6	5.5	10	1	1	5	8	10	10	10	1	1.0		1	1	1	1	1	1	1
13-17	40	5.2	34	1	1	4	6	10	18	31	8	13.9	750	1	1	1	13	61	80	80
18-20	21	4.0	16	1	1	2	5	10	13	16	13	6.6	224	1	1	2	5	17	49	56
21-24	27	3.5	11	1	1	2	4	8	10	14	10	3.9	20	1	1	2	4	12	14	14
25-34	84	3.3	14	1	1	2	4	8	11	20	37	2.7	4	1	1	2	3	6	7	8
35-54	75	5.5	62	1	1	3	6	16	16	46	26	3.2	9	1	1	2	4	6	8	16
55-74	20	5.4	45	1	1	3	6	9	21	32	19	8.0	26	2	4	6	9	16	20	22
75 +	12	7.9	67	2	2	5	10	19	29	31	13	6.0	24	1	2	4	6	15	17	17
ALL AGES	285	4.6	34	1	1	3	6	10	16	32	127	5.1	83	1	1	3	5	10	16	61
B. FEMALE																					
0-12 YRS.	4	16.5	881	1	1	2	32	61	61	61	1	2.0		2	2	2	2	2	2	2
13-17	48	8.5	86	1	1	6	10	22	30	42	19	2.2	3	1	1	2	3	4	6	8
18-20	34	4.8	75	1	1	2	5	13	16	48	18	1.8	2	1	1	1	2	3	6	7
21-24	51	5.9	60	1	1	2	6	16	26	32	12	2.5	8	1	1	2	3	6	10	11
25-34	103	6.5	108	1	1	4	7	11	22	60	26	3.3	7	1	1	3	4	7	9	11
35-54	90	8.6	126	1	1	4	11	25	37	50	58	4.2	20	1	1	3	5	7	14	26
55-74	23	8.4	39	1	2	7	11	16	21	28	24	4.7	11	1	2	4	6	10	12	13
75 +	20	6.6	22	1	1	6	9	15	16	17	17	5.3	12	1	2	4	7	10	13	15
ALL AGES	373	7.3	98	1	1	4	8	15	29	49	175	3.6	13	1	1	3	4	7	11	17
SUBTOTAL	**658**	**6.1**	**72**	**1**	**1**	**3**	**7**	**14**	**21**	**45**	**302**	**4.3**	**42**	**1**	**1**	**3**	**5**	**8**	**13**	**24**
GRAND TOTAL	**1102**	**6.4**	**69**	**1**	**1**	**4**	**8**	**15**	**23**	**45**	**568**	**4.1**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

Total U.S. January - December 1986

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20	2	10.0	32	6	6	10	14	14	14	14										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	7	10.6	42	4	4	10	11	21	24	24										
35-54	12	12.3	186	1	1	8	16	34	45	47	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																						
ALL AGES	23	11.5	107	1	2	9	14	25	35	47	1	4.0		4	4	4	4	4	4	4
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																						
25-34	9	20.0	855	1	1	8	20	69	94	94										
35-54	5	17.2	127	4	4	21	24	32	32	32	2	1.5	1	1	1	1	2	2	2	2
55-74	6	8.0	3	5	5	8	9	10	10	10	2	13.0	162	4	4	13	22	22	22	22
75 +	3	19.0	39	14	14	17	24	26	26	26										
ALL AGES	24	16.2	347	2	4	9	19	31	51	94	4	7.3	97	1	1	3	13	22	22	22
SUBTOTAL	**47**	**13.9**	**230**	**2**	**2**	**9**	**17**	**28**	**34**	**94**	**5**	**6.6**	**76**	**1**	**1**	**4**	**9**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	46.0		46	46	46	46	46	46	46										
18-20	2	5.5	13	3	3	5	8	8	8	8										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	16	13.9	59	4	5	12	20	26	27	27										
35-54	14	11.8	40	3	4	11	16	22	22	22	3	5.0	9	2	2	5	7	8	8	8
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	38	12.4	80	3	3	10	17	23	27	46	3	5.0	9	2	2	5	7	8	8	8
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54	2	22.5	1	22	22	22	23	23	23	23										
55-74	4	4.8	14	1	1	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	4	6.5	6	4	4	6	8	9	9	9										
ALL AGES	12	9.4	51	1	2	8	12	22	23	23	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**50**	**11.7**	**73**	**3**	**3**	**9**	**16**	**23**	**27**	**46**	**4**	**4.8**	**6**	**2**	**2**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**97**	**12.8**	**148**	**2**	**3**	**9**	**17**	**24**	**30**	**72**	**9**	**5.8**	**41**	**1**	**1**	**4**	**6**	**16**	**22**	**22**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
13-17	7	22.6	159	10	10	20	31	43	45	45										
18-20	3	7.3	1	7	7	7	8	8	8	8										
21-24	3	17.7	40	13	13	15	22	25	25	25										
25-34	9	11.8	18	6	7	10	15	18	18	18	1	3.0		3	3	3	3	3	3	3
35-54	15	8.8	33	2	3	9	11	18	19	20	3	7.0	31	2	2	6	11	13	13	13
55-74	10	19.7	42	11	12	18	26	28	29	29										
75 +																				
ALL AGES	49	14.3	74	3	5	13	20	27	33	99 +	4	6.0	25	2	2	4	9	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	7	16.7	119	1	3	26	47	99 +	99 +	99 +										
18-20	2	32.5	5	31	31	32	34	34	34	34										
21-24	7	8.0	48	1	1	7	13	18	19	19										
25-34	23	12.8	89	1	2	9	21	27	30	31	2	10.0	32	6	6	10	14	14	14	14
35-54	35	11.2	79	1	2	8	15	23	28	41	3	5.0	1	4	4	5	6	6	6	6
55-74	29	16.6	185	2	3	12	23	41	45	51	1	3.0		3	3	3	3	3	3	3
75 +	2	22.5	313	10	10	22	35	35	35	35										
ALL AGES	105	13.8	123	1	2	10	21	30	41	99 +	6	6.3	16	3	3	5	6	13	14	14
SUBTOTAL	**154**	**14.0**	**106**	**1**	**3**	**11**	**21**	**29**	**40**	**99 +**	**10**	**6.2**	**17**	**2**	**2**	**5**	**6**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.3	237	5	5	31	67	99 +	99 +	99 +										
18-20	6	20.7	247	1	2	19	25	46	48	48										
21-24	12	10.3	47	1	1	9	18	19	19	19										
25-34	23	10.7	179	1	1	6	10	32	45	46	4	5.5	32	2	2	3	9	14	14	14
35-54	26	11.3	71	2	3	8	15	24	31	34	1	4.0		4	4	4	4	4	4	4
55-74	3	11.7	55	4	4	12	17	19	19	19	2	5.0		5	5	5	5	5	5	5
75 +	3	16.7	113	10	10	11	24	29	29	29										
ALL AGES	76	12.4	122	1	1	9	19	29	41	86	7	5.1	17	2	2	4	5	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	11	21.8	210	4	4	20	35	65	95	99 +										
18-20	9	10.0	45	1	2	9	15	20	20	20										
21-24	9	15.1	72	4	5	12	22	27	29	29										
25-34	27	13.0	167	1	2	8	17	37	43	50	7	12.6	137	1	1	12	21	28	30	30
35-54	35	10.1	65	1	2	8	13	22	29	34	3	18.7	99	8	8	20	26	28	28	28
55-74	13	14.1	99	4	4	10	21	29	35	37										
75 +	2	15.0		15	15	15	15	15	15	15										
ALL AGES	106	13.0	116	1	3	10	19	29	40	72	10	14.4	123	1	1	16	21	29	30	30
SUBTOTAL	**182**	**12.8**	**117**	**1**	**2**	**9**	**19**	**29**	**40**	**83**	**17**	**10.6**	**97**	**1**	**1**	**5**	**20**	**27**	**29**	**30**
GRAND TOTAL	**336**	**13.3**	**113**	**1**	**3**	**10**	**19**	**29**	**40**	**99 +**	**27**	**9.0**	**70**	**1**	**2**	**5**	**14**	**21**	**28**	**30**

Total U.S. January - December 1986

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	33.5	1301	8	8	33	59	59	59	59										
13-17	14	32.1	231	5	11	37	48	49	87	99 +	1	56.0		56	56	56	56	56	56	56
18-20	15	13.8	117	1	3	11	16	32	35	36	3	17.3	216	4	4	15	28	33	33	33
21-24	11	14.4	112	1	3	12	16	33	35	35	1	17.0		17	17	17	17	17	17	17
25-34	23	13.2	100	2	3	13	19	30	32	33	2	1.0		1	1	1	1	1	1	1
35-54	11	11.7	145	1	1	8	19	32	37	37	2	14.5	365	1	1	14	28	28	28	28
55-74	3	16.0	175	6	6	11	26	31	31	31										
75 +																				
ALL AGES	79	17.2	202	2	3	14	29	39	48	88	9	17.3	356	1	1	15	29	47	56	56
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	6	19.5	157	2	2	24	28	32	33	33										
18-20	4	9.8	53	1	1	9	14	19	19	19										
21-24	7	9.7	53	2	2	11	13	20	22	22										
25-34	16	12.9	106	4	4	8	17	32	35	36	7	15.3	154	1	1	21	26	29	29	29
35-54	15	13.1	173	1	3	9	15	25	46	53	1	1.0		1	1	1	1	1	1	1
55-74	1	12.0		12	12	12	12	12	12	12	3	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	50	13.8	150	2	3	10	20	30	36	54	11	10.1	144	1	1	2	22	28	29	29
SUBTOTAL	**129**	**15.9**	**183**	**2**	**3**	**12**	**25**	**36**	**48**	**67**	**20**	**13.4**	**238**	**1**	**1**	**4**	**25**	**31**	**44**	**56**
2 PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	11	29.3	428	4	5	37	46	74	96	99 +										
18-20	2	19.5	365	6	6	19	33	33	33	33										
21-24	12	15.8	188	1	2	12	19	42	43	43										
25-34	19	13.5	239	1	2	6	16	42	50	55	2	12.0	242	1	1	12	23	23	23	23
35-54	11	12.8	49	5	6	11	18	23	27	27										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	56	17.0	251	2	4	9	28	43	53	97	3	8.3	162	1	1	1	18	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	3	48.0	1084	28	28	58	93	99 +	99 +	99 +	1	6.0		6	6	6	6	6	6	6
18-20	2	25.0	450	10	10	25	40	40	40	40										
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	11	12.3	32	5	5	12	14	21	23	23	1	20.0		20	20	20	20	20	20	20
35-54	8	9.5	29	2	3	8	14	17	18	18	1	6.0		6	6	6	6	6	6	6
55-74	3	14.3	292	4	4	5	27	34	34	34										
75 +																				
ALL AGES	28	16.2	280	4	5	12	21	38	87	99 +	3	10.7	64	6	6	6	17	20	20	20
SUBTOTAL	**84**	**16.7**	**259**	**3**	**4**	**11**	**23**	**43**	**57**	**99 +**	**6**	**9.5**	**92**	**1**	**1**	**6**	**20**	**23**	**23**	**23**
GRAND TOTAL	**213**	**16.2**	**212**	**2**	**3**	**11**	**25**	**40**	**49**	**99 +**	**26**	**12.5**	**202**	**1**	**1**	**5**	**23**	**29**	**38**	**56**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	9	9.6	51	1	1	9	12	21	25	25										
18-20	3	6.3	10	3	3	7	8	9	9	9										
21-24	7	7.3	34	1	1	6	12	16	16	16	1	1.0		1	1	1	1	1	1	1
25-34	12	5.8	25	2	2	3	7	14	17	18										
35-54	9	5.7	6	2	2	6	7	9	9	9										
55-74	4	14.0	73	2	2	16	20	21	21	21	1	7.0		7	7	7	7	7	7	7
75 +	3	5.7	16	2	2	5	9	10	10	10										
ALL AGES	48	7.4	33	1	2	6	10	15	19	25	2	4.0	18	1	1	3	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20	2	18.0	338	5	5	18	31	31	31	31										
21-24	1	1.0		1	1	50	99 +	99 +	99 +	99 +										
25-34	2	11.5	221	1	1	11	22	22	22	22										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	10	11.3	116	1	1	8	22	59	96	99 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**58**	**8.1**	**47**	**1**	**2**	**7**	**12**	**20**	**24**	**94**	**4**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	288	2	2	14	26	26	26	26										
13-17	12	21.7	319	3	4	19	37	49	49	49										
18-20	7	7.1	37	1	1	6	12	15	16	16										
21-24	7	13.9	416	1	1	4	19	50	57	57										
25-34	19	10.4	59	1	2	9	17	21	25	28	1	2.0		2	2	2	2	2	2	2
35-54	8	7.9	31	1	2	7	10	17	19	19										
55-74	5	8.8	22	2	2	9	11	15	15	15										
75 +																				
ALL AGES	60	12.3	161	1	2	8	17	27	47	56	1	2.0		2	2	51	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	4	11.3	39	6	6	9	16	20	20	20										
18-20	3	4.7	9	2	2	4	7	8	8	8										
21-24	2	10.0	162	1	1	10	19	19	19	19										
25-34	3	12.7	24	8	8	12	16	18	18	18										
35-54	5	9.2	17	5	5	8	11	16	16	16	3	2.0	1	1	1	2	3	3	3	3
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	19	9.3	35	1	1	8	13	19	20	20	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**79**	**11.6**	**131**	**1**	**1**	**8**	**16**	**23**	**38**	**55**	**4**	**2.0**	**1**	**1**	**1**	**2**	**27**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**137**	**10.1**	**98**	**1**	**2**	**7**	**14**	**22**	**28**	**62**	**8**	**2.8**	**4**	**1**	**1**	**2**	**5**	**63**	**99 +**	**99 +**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	8	6.8	37	1	1	4	10	17	19	19	1	18.0		18	18	18	18	18	18	18
35-54	4	16.8	233	4	4	12	26	39	39	39										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	14	10.4	98	1	2	8	13	21	35	39	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	23.0	279	8	8	20	36	41	41	41										
35-54	5	12.8	328	3	3	5	17	45	45	45										
55-74	2	10.0	32	6	6	10	14	14	14	14										
75 +																				
ALL AGES	11	14.5	225	3	3	8	18	43	45	45										
SUBTOTAL	**25**	**12.2**	**151**	**2**	**3**	**8**	**14**	**39**	**42**	**45**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17																				
18-20	4	7.5	50	3	3	4	11	18	18	18										
21-24	2	10.0		10	10	10	77	99 +	99 +	99 +										
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54	6	10.0	169	1	1	6	8	33	36	36										
55-74	7	12.6	83	4	4	11	14	28	31	31	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	22	10.0	83	2	3	8	14	32	58	99 +	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	60	99 +	99 +	99 +	99 +										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	7	7.1	39	1	1	5	13	16	16	16	1	7.0		7	7	7	7	7	7	7
35-54	5	12.4	28	4	4	14	16	18	18	18										
55-74	6	11.3	45	4	4	10	17	21	21	21	2	12.0	50	7	7	12	17	17	17	17
75 +																				
ALL AGES	20	10.4	42	1	3	11	16	21	57	99 +	3	10.3	34	7	7	7	15	17	17	17
SUBTOTAL	**42**	**10.2**	**61**	**1**	**3**	**10**	**16**	**22**	**55**	**99 +**	**4**	**12.0**	**33**	**7**	**7**	**12**	**17**	**17**	**17**	**17**
GRAND TOTAL	**67**	**11.0**	**93**	**1**	**3**	**8**	**15**	**27**	**41**	**99 +**	**5**	**13.2**	**32**	**7**	**7**	**17**	**17**	**18**	**18**	**18**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
13-17	2	21.0	800	1	1	20	41	41	41	41										
18-20																						
21-24	5	3.6	6	1	1	3	5	7	7	7	2	1.0		1	1	1	1	1	1	1
25-34	5	6.0	56	1	1	4	8	19	19	19	3	2.7	8	1	1	1	5	6	6	6
35-54	5	4.8	29	1	1	4	7	14	14	14	5	3.2	12	1	1	1	5	9	9	9
55-74	1	22.0		22	22	22	22	22	22	22	2	3.0	8	1	1	3	5	5	5	5
75 +																						
ALL AGES	19	7.9	105	1	1	4	12	21	32	41	13	2.8	7	1	1	1	4	7	9	9
B. FEMALE																						
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	11	24.1	297	2	5	19	42	44	45	45	1	1.0		1	1	1	1	1	1	1
18-20	3	5.0	28	1	1	3	9	11	11	11	1	1.0		1	1	1	1	1	1	1
21-24	7	8.0	77	1	1	4	16	21	22	22	2	5.5	5	4	4	5	7	7	7	7
25-34	16	8.6	82	1	1	5	11	27	29	29	6	2.7	7	1	1	2	3	7	8	8
35-54	9	6.3	35	1	1	4	13	15	15	15	4	5.5	22	1	1	5	9	10	10	10
55-74	3	13.0	112	5	5	9	21	25	25	25										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	52	11.2	151	1	1	6	15	31	42	45	15	3.5	11	1	1	2	6	9	10	10
SUBTOTAL	**71**	**10.3**	**140**	**1**	**1**	**5**	**14**	**28**	**41**	**45**	**28**	**3.2**	**9**	**1**	**1**	**2**	**5**	**9**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	6	4.2	14	1	1	2	9	9	9	9										
35-54	3	10.7	153	3	3	4	20	25	25	25	2	2.0	2	1	1	2	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																						
ALL AGES	13	5.3	43	1	1	3	7	12	23	25	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																						
0-12 YRS.																						
13-17	7	11.6	85	1	2	11	17	26	28	28										
18-20	4	21.0	652	4	4	11	38	58	58	58										
21-24	5	4.0	14	1	1	3	6	10	10	10	4	4.0	18	1	1	3	7	10	10	10
25-34	26	9.1	72	1	1	6	13	24	25	27	1	3.0		3	3	3	3	3	3	3
35-54	23	9.4	54	1	2	7	14	20	26	28	2	4.5	1	4	4	4	5	5	5	5
55-74	4	11.3	13	6	6	12	14	14	14	14	2	4.5	1	4	4	4	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	70	9.8	92	1	1	6	14	23	27	52	10	3.8	7	1	1	4	5	8	10	10
SUBTOTAL	**83**	**9.1**	**86**	**1**	**1**	**6**	**13**	**23**	**26**	**48**	**13**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**154**	**9.6**	**111**	**1**	**1**	**5**	**14**	**24**	**29**	**45**	**41**	**3.3**	**8**	**1**	**1**	**2**	**4**	**8**	**9**	**10**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	9.0	50	4	4	9	14	14	14	14										
21-24	3	7.7	4	6	6	7	9	10	10	10										
25-34	6	10.0	159	1	1	4	14	32	34	34										
35-54	5	4.0	14	1	1	2	8	8	8	8										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	18	7.8	59	1	1	6	10	14	26	34	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.3	514	1	1	18	37	55	55	55										
18-20	4	3.5	14	1	1	2	6	9	9	9										
21-24	4	7.5	44	1	1	7	13	15	15	15										
25-34	15	11.3	106	1	2	10	17	31	32	32	1	12.0		12	12	12	12	12	12	12
35-54	11	8.2	104	1	2	6	8	21	37	38	3	14.7	165	4	4	11	24	29	29	29
55-74	6	14.2	187	1	1	10	20	37	39	39										
75 +																				
ALL AGES	44	10.9	146	1	1	7	13	31	38	55	4	14.0	113	4	4	11	20	29	29	29
SUBTOTAL	**62**	**10.0**	**121**	**1**	**1**	**7**	**11**	**25**	**36**	**53**	**5**	**11.8**	**109**	**3**	**3**	**11**	**16**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	9.4	83	3	3	5	14	25	25	25										
21-24	6	8.7	91	1	1	6	9	25	27	27	1	1.0		1	1	1	1	1	1	1
25-34	23	7.9	65	1	1	5	10	23	26	29	1	5.0		5	5	5	5	5	5	5
35-54	12	11.2	137	1	1	6	14	32	38	39	1	28.0		28	28	28	28	28	28	28
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	47	8.9	84	1	1	6	10	25	29	39	3	11.3	213	1	1	5	22	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.3	572	4	4	22	45	52	52	52										
18-20	5	8.8	70	2	2	4	16	21	21	21										
21-24	8	5.8	20	1	1	4	8	13	15	15										
25-34	19	7.7	72	1	1	6	10	20	28	32	2	2.5	5	1	1	2	4	4	4	4
35-54	30	10.8	86	2	2	9	13	19	30	46	4	16.3	273	1	1	15	30	33	33	33
55-74	7	12.3	110	1	2	9	17	29	32	32	5	3.6	13	1	1	2	5	10	10	10
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	75	10.1	106	1	1	7	13	21	32	50	11	8.0	131	1	1	3	8	30	33	33
SUBTOTAL	**122**	**9.6**	**98**	**1**	**1**	**6**	**12**	**24**	**31**	**48**	**14**	**8.7**	**136**	**1**	**1**	**3**	**10**	**29**	**32**	**33**
GRAND TOTAL	**184**	**9.8**	**104**	**1**	**1**	**6**	**12**	**24**	**32**	**50**	**19**	**9.5**	**125**	**1**	**1**	**4**	**12**	**29**	**31**	**33**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	10	10.5	56	2	2	11	18	20	22	22										
18-20	13	6.4	76	1	1	3	7	17	30	33										
21-24	15	4.0	12	1	1	3	7	10	10	10	2	17.0	512	1	1	16	33	33	33	33
25-34	12	5.8	35	1	2	3	6	18	19	19	1	11.0		11	11	11	11	11	11	11
35-54	9	3.7	8	1	1	2	5	8	10	10	1	6.0		6	6	6	6	6	6	6
55-74	2	21.0	32	17	17	21	25	25	25	25										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	63	6.3	46	1	1	3	8	17	20	32	4	12.8	197	1	1	8	22	33	33	33
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	1.0		1	1	1	1	1	1	1	2	4.5	13	2	2	4	7	7	7	7
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	9	12.3	196	1	1	5	24	34	35	35										
35-54	3	12.3	179	1	1	9	22	27	27	27										
55-74																				
75 +																				
ALL AGES	17	11.5	157	1	1	7	22	32	34	35	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**80**	**7.4**	**72**	**1**	**1**	**4**	**10**	**20**	**28**	**34**	**6**	**10.0**	**140**	**1**	**1**	**6**	**11**	**31**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	10	9.9	70	1	1	8	13	23	28	28										
18-20	21	6.6	68	1	1	4	8	16	25	36	2	1.0		1	1	1	1	1	1	1
21-24	23	6.6	58	1	1	4	8	15	25	34	1	3.0		3	3	3	3	3	3	3
25-34	54	5.9	29	1	1	4	9	13	16	27	2	2.5	5	1	1	2	4	4	4	4
35-54	26	5.8	20	1	1	6	8	12	15	19	1	3.0		3	3	3	3	3	3	3
55-74	2	2.0	2	1	1	2	3	3	3	3										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	138	6.6	44	1	1	4	9	15	19	34	6	2.2	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	5	5	5	6	8	8	8	8										
18-20	5	12.8	271	3	3	5	17	42	42	42										
21-24	3	10.7	179	1	1	5	21	26	26	26	1	3.0		3	3	3	3	3	3	3
25-34	10	7.0	41	1	1	6	8	17	23	23										
35-54	3	1.7	1	1	1	1	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	24	7.8	92	1	1	5	8	23	31	42	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**162**	**6.8**	**51**	**1**	**1**	**5**	**8**	**15**	**21**	**36**	**7**	**2.3**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**242**	**7.0**	**58**	**1**	**1**	**4**	**9**	**17**	**25**	**35**	**13**	**5.8**	**76**	**1**	**1**	**3**	**6**	**15**	**30**	**33**

Total U.S. January - December 1986

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	38.5	1625	10	10	83	99 +	99 +	99 +	99 +										
13-17	24	26.2	400	1	1	27	42	66	77	99 +										
18-20	28	12.2	164	1	3	7	18	31	35	54										
21-24	38	9.0	182	1	1	4	8	30	35	68	2	4.0	2	3	3	4	5	5	5	5
25-34	83	8.2	45	1	1	7	11	19	22	32	3	1.3		1	1	1	2	2	2	2
35-54	52	12.0	131	1	1	9	17	28	37	47	6	4.0	15	1	1	2	6	10	11	11
55-74	6	8.0	12	3	3	7	12	12	12	12										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	234	11.7	174	1	1	7	15	31	44	99 +	11	3.3	9	1	1	2	4	8	11	11
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17	61	22.7	389	2	3	18	41	64	99 +	99 +	1	40.0		40	40	40	40	40	40	40
18-20	62	13.6	374	1	2	7	17	30	56	92	6	2.8	4	1	1	3	3	6	6	6
21-24	115	11.8	139	1	2	8	16	26	39	57	5	2.6	7	1	1	1	4	7	7	7
25-34	211	10.3	130	1	1	7	13	25	37	64	15	6.1	35	1	1	4	7	12	22	25
35-54	145	10.2	74	2	2	8	14	19	24	44	2	4.5	5	3	3	4	6	6	6	6
55-74	7	8.9	39	3	3	5	14	17	18	18	2	9.0	2	8	8	9	10	10	10	10
75 +	2	7.5	61	2	2	7	13	13	13	13	1	1.0		1	1	1	1	1	1	1
ALL AGES	604	12.2	189	1	2	8	15	28	42	90	32	5.9	60	1	1	4	7	11	24	40
SUBTOTAL	**838**	**12.1**	**184**	**1**	**2**	**8**	**15**	**29**	**43**	**92**	**43**	**5.2**	**48**	**1**	**1**	**3**	**6**	**10**	**17**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	46.8	725	21	21	42	67	82	82	82	1	3.0		3	3	3	3	3	3	3
13-17	33	23.9	361	3	4	21	34	52	58	77										
18-20	43	12.5	179	1	1	8	19	36	50	99 +	2	13.5	313	1	1	13	26	26	26	26
21-24	55	8.7	105	1	2	6	10	21	30	52	2	26.0	1250	1	1	25	51	51	51	51
25-34	150	8.6	69	1	1	6	12	21	27	44	8	5.9	16	1	1	6	9	11	11	11
35-54	75	8.4	101	1	1	5	11	17	28	59	5	7.0	18	1	1	8	10	12	12	12
55-74	9	17.6	44	4	7	18	22	25	27	27	1	28.0		28	28	28	28	28	28	28
75 +	3	8.0	3	6	6	9	9	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	372	11.0	156	1	1	7	14	27	40	75	20	9.9	150	1	1	7	10	27	39	51
B. FEMALE																				
0-12 YRS.	6	43.8	688	10	11	42	73	74	74	74										
13-17	45	23.2	440	1	3	19	40	85	99 +	99 +	4	11.5	226	3	3	5	50	99 +	99 +	99 +
18-20	43	12.9	182	1	1	8	17	28	46	61	2	4.0	8	2	2	4	6	6	6	6
21-24	129	13.3	187	1	2	9	17	31	35	69	4	10.3	193	1	1	4	18	31	31	31
25-34	285	11.6	167	1	2	8	14	26	41	60	16	6.5	35	1	2	4	7	17	19	20
35-54	148	13.7	260	1	1	7	18	33	55	86	13	8.4	65	2	3	7	8	16	31	34
55-74	15	9.1	44	1	2	8	13	18	23	25	2	2.5	5	1	1	2	4	4	4	4
75 +	4	6.3	40	1	1	4	11	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	675	13.5	224	1	2	8	18	32	50	86	42	7.6	68	1	2	5	8	22	34	99 +
SUBTOTAL	**1047**	**12.6**	**201**	**1**	**1**	**8**	**16**	**30**	**47**	**82**	**62**	**8.4**	**93**	**1**	**1**	**5**	**9**	**26**	**34**	**94**
GRAND TOTAL	**1885**	**12.4**	**193**	**1**	**2**	**8**	**16**	**30**	**44**	**86**	**105**	**7.1**	**76**	**1**	**1**	**5**	**8**	**17**	**32**	**73**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	3.0		3	3	3	3	3	3	3											
13-17	6	29.3	742	1	1	25	58	64	65	65	2	3.5	5	2	2	3	5	5	5	5
18-20	15	4.6	28	1	1	3	6	14	18	19										
21-24	13	9.2	119	1	1	3	14	22	36	39	3	4.7	21	2	2	2	8	10	10	10
25-34	19	4.5	12	1	1	3	6	10	12	13	2	3.0	2	2	2	3	4	4	4	4
35-54	14	7.0	50	1	1	4	10	14	25	28	1	1.0		1	1	1	1	1	1	1
55-74	9	13.2	253	1	1	10	14	41	51	51										
75 +	3	8.7	68	2	2	6	15	18	18	18	1	11.0		11	11	11	11	11	11	11
ALL AGES	80	8.7	151	1	1	4	10	20	34	63	9	4.3	14	1	1	2	6	11	11	11
B. FEMALE																					
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	14	19.5	578	2	4	12	29	39	83	95										
18-20	11	6.7	35	1	2	4	10	15	21	21	2	2.0	2	1	1	2	3	3	3	3
21-24	11	5.3	34	1	1	4	10	43	92	99 +	2	1.0		1	1	1	1	1	1	1
25-34	42	7.3	52	1	1	5	8	18	21	33	6	4.2	1	2	2	4	5	5	5	5
35-54	27	10.4	262	1	1	6	14	16	31	86	3	3.3	3	2	2	3	4	5	5	5
55-74	6	12.8	75	2	2	14	14	26	27	27	1	9.0		9	9	9	9	9	9	9
75 +	4	4.3	16	1	1	3	7	10	10	10	1	6.0		6	6	6	6	6	6	6
ALL AGES	116	9.4	171	1	1	5	13	20	30	97	15	3.7	5	1	1	4	5	6	8	9
SUBTOTAL	**196**	**9.1**	**162**	**1**	**1**	**5**	**12**	**20**	**30**	**91**	**24**	**4.0**	**8**	**1**	**1**	**3**	**5**	**9**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	2	21.5	365	8	8	21	35	35	35	35										
13-17	7	5.4	25	1	1	3	10	13	13	13	4	6.0	15	3	3	5	9	11	11	11
18-20	8	8.6	92	1	1	5	14	24	26	26	2	4.5	5	3	3	4	6	6	6	6
21-24	17	6.9	48	1	1	4	11	18	21	22	2	7.5	61	2	2	7	13	13	13	13
25-34	48	5.5	35	1	1	3	7	13	19	26	4	2.0	2	1	1	1	3	4	4	4
35-54	34	10.8	124	1	1	8	14	24	28	55	2	7.5	25	4	4	7	11	11	11	11
55-74	9	11.0	97	1	1	5	19	26	28	28	2	1.0		1	1	1	1	1	1	1
75 +	3	25.0	343	7	7	24	39	44	44	44	1	24.0		24	24	24	24	24	24	24
ALL AGES	128	8.4	87	1	1	5	12	22	26	46	17	5.7	37	1	1	3	8	13	20	24
B. FEMALE																					
0-12 YRS.																					
13-17	14	18.1	197	2	3	17	30	37	41	42	1	1.0		1	1	1	1	1	1	1
18-20	7	12.1	157	3	3	5	17	33	37	37	2	3.5	1	3	3	3	4	4	4	4
21-24	13	10.8	111	2	2	7	18	25	35	37	4	2.0	1	1	1	2	3	3	3	3
25-34	45	9.1	133	1	2	5	9	28	32	59	4	10.3	182	1	1	5	19	30	30	30
35-54	43	8.6	78	2	2	5	9	23	27	45	9	5.3	12	1	1	4	8	11	11	11
55-74	5	11.8	255	1	1	6	16	40	40	40	4	5.0	1	4	4	5	6	6	6	6
75 +	3	32.3	160	18	18	38	40	41	41	41	1	7.0		7	7	7	7	7	7	7
ALL AGES	130	10.9	137	2	2	6	15	30	37	48	25	5.3	34	1	1	4	6	10	16	30
SUBTOTAL	**258**	**9.6**	**114**	**1**	**1**	**5**	**13**	**26**	**32**	**45**	**42**	**5.5**	**34**	**1**	**1**	**4**	**7**	**11**	**17**	**30**
GRAND TOTAL	**454**	**9.4**	**135**	**1**	**1**	**5**	**13**	**23**	**32**	**59**	**66**	**4.9**	**25**	**1**	**1**	**4**	**6**	**11**	**12**	**29**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ZOOPHILIA (302.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	14.0	98	7	7	14	21	21	21	21										
25-34	1	4.0		4	4	4	4	4	4	4	2	6.5	25	3	3	6	10	10	10	10
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	10.7	81	4	4	7	17	21	21	21	3	4.7	22	1	1	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**10.7**	**81**	**4**	**4**	**7**	**17**	**21**	**21**	**21**	**3**	**4.7**	**22**	**1**	**1**	**3**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	4	12.8	53	3	3	13	17	21	21	21	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**5**	**11.4**	**50**	**3**	**3**	**13**	**16**	**21**	**21**	**21**	**3**	**4.3**	**11**	**2**	**2**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**8**	**11.1**	**53**	**3**	**3**	**10**	**17**	**21**	**21**	**21**	**6**	**4.5**	**13**	**1**	**1**	**3**	**8**	**10**	**10**	**10**

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	26	3	3	9	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	4	6.5	30	1	1	6	11	13	13	13										
GRAND TOTAL	4	6.5	30	1	1	6	11	13	13	13										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											12	6.8	19	1	1	7	10	13	14	14
25-34	5	8.4	43	4	4	6	10	20	20	20	2	3.5	5	2	2	3	5	5	5	5
35-54	14	8.9	56	1	2	6	15	19	24	26	16	10.1	107	1	1	6	13	28	33	35
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	19	8.8	50	1	2	6	14	19	23	26	31	8.2	65	1	1	6	10	18	29	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	9.0		9	9	9	9	9	9	9
21-24	1	20.0		20	20	20	20	20	20	20	13	7.7	6	2	3	9	9	9	9	9
25-34	14	10.3	51	2	4	7	20	21	21	21	74	8.4	5	2	3	9	9	10	10	12
35-54	5	9.0	27	5	5	7	10	18	18	18	52	8.6	9	2	3	9	9	10	11	22
55-74											5	9.2		9	9	9	10	10	10	10
75 +																				
ALL AGES	20	10.5	45	3	4	7	19	21	21	21	145	8.4	7	2	3	9	9	10	10	14
SUBTOTAL	**39**	**9.6**	**48**	**2**	**3**	**7**	**16**	**20**	**21**	**26**	**176**	**8.4**	**16**	**2**	**2**	**9**	**9**	**10**	**12**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**40**	**10.0**	**51**	**2**	**3**	**7**	**17**	**21**	**23**	**26**	**176**	**8.4**	**16**	**2**	**2**	**9**	**9**	**10**	**12**	**27**

Total U.S. January - December 1986

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.0	18	33	33	36	39	39	39	39										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	18	33	33	36	39	39	39	39										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**3**	**34.0**	**21**	**30**	**30**	**33**	**37**	**39**	**39**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**4**	**26.5**	**239**	**4**	**4**	**31**	**36**	**39**	**39**	**39**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	3	1.7	1	1	1	1	2	3	3	3
25-34	4	5.3	2	3	3	5	6	7	7	7	3	3.3	3	2	2	3	4	5	5	5
35-54	45	3.3	8	1	1	3	4	6	8	14	35	2.8	3	1	1	3	4	5	6	8
55-74	52	2.8	3	1	1	2	4	5	5	10	56	2.9	2	1	1	3	4	5	6	8
75 +	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
ALL AGES	104	3.1	5	1	1	3	4	6	7	13	98	2.8	3	1	1	3	4	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**105**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**	**99**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	3.0		3	3	3	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**107**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**	**101**	**2.8**	**3**	**1**	**1**	**3**	**3**	**5**	**6**	**8**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	17.0	2	16	16	17	18	18	18	18												
18-20																						
21-24																						
25-34												1	9.0		9	9	9	9	9	9	9
35-54	3	13.0	273	2	2	5	25	32	32	32											
55-74												1	8.0		8	8	8	8	8	8	8
75 +																						
ALL AGES	5	14.6	142	2	2	16	21	32	32	32	2	8.5	1	8	8	8	9	9	9	9
B. FEMALE																						
0-12 YRS.	1	50.0		50	50	50	50	50	50	50											
13-17	1	8.0		8	8	8	8	8	8	8											
18-20																						
21-24																						
25-34	1	5.0		5	5	5	5	5	5	5											
35-54	1	14.0		14	14	14	14	14	14	14											
55-74																						
75 +																						
ALL AGES	4	19.3	432	5	5	11	32	50	50	50											
SUBTOTAL	**9**	**16.7**	**238**	**2**	**3**	**14**	**21**	**43**	**50**	**50**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	8.0		8	8	8	8	8	8	8											
18-20												1	24.0		24	24	24	24	24	24	24
21-24																						
25-34	5	10.8	10	6	6	11	13	14	14	14											
35-54	1	30.0		30	30	30	30	30	30	30											
55-74												1	14.0		14	14	14	14	14	14	14
75 +																						
ALL AGES	7	13.1	64	6	6	11	14	27	30	30	2	19.0	50	14	14	19	24	24	24	24
B. FEMALE																						
0-12 YRS.																						
13-17	2	16.0	2	15	15	16	17	17	17	17											
18-20																						
21-24	1	18.0		18	18	18	18	18	18	18											
25-34	1	6.0		6	6	6	6	6	6	6											
35-54																						
55-74																						
75 +																						
ALL AGES	4	14.0	30	6	6	16	17	18	18	18											
SUBTOTAL	**11**	**13.5**	**46**	**6**	**6**	**13**	**16**	**23**	**29**	**30**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**
GRAND TOTAL	**20**	**14.9**	**128**	**3**	**5**	**13**	**17**	**31**	**41**	**50**	**4**	**13.8**	**52**	**8**	**8**	**11**	**19**	**24**	**24**	**24**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**3**	**9.3**	**57**	**5**	**5**	**5**	**15**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**4**	**8.5**	**40**	**5**	**5**	**6**	**12**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	6	1.8	1	1	1	2	2	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	52	1.9	6	1	1	1	2	3	5	18	45	4.6	101	1	1	1	1	25	31	45
18-20	51	4.5	43	1	1	2	4	17	22	26	20	4.6	86	1	1	1	3	17	31	34
21-24	169	5.9	58	1	1	3	5	22	23	32	38	3.2	21	1	1	2	3	7	8	28
25-34	640	6.1	53	1	1	3	6	21	23	28	255	5.7	52	1	1	3	5	11	27	30
35-54	1241	5.7	45	1	1	3	5	16	23	29	645	5.7	54	1	1	3	5	13	27	31
55-74	531	6.3	38	1	2	4	7	14	22	30	354	5.8	48	1	1	4	6	13	24	33
75 +	51	6.6	33	1	2	4	7	16	21	23	26	5.3	19	1	1	4	5	11	15	21
ALL AGES	2741	5.8	46	1	1	3	6	17	23	29	1384	5.6	52	1	1	3	5	12	27	32
B. FEMALE																					
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	29	4.0	123	1	1	1	3	5	10	61	23	4.8	116	1	1	1	2	11	37	42
18-20	24	4.3	42	1	1	2	3	14	22	25	9	2.3	3	1	1	1	4	5	5	5
21-24	35	6.4	62	1	1	3	8	21	26	30	11	3.5	18	1	1	1	4	10	15	15
25-34	170	6.0	46	1	1	3	6	17	22	30	68	4.6	39	1	1	3	4	9	21	33
35-54	344	5.7	39	1	1	3	6	15	22	28	178	5.5	53	1	1	3	5	21	27	30
55-74	164	5.7	44	1	1	3	6	14	21	32	88	4.3	14	1	1	3	5	8	10	23
75 +	18	12.3	270	1	1	3	23	41	48	52	8	3.1	4	1	1	3	4	6	7	7
ALL AGES	784	5.8	52	1	1	3	6	16	23	32	386	4.8	43	1	1	3	5	9	23	32
SUBTOTAL	**3525**	**5.8**	**47**	**1**	**1**	**3**	**6**	**17**	**23**	**30**	**1770**	**5.5**	**50**	**1**	**1**	**3**	**5**	**11**	**27**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.											4	8.5	30	4	4	7	12	16	16	16
13-17	49	12.0	191	1	1	4	21	33	42	42	49	21.1	299	1	1	26	33	42	47	61
18-20	77	9.4	135	1	1	4	11	29	38	42	48	11.3	149	1	1	5	19	29	38	50
21-24	238	7.8	71	1	1	5	9	22	28	32	183	12.1	123	1	1	7	22	29	31	40
25-34	1221	8.0	72	1	1	5	8	22	28	34	960	9.8	88	1	2	5	15	25	30	33
35-54	2072	7.6	60	1	2	5	7	21	27	31	1707	8.9	81	1	2	5	11	25	29	32
55-74	760	8.2	64	1	2	5	9	21	28	35	758	8.1	73	2	2	5	9	21	28	38
75 +	57	8.4	46	2	2	6	11	17	24	32	82	8.4	56	1	2	6	11	19	21	42
ALL AGES	4474	7.9	68	1	2	5	8	22	28	34	3791	9.3	89	1	2	5	13	25	30	35
B. FEMALE																					
0-12 YRS.																					
13-17	42	15.4	481	1	1	4	21	42	73	89	29	26.7	507	1	1	29	43	53	74	77
18-20	34	9.9	129	1	1	5	13	31	34	35	25	11.6	121	1	1	6	21	29	31	32
21-24	88	8.9	79	1	1	5	13	22	26	39	61	10.5	110	1	1	5	21	30	31	33
25-34	410	8.3	75	1	2	5	9	23	28	36	318	9.5	97	1	1	5	15	27	30	36
35-54	642	6.9	50	1	1	5	7	18	25	31	463	9.3	97	1	2	5	13	27	30	38
55-74	286	9.7	107	2	2	6	13	26	29	41	276	9.1	94	1	2	5	11	23	29	39
75 +	32	7.1	26	1	2	6	8	13	16	27	16	7.9	42	2	2	5	9	20	21	21
ALL AGES	1534	8.2	85	1	1	5	9	22	28	36	1188	9.8	114	1	2	5	14	28	30	41
SUBTOTAL	**6008**	**8.0**	**72**	**1**	**2**	**5**	**8**	**22**	**28**	**35**	**4979**	**9.4**	**95**	**1**	[illegible]	**5**	**13**	**26**	**30**	**37**
GRAND TOTAL	**9533**	**7.2**	**64**	**1**	**1**	**4**	**7**	**21**	**27**	**33**	**6749**	**8.4**	**86**	**1**	**1**	**4**	**9**	**24**	**29**	**35**

Total U.S. January - December 1986

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	12.0	141	2	2	7	23	28	28	28	2	15.0	288	3	3	15	27	27	27	27
13-17	89	21.9	235	1	2	20	37	43	47	51	65	25.8	212	1	3	28	35	43	47	58
18-20	122	16.6	129	1	2	18	27	30	33	37	90	19.2	158	1	3	22	28	30	40	59
21-24	316	15.2	121	1	2	15	27	29	30	33	249	16.6	125	1	2	19	28	30	32	41
25-34	1892	13.7	116	1	2	9	25	28	30	33	1396	14.7	123	2	2	11	26	29	30	38
35-54	3613	13.1	109	2	3	7	23	28	30	34	2700	14.6	127	2	2	10	27	29	31	39
55-74	1470	13.2	107	2	3	9	22	28	30	36	1129	14.5	129	2	3	10	26	30	33	40
75 +	88	12.9	105	1	3	10	21	27	29	45	70	15.7	192	2	2	9	25	33	35	71
ALL AGES	7595	13.5	114	2	2	8	24	28	30	35	5701	14.9	130	2	2	11	27	29	31	41
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	4	10.5	78	3	3	8	16	23	23	23
13-17	49	26.1	355	1	3	25	42	53	56	67	38	24.4	230	2	3	28	35	45	50	56
18-20	43	14.0	107	2	3	10	25	28	30	33	22	15.5	162	1	2	9	28	32	36	38
21-24	108	14.0	136	2	2	10	23	29	31	51	79	17.3	155	1	2	18	28	32	38	41
25-34	564	13.4	106	2	3	9	23	28	29	33	411	14.3	127	1	2	9	27	28	30	35
35-54	945	13.7	112	2	2	9	24	28	30	34	741	14.7	136	2	3	10	27	29	32	40
55-74	472	14.9	104	2	3	14	23	28	30	36	392	15.3	131	2	3	11	27	30	32	41
75 +	42	12.0	70	2	2	10	20	24	27	33	36	13.6	175	2	3	8	21	32	35	59
ALL AGES	2224	14.1	119	2	3	10	24	28	30	40	1723	15.0	140	2	3	10	27	30	32	42
SUBTOTAL	**9819**	**13.6**	**116**	**2**	**2**	**9**	**24**	**28**	**30**	**36**	**7424**	**14.9**	**133**	**2**	**2**	**11**	**27**	**29**	**32**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	16.8	82	6	6	19	22	29	29	29	4	20.0	105	5	5	24	26	27	27	27
13-17	534	28.2	225	4	7	29	42	45	50	61	219	28.8	235	2	6	30	39	46	54	72
18-20	305	19.2	155	2	3	21	28	32	37	49	203	19.6	153	2	2	22	29	32	36	50
21-24	613	18.0	120	2	3	21	28	30	31	40	378	17.0	131	2	3	19	28	30	32	41
25-34	2623	15.7	119	2	3	16	25	29	30	37	1633	16.1	122	2	3	16	27	29	31	39
35-54	2529	14.2	114	2	3	10	24	28	30	37	1423	14.0	125	2	3	10	25	29	31	40
55-74	798	14.1	108	2	3	11	23	28	29	40	491	13.6	131	2	3	9	21	30	33	47
75 +	59	17.0	128	4	4	16	28	32	38	94	36	10.4	66	2	2	7	14	25	28	28
ALL AGES	7466	16.3	137	2	3	16	26	30	35	45	4387	16.0	141	2	3	14	27	30	34	46
B. FEMALE																				
0-12 YRS.	3	23.0	444	3	3	21	39	45	45	45	2	31.0	50	26	26	31	36	36	36	36
13-17	265	27.9	237	3	6	28	42	45	49	71	147	28.1	230	2	5	30	38	43	48	71
18-20	124	20.9	175	1	3	24	28	33	44	57	76	19.5	187	1	2	21	29	39	42	50
21-24	236	16.1	135	2	3	17	26	30	31	40	117	17.4	135	2	3	20	28	31	33	37
25-34	877	14.9	128	2	3	11	25	29	32	42	523	15.5	123	2	3	12	27	29	31	41
35-54	827	14.7	118	2	3	11	25	29	31	39	505	14.2	120	2	2	10	25	29	31	39
55-74	338	16.6	155	2	3	15	27	31	38	52	201	14.5	127	2	3	10	24	30	34	44
75 +	26	18.5	132	4	5	16	28	34	36	37	17	11.4	105	3	4	7	20	27	34	38
ALL AGES	2696	16.8	156	2	3	16	27	31	38	50	1588	16.4	153	2	3	14	28	31	36	47
SUBTOTAL	**10162**	**16.4**	**143**	**2**	**3**	**16**	**26**	**30**	**35**	**46**	**5975**	**16.1**	**144**	**2**	**3**	**14**	**28**	**30**	**34**	**46**
GRAND TOTAL	**19981**	**15.0**	**132**	**2**	**3**	**12**	**25**	**29**	**32**	**44**	**13399**	**15.4**	**140**	**2**	**3**	**13**	**27**	**30**	**33**	**43**

Total U.S. January - December 1986

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	26.0		26	26	26	26	26	26	26											
13-17	1	8.0		8	8	8	8	8	8	8											
18-2[illegible]	3	11.7	113	5	5	6	19	24	24	24	3	5.0	1	4	4	5	6	6	6	6
21-24	21	6.2	34	1	1	5	7	14	19	24	15	9.0	62	2	3	5	13	25	26	27
25-34	159	9.6	90	1	2	5	14	27	30	39	158	10.9	98	2	3	6	20	27	29	39
35-54	126	11.4	86	2	3	7	20	26	29	35	88	8.6	71	1	2	5	10	23	29	31
55-74	14	14.0	128	2	4	9	24	29	37	39	6	8.5	54	1	1	8	9	21	22	22
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	325	10.3	89	1	2	6	16	26	29	39	271	9.9	86	2	2	6	14	26	28	33
B. FEMALE																					
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	2	6.5	1	6	6	6	7	7	7	7											
18-20	7	6.3	15	3	3	4	10	12	12	12	3	16.0	199	3	3	14	27	31	31	31
21-24	15	9.0	106	2	2	4	10	31	34	35	14	11.2	140	1	2	5	21	27	38	41
25-34	148	10.1	83	2	2	6	16	26	29	33	108	11.3	121	1	3	6	17	29	35	43
35-54	63	10.5	83	2	3	6	15	27	28	40	40	13.7	120	3	3	8	24	31	32	36
55-74	13	11.3	87	3	3	9	19	26	28	29	10	18.7	156	5	5	16	29	36	41	41
75 +	3	4.3	7	2	2	4	6	7	7	7	4	11.0	47	6	6	8	15	21	21	21
ALL AGES	251	10.0	81	2	3	6	14	26	29	35	180	12.5	125	2	3	7	22	30	35	41
SUBTOTAL	**576**	**10.2**	**85**	**2**	**2**	**6**	**15**	**26**	**29**	**38**	**451**	**10.9**	**103**	**2**	**3**	**6**	**18**	**28**	**30**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	3	4.7	30	1	1	2	9	11	11	11	3	16.3	116	4	4	22	23	23	23	23
18-20	7	12.9	111	4	4	8	22	29	30	30	4	10.5	138	3	3	5	17	28	28	28
21-24	35	10.9	90	2	2	6	20	27	28	29	21	9.6	80	1	2	5	15	25	29	31
25-34	276	12.9	111	2	3	8	21	28	30	46	219	12.5	114	2	3	7	22	29	31	38
35-54	203	12.7	99	2	3	8	21	28	29	38	168	14.1	132	2	3	10	23	28	31	42
55-74	8	12.6	36	4	5	13	16	21	22	22	10	14.5	132	4	4	11	23	32	35	35
75 +											4	13.3	90	5	5	10	19	27	27	27
ALL AGES	532	12.7	102	2	3	8	21	28	30	44	429	13.1	118	2	3	8	22	28	31	42
B. FEMALE																					
0-12 YRS.																					
13-17											1	68.0		68	68	68	68	68	68	68
18-20	10	8.2	23	2	3	7	11	16	16	16	11	11.7	124	3	3	8	13	30	39	40
21-24	32	9.7	70	2	3	7	11	26	28	29	31	11.5	87	2	2	8	22	26	28	30
25-34	234	10.9	79	2	3	7	15	26	29	40	131	13.4	122	2	3	9	23	30	34	39
35-54	98	10.2	86	2	3	6	11	25	30	42	69	13.5	123	2	3	9	24	29	35	43
55-74	20	13.5	96	3	3	10	21	28	31	33	19	11.5	64	3	4	8	16	25	28	29
75 +	5	23.0	120	5	5	28	29	33	33	33	3	6.3	6	5	5	5	8	9	9	9
ALL AGES	399	10.8	83	2	3	7	15	27	29	39	265	13.1	124	2	3	8	22	29	33	44
SUBTOTAL	**931**	**11.9**	**94**	**2**	**3**	**7**	**20**	**28**	**29**	**40**	**694**	**13.1**	**120**	**2**	**3**	**8**	**22**	**28**	**31**	**42**
GRAND TOTAL	**1507**	**11.2**	**92**	**2**	**3**	**7**	**18**	**27**	**29**	**39**	**1145**	**12.2**	**116**	**2**	**3**	**7**	**21**	**28**	**31**	**41**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.0	2	1	1	2	3	3	3	3
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	8	17.3	101	1	3	21	24	29	30	30	15	11.5	125	1	2	7	14	32	32	32
35-54	15	14.2	157	3	4	7	27	34	37	38	11	8.5	55	1	1	7	13	21	22	22
55-74	6	7.7	101	1	1	4	9	25	27	27	8	18.8	178	3	3	20	31	34	34	34
75 +																				
ALL AGES	30	13.3	134	1	1	8	25	29	34	38	36	11.6	123	1	1	7	18	32	33	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	1	20.0		20	20	20	20	20	20	20
18-20											3	4.0	1	3	3	4	5	5	5	5
21-24	3	10.0	12	6	6	12	12	12	12	12	3	11.3	121	5	5	5	19	24	24	24
25-34	24	14.1	112	1	2	12	20	27	33	45	19	14.2	155	1	2	8	25	32	39	42
35-54	37	17.8	230	3	4	15	26	29	34	86	27	15.3	128	3	3	12	28	31	35	37
55-74	23	16.8	100	2	4	19	25	28	32	38	16	17.7	79	3	6	18	26	28	29	29
75 +	5	28.6	1230	4	4	9	49	87	87	87	3	24.3	100	13	13	29	30	31	31	31
ALL AGES	93	16.8	209	2	4	14	24	29	36	87	72	15.3	122	2	3	14	26	30	34	41
SUBTOTAL	**123**	**16.0**	**190**	**1**	**3**	**12**	**25**	**29**	**36**	**86**	**108**	**14.1**	**123**	**2**	**2**	**10**	**25**	**30**	**33**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	3	15.3	576	1	1	2	33	43	43	43	2	38.5	25	35	35	38	42	42	42	42
18-20	7	16.9	200	5	5	9	26	40	43	43	5	10.8	139	1	1	5	18	30	30	30
21-24	14	17.5	172	2	4	16	29	36	37	37										
25-34	42	13.7	147	2	3	9	24	30	38	44	33	13.2	84	3	4	14	18	27	32	33
35-54	39	16.2	133	1	2	13	27	32	35	37	28	13.3	136	1	2	8	22	33	35	40
55-74	20	21.2	96	6	8	21	27	35	38	40	12	13.1	154	1	2	7	27	30	35	36
75 +	4	13.0	377	1	1	4	23	42	42	42	3	18.0	49	10	10	21	22	23	23	23
ALL AGES	130	16.4	159	1	2	12	27	35	40	44	83	13.8	125	2	3	10	23	32	35	41
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	13	31	31	33	36	36	36	36	1	6.0		6	6	6	6	6	6	6
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	7	19.7	174	4	4	17	29	38	40	40	7	10.6	65	5	5	9	11	25	28	28
25-34	57	16.7	90	3	4	17	24	30	31	37	45	15.0	126	2	3	14	23	30	35	39
35-54	95	19.4	113	3	5	21	29	33	38	72	60	16.0	131	1	3	12	28	31	33	35
55-74	66	19.7	106	4	5	20	27	33	37	44	33	22.4	131	5	6	24	29	37	42	43
75 +	3	14.3	142	7	7	8	23	28	28	28	4	10.3	62	5	5	7	15	22	22	22
ALL AGES	231	18.9	108	3	5	20	28	32	37	41	150	16.6	134	2	4	14	28	32	35	42
SUBTOTAL	**361**	**18.0**	**127**	**2**	**4**	**19**	**28**	**32**	**37**	**44**	**233**	**15.6**	**132**	**2**	**4**	**13**	**27**	**32**	**35**	**42**
GRAND TOTAL	**484**	**17.5**	**143**	**2**	**4**	**17**	**27**	**32**	**37**	**45**	**341**	**15.1**	**130**	**2**	**3**	**13**	**26**	**31**	**35**	**42**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28												
13-17	3	18.0	508	4	4	6	34	44	44	44		6	13.8	321	1	1	5	24	44	46	46	
18-20	25	14.9	108	1	2	12	26	30	31	31		36	15.9	128	2	3	18	24	31	32	43	
21-24	83	13.8	109	2	2	11	24	28	29	35		81	16.1	117	1	2	18	26	28	31	40	
25-34	327	15.5	110	2	3	14	25	29	30	41		347	15.2	125	2	3	14	24	29	31	42	
35-54	138	14.6	102	1	3	15	23	28	29	35		105	16.4	130	2	3	21	25	29	30	43	
55-74	5	15.4	79	6	6	12	21	29	29	29												
75 +																						
ALL AGES	583	15.0	110	2	3	14	25	28	30	37		575	15.6	125	2	3	16	24	29	31	42	
B. FEMALE																						
0-12 YRS.	1	13.0		13	13	13	13	13	13	13												
13-17	2	3.0	8	1	1	3	5	5	5	5		2	17.5	313	5	5	17	30	30	30	30	
18-20	20	13.9	38	4	6	15	19	21	22	23		21	15.5	155	1	3	11	25	30	40	49	
21-24	102	13.0	90	1	2	11	20	27	29	34		67	12.9	105	1	3	8	24	28	29	30	
25-34	219	13.6	70	2	3	13	20	24	28	31		146	11.7	114	2	2	7	19	29	31	42	
35-54	32	13.3	81	3	3	11	20	28	28	28		23	13.1	121	2	2	8	21	29	32	36	
55-74																						
75 +																						
ALL AGES	376	13.4	74	2	3	12	20	26	28	31		259	12.5	116	2	3	8	22	29	30	42	
SUBTOTAL	**959**	**14.4**	**95**	**2**	**3**	**13**	**22**	**28**	**29**	**35**		**834**	**14.6**	**125**	**2**	**3**	**10**	**24**	**29**	**31**	**42**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	3.0		3	3	3	3	3	3	3												
13-17	18	30.5	666	1	3	27	41	76	85	87		26	28.1	317	3	4	29	36	44	64	79	
18-20	71	18.7	122	2	4	21	27	31	36	44		64	21.0	111	2	3	23	29	31	34	46	
21-24	171	17.5	101	2	3	20	25	30	32	39		165	19.7	97	2	4	22	27	30	34	38	
25-34	592	16.9	103	2	3	20	25	29	30	38		502	18.2	114	2	3	21	27	30	33	42	
35-54	227	17.5	99	2	3	20	26	29	31	37		182	16.7	115	3	3	20	24	28	30	43	
55-74	3	20.7	79	12	12	20	27	30	30	30		4	12.3	115	4	4	8	19	28	28	28	
75 +																						
ALL AGES	1083	17.5	113	2	3	20	25	29	31	42		943	18.6	120	2	3	22	27	30	34	43	
B. FEMALE																						
0-12 YRS.	1	15.0		15	15	15	15	15	15	15												
13-17	17	20.8	372	1	2	16	35	43	63	73		11	27.0	227	3	4	30	40	45	48	48	
18-20	47	17.7	112	3	4	20	25	30	41	99 +		29	19.0	142	2	3	23	28	33	34	39	
21-24	102	14.9	100	2	3	13	22	28	31	39		78	17.4	154	1	3	21	28	29	38	46	
25-34	277	13.8	94	2	3	11	21	28	29	36		175	14.8	121	2	3	13	24	29	33	42	
35-54	68	14.9	71	4	5	15	21	26	27	31		30	15.1	107	3	4	13	24	29	33	34	
55-74	1	30.0		30	30	30	30	30	30	30		1	4.0		4	4	4	4	4	4	4	
75 +																						
ALL AGES	513	14.8	104	2	3	14	22	28	30	45		324	16.2	138	2	3	17	26	30	35	42	
SUBTOTAL	**1596**	**16.6**	**113**	**2**	**3**	**19**	**24**	**29**	**31**	**43**		**1267**	**18.0**	**125**	**2**	**3**	**21**	**27**	**30**	**34**	**42**	
GRAND TOTAL	**2555**	**15.8**	**107**	**2**	**3**	**17**	**23**	**28**	**30**	**41**		**2101**	**16.7**	**126**	**2**	**3**	**19**	**25**	**30**	**33**	**42**	

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	71	29.5	191	6	9	31	41	44	48	57	47	28.0	257	3	7	29	37	46	58	77
18-20	12	16.8	135	4	5	15	23	35	38	39	17	17.6	179	1	2	21	29	34	36	37
21-24	17	14.3	101	3	3	12	23	29	32	33	12	24.4	64	5	14	26	29	32	35	35
25-34	33	20.2	79	3	6	22	28	29	30	31	17	21.0	155	2	3	22	30	35	37	38
35-54	8	25.3	59	13	14	26	29	36	38	38	4	13.8	168	1	1	12	24	29	29	29
55-74																				
75 +																				
ALL AGES	141	24.2	172	4	6	25	34	42	44	52	97	23.9	213	2	3	27	32	40	45	69
B. FEMALE																				
0-12 YRS.																				
13-17	19	26.9	270	1	3	30	40	45	50	53	12	27.6	336	2	3	28	35	51	67	70
18-20	2	29.5	5	28	28	29	31	31	31	31	4	29.5	19	24	24	30	33	33	33	33
21-24	5	9.4	53	3	3	6	14	21	21	21	3	17.0	631	2	2	3	35	46	46	46
25-34	4	22.0	161	3	3	28	29	29	29	29	7	23.6	119	4	6	26	32	35	35	35
35-54	4	11.8	129	2	2	9	21	26	26	26	3	33.7	101	22	22	38	40	41	41	41
55-74																				
75 +																				
ALL AGES	34	22.1	236	1	3	23	35	42	46	53	29	26.4	233	2	3	28	34	42	47	70
SUBTOTAL	**175**	**23.8**	**183**	**3**	**5**	**25**	**34**	**42**	**45**	**53**	**126**	**24.5**	**216**	**2**	**3**	**28**	**33**	**41**	**46**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	23.0	316	3	3	29	35	37	37	37	2	31.5	25	28	28	31	35	35	35	35
13-17	255	30.6	251	3	7	31	42	48	54	75	214	30.8	185	8	14	30	38	47	57	89
18-20	65	24.6	234	3	3	26	29	40	46	92	59	24.3	168	3	4	25	33	35	45	97
21-24	49	19.8	96	3	4	23	28	30	31	32	43	22.7	138	2	3	28	30	34	36	44
25-34	118	18.6	115	1	3	22	27	30	32	38	79	21.1	89	3	4	22	28	30	32	40
35-54	28	19.4	109	4	4	21	27	30	38	44	27	20.4	95	1	3	22	27	31	34	38
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	519	25.4	226	3	4	26	35	44	49	72	424	26.6	172	3	7	28	34	42	49	76
B. FEMALE																				
0-12 YRS.	2	31.0	98	24	24	31	38	38	38	38										
13-17	83	31.4	352	4	6	34	45	49	56	87	74	32.8	284	7	11	30	41	58	67	80
18-20	17	18.2	134	2	3	20	27	29	37	41	16	25.6	91	5	7	29	32	35	35	35
21-24	15	20.3	136	4	4	25	29	31	34	35	11	21.3	180	1	3	28	32	36	37	37
25-34	28	16.4	133	1	2	19	27	31	32	33	24	20.3	117	2	4	23	27	30	34	44
35-54	9	17.9	86	2	4	21	25	28	29	29	5	18.4	126	5	5	22	28	29	29	29
55-74																				
75 +																				
ALL AGES	154	25.4	287	2	4	25	37	46	49	86	130	28.1	241	5	6	29	35	45	60	78
SUBTOTAL	**673**	**25.4**	**239**	**3**	**4**	**26**	**35**	**45**	**49**	**75**	**554**	**26.9**	**191**	**4**	**7**	**28**	**35**	**42**	**51**	**77**
GRAND TOTAL	**848**	**25.1**	**227**	**3**	**4**	**25**	**35**	**44**	**48**	**71**	**680**	**26.5**	**194**	**3**	**5**	**28**	**34**	**42**	**49**	**76**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	27.0		27	27	27	27	27	27	27	1	3.0		3	3	3	3	3	3	3
18-20	2	2.0	2	1	1	1	3	3	3	3	4	18.3	354	1	1	16	34	40	40	40
21-24	8	21.5	240	1	2	25	32	40	43	43	13	22.8	135	1	3	28	30	31	32	32
25-34	18	16.9	133	1	2	18	28	30	33	35	21	16.0	125	1	2	14	28	29	30	30
35-54	1	2.0		2	2	2	2	2	2	2	3	17.3	194	2	2	21	27	29	29	29
55-74																						
75 +																						
ALL AGES	30	17.0	168	1	1	17	29	32	35	43	42	18.1	151	1	2	23	29	30	31	40
B. FEMALE																						
0-12 YRS.																						
13-17	1	42.0		42	42	42	42	42	42	42	2	7.5	1	7	7	7	8	8	8	8
18-20	3	30.3	27	27	27	28	34	36	36	36	5	23.4	228	2	2	28	36	37	37	37
21-24	3	1.7		1	1	2	2	2	2	2	6	17.2	246	1	1	16	31	35	35	35
25-34	11	13.5	155	1	1	8	27	30	32	32	14	16.1	147	2	2	15	29	31	33	34
35-54	2	11.0	200	1	1	11	21	21	21	21	6	22.3	302	1	1	25	29	46	48	48
55-74	2	16.5	265	5	5	16	28	28	28	28										
75 +																						
ALL AGES	22	15.5	195	1	1	10	28	33	38	42	33	18.0	191	1	2	17	29	35	37	48
SUBTOTAL	**52**	**16.4**	**175**	**1**	**1**	**13**	**28**	**33**	**36**	**43**	**75**	**18.1**	**164**	**1**	**2**	**22**	**29**	**31**	**36**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	9	21.3	202	1	1	19	33	39	40	40	5	32.2	495	3	3	35	47	61	61	61
18-20	9	28.0	200	1	5	31	40	42	42	42	9	22.0	74	1	9	23	28	29	30	30
21-24	11	19.0	205	2	3	21	33	36	38	38	17	20.6	150	2	3	27	29	31	34	35
25-34	42	18.1	146	2	2	22	28	30	32	42	54	19.7	143	2	2	26	29	31	35	38
35-54	14	14.9	127	1	2	15	26	29	30	30	18	16.2	147	2	2	19	27	30	32	34
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																						
ALL AGES	86	19.0	164	2	2	22	29	34	40	42	104	19.9	158	2	2	25	29	31	35	51
B. FEMALE																						
0-12 YRS.																						
13-17	4	28.8	364	4	4	31	43	49	49	49	10	25.5	125	5	8	27	30	39	46	46
18-20	6	17.5	145	5	5	18	28	30	30	30	12	15.4	136	4	4	14	23	30	39	41
21-24	13	13.5	104	1	2	18	21	27	27	27	11	20.3	113	4	4	24	29	31	32	32
25-34	32	19.8	190	2	4	20	29	35	41	56	21	20.7	125	3	4	28	30	31	31	31
35-54	10	18.1	152	1	4	17	24	35	44	44	9	20.7	98	5	5	24	28	31	33	33
55-74	3	28.7	46	22	22	28	34	36	36	36										
75 +																						
ALL AGES	68	19.1	170	2	3	20	28	35	42	55	63	20.4	122	4	4	24	29	31	33	45
SUBTOTAL	**154**	**19.0**	**167**	**2**	**2**	**21**	**28**	**34**	**41**	**49**	**167**	**20.1**	**143**	**2**	**3**	**24**	**29**	**31**	**35**	**45**
GRAND TOTAL	**206**	**18.4**	**168**	**1**	**2**	**21**	**28**	**34**	**40**	**46**	**242**	**19.4**	**153**	**2**	**3**	**24**	**29**	**31**	**35**	**46**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	2	11.0	200	1	1	11	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.3	101	1	1	12	19	21	21	21	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**4**	**13.0**	**78**	**1**	**1**	**15**	**19**	**21**	**21**	**21**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	14.8	907	1	1	4	8	65	89	89	3	26.0	133	13	13	30	34	35	35	35
18-20	1	7.0		7	7	7	7	7	7	7	1	28.0		28	28	28	28	28	28	28
21-24											1	31.0		31	31	31	31	31	31	31
25-34	4	15.0	99	1	1	18	22	23	23	23	3	10.0	63	4	4	7	16	19	19	19
35-54																				
55-74																				
75 +																				
ALL AGES	13	14.2	560	1	1	6	16	36	79	89	8	20.9	139	4	5	23	30	34	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	1	35.0		35	35	35	35	35	35	35
18-20	2	16.5	313	4	4	16	29	29	29	29	1	5.0		5	5	5	5	5	5	5
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	3	26.7	464	4	4	29	42	47	47	47	3	15.3	292	5	5	6	28	35	35	35
SUBTOTAL	**16**	**16.6**	**533**	**1**	**1**	**6**	**22**	**45**	**76**	**89**	**11**	**19.4**	**161**	**4**	**5**	**19**	**31**	**35**	**35**	**35**
GRAND TOTAL	**20**	**15.9**	**435**	**1**	**1**	**8**	**21**	**38**	**68**	**89**	**12**	**17.9**	**174**	**2**	**3**	**16**	**30**	**35**	**35**	**35**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1	2	12.0	98	5	5	12	19	19	19	19
18-20																				
21-24	6	12.2	95	1	1	13	21	21	21	21	1	3.0		3	3	3	3	3	3	3
25-34	10	10.3	82	1	1	7	17	24	28	28	8	14.1	208	1	1	6	27	36	38	38
35-54	10	12.5	109	2	3	9	25	28	29	29	5	8.0	71	2	2	3	14	21	21	21
55-74	2	7.0	2	6	6	7	8	8	8	8	2	7.0	50	2	2	7	12	12	12	12
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	30	10.7	82	1	1	7	21	26	28	29	19	10.9	118	1	2	6	18	28	35	38
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	3	8.0	39	3	3	6	13	15	15	15	1	6.0		6	6	6	6	6	6	6
25-34	14	14.4	117	1	3	14	26	28	29	29	10	10.5	77	3	3	7	14	26	28	28
35-54	9	17.8	181	5	6	15	24	39	48	48	10	9.3	69	3	3	7	12	22	30	30
55-74	1	30.0		30	30	30	30	30	30	30	7	10.7	135	1	1	4	22	28	28	28
75 +																				
ALL AGES	28	15.1	132	3	3	13	24	29	32	48	30	9.4	79	1	2	6	12	27	28	30
SUBTOTAL	**58**	**12.8**	**110**	**1**	**2**	**8**	**21**	**28**	**29**	**47**	**49**	**10.0**	**92**	**1**	**2**	**6**	**14**	**27**	**30**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	22.0	534	2	2	18	35	59	59	59	2	23.5	5	22	22	23	25	25	25	25
18-20	5	21.6	484	1	1	21	33	56	56	56	2	19.0	648	1	1	19	37	37	37	37
21-24	6	18.2	225	4	4	16	28	38	39	39	2	23.0	32	19	19	23	27	27	27	27
25-34	13	20.8	69	4	10	21	26	30	33	34	11	11.2	186	1	1	4	22	33	39	40
35-54	11	9.9	86	2	2	6	16	25	30	30	8	17.5	222	4	4	13	28	39	43	43
55-74	3	16.7	55	9	9	17	22	24	24	24	4	21.0	98	7	7	24	28	28	28	28
75 +																				
ALL AGES	43	17.6	189	2	3	17	26	31	45	59	29	16.5	178	1	2	19	28	34	40	43
B. FEMALE																				
0-12 YRS.																				
13-17											2	41.5	1	41	41	41	42	42	42	42
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	10.5	160	1	1	6	18	29	29	29	1	5.0		5	5	5	5	5	5	5
25-34	20	15.5	147	2	3	10	28	30	33	35	12	13.3	148	2	2	8	25	31	34	35
35-54	21	15.9	116	3	4	13	23	31	36	37	10	12.3	130	3	3	7	15	31	38	38
55-74	13	16.5	170	1	2	16	29	33	37	38	4	13.0	124	2	2	11	21	28	28	28
75 +	1	12.0		12	12	12	12	12	12	12	1	13.0		13	13	13	13	13	13	13
ALL AGES	60	15.2	136	2	3	12	27	31	35	38	30	14.5	166	2	3	9	25	36	41	42
SUBTOTAL	**103**	**16.2**	**158**	**2**	**3**	**14**	**27**	**30**	**36**	**57**	**59**	**15.5**	**169**	**1**	**2**	**10**	**28**	**36**	**41**	**43**
GRAND TOTAL	**161**	**15.0**	**142**	**2**	**3**	**12**	**25**	**29**	**34**	**55**	**108**	**13.0**	**141**	**1**	**2**	**7**	**23**	**29**	**38**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	29.7	118	19	19	29	38	41	41	41	1	8.0		8	8	8	8	8	8	8
18-20	5	13.2	209	2	2	4	28	30	30	30	4	19.0	413	1	1	18	36	39	39	39
21-24	14	15.9	156	1	3	12	28	34	35	35	8	20.4	246	1	1	27	30	38	42	42
25-34	69	11.6	79	2	3	9	19	26	29	33	65	12.3	150	2	3	6	21	30	38	45
35-54	41	11.0	97	1	2	7	19	28	29	34	22	11.9	154	1	2	5	21	34	37	42
55-74	2	16.5	313	4	4	16	29	29	29	29	1	18.0		18	18	18	18	18	18	18
75 +																				
ALL AGES	134	12.4	104	2	2	9	21	29	32	36	101	13.1	166	1	2	6	23	34	39	44
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	32.7	1155	6	6	21	58	71	71	71	2	14.5	1	14	14	14	15	15	15	15
18-20	2	18.5	421	4	4	18	33	33	33	33	2	24.5	25	21	21	24	28	28	28	28
21-24	19	12.2	101	2	3	6	21	28	29	29	11	9.5	84	1	2	6	15	25	27	27
25-34	47	11.4	97	1	2	8	18	27	32	42	38	11.0	129	1	1	6	17	29	35	41
35-54	20	15.1	62	4	6	12	21	26	31	34	9	10.0	93	1	2	6	15	26	28	28
55-74	3	21.3	186	7	7	23	31	34	34	34	3	18.0	679	1	1	5	37	48	48	48
75 +	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
ALL AGES	96	13.5	129	2	3	10	21	28	33	58	66	11.5	128	1	1	6	18	28	34	47
SUBTOTAL	**230**	**12.9**	**113**	**2**	**2**	**9**	**21**	**28**	**33**	**41**	**167**	**12.5**	**150**	**1**	**2**	**6**	**21**	**30**	**38**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	39.5	1008	4	4	38	63	84	86	86	2	25.5	481	10	10	25	41	41	41	41
18-20	8	20.1	198	2	2	25	30	36	37	37	3	17.0	63	8	8	20	22	23	23	23
21-24	14	15.5	120	1	2	22	25	26	28	28	8	15.1	149	1	2	15	26	29	30	30
25-34	77	17.3	114	3	3	18	27	31	35	40	47	13.4	156	1	3	5	26	32	36	39
35-54	56	15.1	85	3	4	15	22	27	29	38	20	9.3	111	1	2	4	9	30	32	34
55-74	2	24.5	85	18	18	24	31	31	31	31	2	25.0	8	23	23	25	27	27	27	27
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	164	17.5	151	3	3	18	26	31	36	60	82	13.2	149	1	3	6	25	31	35	40
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	32.0		32	32	32	32	32	32	32
18-20	1	2.0		2	2	2	2	2	2	2	5	14.2	196	4	4	4	29	31	31	31
21-24	11	11.1	70	1	1	9	18	23	28	28	1	4.0		4	4	4	4	4	4	4
25-34	67	13.3	95	2	4	9	22	28	28	35	34	14.6	183	2	3	6	30	32	39	44
35-54	26	14.0	78	3	4	13	21	27	29	29	6	5.0		4	4	5	5	6	6	6
55-74	5	37.4	1092	7	7	34	57	89	89	89	1	3.0		3	3	3	3	3	3	3
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	112	14.3	150	2	3	9	22	28	32	62	48	13.3	166	2	3	5	29	32	34	44
SUBTOTAL	**276**	**16.2**	**153**	**2**	**3**	**14**	**25**	**29**	**35**	**59**	**130**	**13.3**	**152**	**2**	**3**	**5**	**26**	**32**	**34**	**42**
GRAND TOTAL	**506**	**14.7**	**137**	**2**	**3**	**11**	**22**	**29**	**33**	**44**	**297**	**12.8**	**152**	**1**	**2**	**6**	**24**	**31**	**36**	**44**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	30	27.1	616	5	6	26	41	73	95	99+	44	34.6	233	4	7	38	46	47	56	59
18-20	18	18.9	131	2	3	18	29	31	35	38	14	19.1	196	1	2	22	30	34	43	46
21-24	20	16.2	186	2	3	10	28	34	38	42	13	26.3	130	5	5	28	31	42	43	43
25-34	53	17.7	154	2	3	15	29	33	37	43	49	16.6	124	1	2	21	27	29	31	33
35-54	9	21.0	252	1	2	21	34	43	48	48	17	13.5	147	1	2	7	22	30	38	42
55-74	1	21.0		21	21	21	21	21	21	21	2	18.5	265	7	7	18	30	30	30	30
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	131	20.0	277	2	4	18	30	38	47	97	140	23.0	235	2	3	24	31	45	46	57
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	20	28.9	699	3	6	23	45	67	89	93	17	28.4	241	2	2	30	40	46	47	47
18-20	7	9.0	105	3	3	5	7	27	32	32	6	15.3	203	1	1	11	30	34	34	34
21-24	15	14.9	148	2	2	9	28	31	31	31	7	16.9	236	1	1	11	31	38	39	39
25-34	27	14.5	116	2	2	11	26	28	30	37	12	14.8	138	4	4	7	27	29	31	31
35-54	17	19.9	135	2	5	25	28	31	36	38	9	19.6	121	4	4	27	28	29	29	29
55-74	6	21.5	314	3	3	19	38	45	46	46	1	44.0		44	44	44	44	44	44	44
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	92	18.7	289	2	3	14	28	38	46	90	54	21.0	207	2	3	25	30	40	44	47
SUBTOTAL	**223**	**19.5**	**280**	**2**	**3**	**16**	**29**	**38**	**47**	**94**	**194**	**22.4**	**229**	**2**	**3**	**24**	**30**	**45**	**46**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	41	30.9	505	4	7	32	42	71	83	99+	23	16.9	312	2	3	8	30	46	49	50
18-20	24	15.8	215	2	2	8	28	40	43	48	24	17.9	207	1	2	18	29	36	45	47
21-24	25	17.1	144	1	3	15	27	31	38	43	24	13.1	177	2	3	5	27	34	38	39
25-34	72	15.1	106	2	3	16	24	28	29	37	61	13.1	168	2	2	5	28	29	32	46
35-54	23	17.4	164	2	3	18	28	35	38	41	26	10.8	113	1	2	6	20	30	31	31
55-74	3	13.0	169	5	5	6	22	28	28	28	2	15.5	265	4	4	15	27	27	27	27
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	189	19.2	250	2	3	17	28	40	46	85	160	14.0	188	2	2	5	28	31	40	49
B. FEMALE																				
0-12 YRS.																				
13-17	21	30.0	599	5	6	29	40	69	84	93	11	19.2	463	2	2	5	36	55	56	56
18-20	8	13.9	94	1	2	13	22	27	27	27	6	11.0	136	2	2	6	19	30	31	31
21-24	17	18.1	135	2	3	20	28	32	35	37	24	12.1	178	2	3	5	17	35	42	43
25-34	38	18.0	120	4	5	19	27	30	38	38	31	8.6	92	1	2	5	7	28	29	30
35-54	21	16.2	136	1	2	18	28	30	33	35	23	9.0	97	2	2	5	8	28	31	32
55-74	7	19.9	161	5	5	20	33	36	36	36	5	14.2	177	1	1	7	28	30	30	30
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	113	19.8	232	2	4	20	28	36	40	83	100	11.1	163	2	2	5	13	31	35	55
SUBTOTAL	**302**	**19.4**	**244**	**2**	**4**	**18**	**28**	**38**	**43**	**84**	**260**	**12.9**	**179**	**2**	**2**	**5**	**27**	**31**	**39**	**50**
GRAND TOTAL	**525**	**19.4**	**260**	**2**	**3**	**18**	**28**	**38**	**46**	**90**	**454**	**17.0**	**221**	**2**	**2**	**9**	**29**	**39**	**45**	**55**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	27	33.5	232	11	17	30	42	51	67	74	5	28.0	203	6	6	28	40	42	42	42
18-20	6	27.7	232	1	3	28	42	43	43	43	11	17.2	219	1	2	10	29	37	38	38
21-24	13	20.1	147	1	3	28	30	31	32	32	8	19.9	188	1	1	25	29	35	38	38
25-34	34	13.8	162	1	1	6	27	29	32	42	28	13.1	117	2	3	9	22	28	30	32
35-54	19	13.3	112	1	2	7	24	29	30	30	26	12.1	119	2	3	7	21	28	33	39
55-74	1	8.0		8	8	8	8	8	8	8	2	1.5	1	1	1	1	2	2	2	2
75 +											2	17.0	338	4	4	17	30	30	30	30
ALL AGES	100	20.6	242	1	2	24	29	41	43	70	82	14.7	156	1	2	10	28	30	38	41
B. FEMALE																				
0-12 YRS.																				
13-17	9	31.0	205	7	8	36	42	45	47	47	2	19.5	613	2	2	19	37	37	37	37
18-20	2	17.5	365	4	4	17	31	31	31	31	4	12.3	117	3	3	9	19	28	28	28
21-24	5	12.6	154	1	1	7	26	26	26	26	9	17.8	122	3	5	21	28	30	30	30
25-34	22	11.1	109	1	1	7	20	29	30	30	31	10.5	111	1	1	5	15	28	31	35
35-54	13	11.2	104	2	3	5	18	30	31	31	15	17.2	151	2	6	12	28	37	38	38
55-74	7	8.7	54	1	2	7	9	21	24	24	7	11.3	220	1	1	6	14	38	43	43
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	58	14.3	167	1	1	8	26	31	40	47	69	13.3	140	1	2	8	25	30	37	42
SUBTOTAL	**158**	**18.3**	**222**	**1**	**2**	**18**	**29**	**39**	**43**	**65**	**151**	**14.1**	**147**	**1**	**2**	**8**	**27**	**30**	**37**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	24	28.4	343	2	3	28	42	54	55	58	1	31.0		31	31	31	31	31	31	31
18-20	9	20.7	65	7	7	22	27	29	29	29	3	3.7	14	1	1	2	6	8	8	8
21-24	17	16.8	141	1	1	19	22	29	39	44	12	6.7	42	1	1	4	11	17	20	21
25-34	42	14.4	155	1	1	8	28	31	34	44	25	12.5	122	1	1	8	23	28	34	35
35-54	19	14.4	123	1	1	8	26	29	32	33	18	12.2	96	2	3	9	14	27	32	35
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +											2	10.0		10	10	10	10	10	10	10
ALL AGES	113	18.1	205	1	1	19	28	38	44	56	61	11.1	97	1	1	8	14	28	32	35
B. FEMALE																				
0-12 YRS.																				
13-17	20	24.4	267	3	4	28	37	45	49	52	3	8.3	38	3	3	7	13	15	15	15
18-20	5	7.8	41	3	3	5	12	18	18	18	2	17.5	545	1	1	17	34	34	34	34
21-24	12	15.9	92	2	3	19	23	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	33	11.2	110	1	2	6	21	28	31	34	29	16.3	136	2	3	10	27	32	35	42
35-54	19	12.6	181	1	1	6	23	35	42	44	20	9.3	129	1	1	5	10	29	36	43
55-74	9	15.4	155	2	2	12	24	34	36	36	7	9.1	89	2	2	7	11	26	29	29
75 +	1	46.0		46	46	46	46	46	46	46	1	1.0		1	1	1	1	1	1	1
ALL AGES	99	15.3	181	2	2	9	25	36	42	49	63	12.6	135	1	2	8	22	30	34	43
SUBTOTAL	**212**	**16.8**	**195**	**1**	**2**	**15**	**28**	**36**	**44**	**54**	**124**	**11.9**	**115**	**1**	**2**	**8**	**18**	**29**	**34**	**42**
GRAND TOTAL	**370**	**17.4**	**208**	**1**	**2**	**16**	**28**	**38**	**43**	**54**	**275**	**13.1**	**134**	**1**	**2**	**8**	**24**	**30**	**35**	**42**

Total U.S. January - December 1986

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	1.3	1	1	1	1	1	2	3	4	19	1.3		1	1	1	1	3	3	3
13-17	242	2.4	35	1	1	1	1	2	6	35	242	2.1	43	1	1	1	1	2	3	41
18-20	96	2.7	38	1	1	1	2	2	18	33	96	2.3	36	1	1	1	1	2	3	37
21-24	119	4.0	58	1	1	1	2	15	21	35	69	2.6	34	1	1	1	2	3	6	31
25-34	239	5.4	69	1	1	2	4	20	28	31	154	4.0	58	1	1	1	2	9	28	33
35-54	321	5.5	58	1	1	2	5	18	23	33	185	4.6	51	1	1	2	4	10	28	31
55-74	124	4.5	27	1	1	3	5	11	14	27	122	4.8	57	1	1	2	4	9	29	33
75 +	12	9.0	234	1	1	4	9	25	52	56	23	2.8	3	1	1	2	4	6	6	6
ALL AGES	1169	4.3	53	1	1	1	3	12	22	32	910	3.4	46	1	1	1	2	5	18	32
B. FEMALE																				
0-12 YRS.	19	3.0	44	1	1	1	2	4	18	30	12	2.3	12	1	1	1	1	8	11	12
13-17	192	2.3	38	1	1	1	1	2	6	37	151	3.5	66	1	1	1	2	6	21	43
18-20	44	1.9	22	1	1	1	1	2	3	32	55	2.4	37	1	1	1	1	2	4	36
21-24	43	3.6	46	1	1	1	2	10	21	32	37	1.9	11	1	1	1	1	3	5	21
25-34	100	4.2	51	1	1	1	3	10	17	38	71	3.1	35	1	1	1	2	6	13	30
35-54	94	4.6	51	1	1	3	5	11	16	42	69	3.4	29	1	1	1	3	9	12	30
55-74	55	4.9	47	1	1	3	5	15	22	32	50	4.1	44	1	1	2	4	7	12	35
75 +	11	5.1	10	2	2	5	7	10	11	11	11	3.1	17	1	1	2	3	9	14	15
ALL AGES	558	3.4	43	1	1	1	3	7	16	32	456	3.2	42	1	1	1	2	6	13	36
SUBTOTAL	**1727**	**4.0**	**50**	**1**	**1**	**1**	**3**	**10**	**21**	**32**	**1366**	**3.3**	**45**	**1**	**1**	**1**	**2**	**5**	**15**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	16.0	385	1	1	10	30	43	43	43	5	2.4	4	1	1	2	3	6	6	6
13-17	136	15.8	407	1	1	4	28	45	51	93	65	13.5	298	1	1	6	18	46	49	55
18-20	58	7.9	119	1	1	2	10	28	31	42	25	7.2	122	1	1	2	9	23	35	43
21-24	108	6.6	76	1	1	2	7	25	27	31	25	7.2	98	1	1	2	10	28	29	30
25-34	228	6.1	68	1	1	3	7	19	25	34	82	8.2	109	1	1	3	10	28	30	40
35-54	214	6.3	48	1	1	4	7	16	21	33	96	7.5	107	1	1	3	6	27	32	41
55-74	65	6.6	32	1	2	5	8	14	21	26	51	8.2	85	1	1	5	9	29	32	33
75 +	7	3.9	3	1	1	4	5	6	6	6	5	6.4	68	1	1	4	8	21	21	21
ALL AGES	820	8.0	134	1	1	3	8	24	31	50	354	8.7	142	1	1	3	10	29	33	49
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	109	14.5	431	1	1	3	24	45	56	88	60	9.1	199	1	1	2	7	32	46	53
18-20	26	4.9	44	1	1	2	5	15	19	29	10	4.2	82	1	1	1	2	16	30	30
21-24	47	6.1	71	1	1	2	8	21	26	34	18	2.0	4	1	1	1	2	5	7	8
25-34	105	6.7	110	1	1	2	6	21	28	50	59	5.5	69	1	1	2	5	21	29	34
35-54	136	5.7	53	1	1	3	6	16	27	30	51	6.7	84	1	1	3	6	26	29	32
55-74	53	8.7	91	1	2	5	10	26	28	49	29	5.8	64	1	1	3	5	20	27	30
75 +	4	7.5	108	1	1	3	13	23	23	23	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	481	8.2	168	1	1	3	8	27	33	67	229	6.4	103	1	1	2	6	26	30	48
SUBTOTAL	**1301**	**8.1**	**146**	**1**	**1**	**3**	**8**	**25**	**32**	**56**	**583**	**7.8**	**128**	**1**	**1**	**3**	**7**	**28**	**32**	**49**
GRAND TOTAL	**3028**	**5.8**	**95**	**1**	**1**	**2**	**5**	**18**	**28**	**46**	**1949**	**4.7**	**74**	**1**	**1**	**1**	**3**	**10**	**28**	**43**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	5.0	37	1	1	2	8	14	14	14	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	3	4.7	14	2	2	3	7	9	9	9										
55-74																				
75 +																				
ALL AGES	4	4.3	10	2	2	3	6	9	9	9	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**8**	**4.6**	**21**	**1**	**1**	**3**	**6**	**12**	**14**	**14**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	50.0		50	50	50	50	50	50	50										
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	3	23.0	553	7	7	12	40	50	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2	49	49	50	51	51	51	51										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	26.3	749	2	2	26	50	51	51	51										
SUBTOTAL	**7**	**24.9**	**561**	**2**	**2**	**12**	**50**	**51**	**51**	**51**										
GRAND TOTAL	**15**	**14.1**	**360**	**1**	**2**	**3**	**13**	**50**	**51**	**51**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	13	20.3	229	1	1	27	34	36	40	41	17	34.1	399	2	6	39	51	54	64	69
18-20	2	13.0	242	2	2	13	24	24	24	24	7	11.4	310	1	1	2	21	41	45	45
21-24	4	17.0	325	1	1	16	32	35	35	35	3	14.0	217	1	1	11	25	30	30	30
25-34	5	11.2	100	2	2	6	21	23	23	23	10	15.5	151	2	2	17	27	29	29	29
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	25	17.7	200	1	1	21	30	35	37	41	38	22.6	387	1	1	23	39	52	54	69
B. FEMALE																				
0-12 YRS.																				
13-17	8	20.0	361	1	1	13	38	47	49	49	10	37.1	308	3	8	41	45	58	59	59
18-20											1	11.0		11	11	11	11	11	11	11
21-24	2	16.0	338	3	3	16	29	29	29	29	1	1.0		1	1	1	1	1	1	1
25-34	2	19.0	288	7	7	19	31	31	31	31	2	14.5	365	1	1	14	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	12	19.2	288	1	1	13	32	44	48	49	14	29.4	411	1	1	34	43	57	59	59
SUBTOTAL	**37**	**18.2**	**221**	**1**	**1**	**16**	**31**	**35**	**42**	**49**	**52**	**24.4**	**396**	**1**	**1**	**26**	**41**	**52**	**57**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	84	19.3	389	2	2	7	34	49	53	75	20	30.3	273	2	4	36	43	48	49	50
18-20	21	13.6	167	2	2	7	20	33	40	44	5	7.4	64	1	1	4	11	21	21	21
21-24	12	13.6	199	2	2	5	23	35	41	42	5	24.2	698	1	1	22	37	67	67	67
25-34	27	12.3	97	2	2	8	21	28	29	32	9	17.4	169	1	3	14	29	34	34	34
35-54	6	11.7	136	1	1	7	22	29	30	30	2	6.5	13	4	4	6	9	9	9	9
55-74																				
75 +																				
ALL AGES	151	16.5	285	2	2	7	28	44	49	69	41	22.8	317	1	2	22	39	47	49	67
B. FEMALE																				
0-12 YRS.																				
13-17	33	21.1	350	2	2	15	38	50	57	99 +	4	33.8	420	3	3	42	45	47	47	47
18-20	4	16.8	337	3	3	10	29	43	43	43	1	21.0		21	21	21	21	21	21	21
21-24	5	10.8	88	1	1	7	17	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	8	12.1	158	1	1	6	26	29	29	29	2	25.0	32	21	21	25	29	29	29	29
35-54	3	15.3	536	1	1	3	32	42	42	42	3	15.3	158	1	1	21	23	24	24	24
55-74																				
75 +																				
ALL AGES	53	18.1	301	1	2	11	35	43	54	98	11	23.2	266	1	2	21	39	45	47	47
SUBTOTAL	**204**	**16.9**	**289**	**2**	**2**	**7**	**29**	**43**	**49**	**73**	**52**	**22.9**	**300**	**1**	**2**	**22**	**39**	**46**	**49**	**67**
GRAND TOTAL	**241**	**17.1**	**278**	**1**	**2**	**7**	**30**	**43**	**49**	**70**	**104**	**23.7**	**343**	**1**	**1**	**23**	**40**	**48**	**53**	**68**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	12	4.4	41	1	1	2	3	16	20	21	5	1.2		1	1	1	1	2	2	2
18-20	4	5.3	72	1	1	1	10	18	18	18										
21-24	4	1.8	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34											4	3.3	10	1	1	2	5	8	8	8
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	21	3.9	35	1	1	1	3	16	19	21	11	1.9	5	1	1	1	2	5	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**24**	**3.6**	**31**	**1**	**1**	**1**	**3**	**14**	**19**	**21**	**12**	**1.8**	**4**	**1**	**1**	**1**	**2**	**4**	**7**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	10.6	228	1	1	2	18	37	42	42	5	10.6	86	1	1	14	17	22	22	22
18-20	8	6.0	90	1	1	2	5	22	29	29	2	1.0		1	1	1	1	1	1	1
21-24	4	8.3	126	1	1	3	15	25	25	25	2	1.5	1	1	1	1	2	2	2	2
25-34	4	6.8	23	2	2	6	10	13	13	13	4	7.3	99	1	1	3	13	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	24	8.0	121	1	1	3	10	25	33	42	13	6.7	70	1	1	1	14	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	4	2.8	3	1	1	2	4	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	2	29.0		29	29	29	29	29	29	29										
21-24	2	21.0	98	14	14	21	28	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	10	13.0	132	1	1	9	28	29	29	29	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**34**	**9.5**	**125**	**1**	**1**	**4**	**13**	**29**	**29**	**42**	**15**	**6.5**	**64**	**1**	**1**	**1**	**13**	**22**	**22**	**22**
GRAND TOTAL	**58**	**7.1**	**93**	**1**	**1**	**2**	**9**	**25**	**29**	**41**	**27**	**4.4**	**42**	**1**	**1**	**1**	**4**	**15**	**22**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	2.3	1	1	1	2	3	4	4	4										
35-54	2	3.0	8	1	1	3	5	5	5	5	5	6.8	10	4	4	6	9	11	11	11
55-74	2	5.0	2	4	4	5	6	6	6	6	2	14.5	265	3	3	14	26	26	26	26
75 +																				
ALL AGES	11	2.5	4	1	1	2	4	5	6	6	8	8.0	63	1	1	5	10	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	5.8	74	1	1	2	8	21	21	21	6	6.3	54	1	1	4	5	19	21	21
35-54	5	7.4	44	1	1	5	14	15	15	15	3	5.7	52	1	1	2	11	14	14	14
55-74	5	7.4	21	3	3	7	9	15	15	15	5	13.4	222	2	2	3	28	33	33	33
75 +	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
ALL AGES	18	6.0	37	1	1	4	7	15	19	21	15	8.7	103	1	1	4	13	26	31	33
SUBTOTAL	**29**	**4.7**	**27**	**1**	**1**	**3**	**5**	**14**	**16**	**21**	**23**	**8.5**	**85**	**1**	**1**	**4**	**11**	**26**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24	4	7.8	97	1	1	4	14	22	22	22	1	15.0		15	15	15	15	15	15	15
25-34	13	11.4	105	1	2	6	17	29	30	30	8	2.3	1	1	1	3	3	3	3	3
35-54	8	5.8	11	1	1	6	7	11	12	12	5	8.6	91	1	1	6	12	25	25	25
55-74	4	8.5	24	2	2	9	12	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	30	8.7	66	1	1	6	12	23	29	30	16	5.1	41	1	1	3	5	14	22	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	3	16.3	214	1	1	18	27	30	30	30										
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	16	11.3	42	2	3	10	15	21	22	22	10	2.6	4	1	1	2	3	5	7	7
35-54	14	11.8	73	1	3	8	19	25	26	26	6	10.2	107	2	2	5	20	25	26	26
55-74	5	19.4	194	4	4	13	31	39	39	39	5	10.2	7	6	6	11	12	13	13	13
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	40	12.5	83	1	3	10	18	25	29	39	22	6.9	45	1	1	4	11	16	22	26
SUBTOTAL	**70**	**10.9**	**78**	**1**	**2**	**8**	**15**	**25**	**29**	**37**	**38**	**6.2**	**42**	**1**	**1**	**3**	**8**	**15**	**23**	**26**
GRAND TOTAL	**99**	**9.1**	**70**	**1**	**1**	**6**	**13**	**22**	**27**	**35**	**61**	**7.0**	**60**	**1**	**1**	**3**	**9**	**20**	**26**	**32**

OPIOID ABUSE (305.5)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	6	8.2	114	1	1	3	10	27	29	29										
25-34	21	9.5	127	1	1	3	16	25	34	43	15	5.9	48	1	1	4	7	10	24	29
35-54	14	6.5	59	1	1	4	8	15	27	30	12	10.3	170	1	1	3	16	33	38	39
55-74											2	5.5	13	3	3	5	8	8	8	8
75 +																				
ALL AGES	43	8.0	96	1	1	3	11	24	29	43	32	7.2	90	1	1	4	7	25	30	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	6.3	28	1	1	5	10	13	13	13	1	13.0		13	13	13	13	13	13	13
25-34	12	11.5	146	2	3	5	21	31	34	34	10	7.2	92	2	2	4	6	21	34	34
35-54	4	4.5	16	1	1	3	7	10	10	10	5	10.6	145	3	3	6	13	32	32	32
55-74	3	8.7	21	5	5	7	12	14	14	14	4	18.5	307	2	2	15	31	42	42	42
75 +																				
ALL AGES	23	9.0	90	1	2	5	12	28	31	34	21	10.3	137	2	2	5	10	33	38	42
SUBTOTAL	**66**	**8.3**	**93**	**1**	**1**	**4**	**11**	**26**	**30**	**42**	**53**	**8.4**	**109**	**1**	**1**	**4**	**8**	**29**	**34**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	4.0	8	2	2	4	6	6	6	6
18-20	2	36.0	338	23	23	36	49	49	49	49										
21-24	7	13.7	263	1	1	4	26	40	42	42	2	11.5	145	3	3	11	20	20	20	20
25-34	29	11.4	75	1	2	7	20	23	24	28	33	9.8	96	2	3	5	11	25	30	41
35-54	17	9.5	83	1	2	5	11	27	29	29	17	7.4	34	1	1	5	10	18	20	21
55-74	1	4.0		4	4	4	4	4	4	4	3	2.3	3	1	1	2	3	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8	1	21.0		21	21	21	21	21	21	21
ALL AGES	58	11.7	118	1	2	7	20	27	30	48	58	8.8	73	1	2	5	11	21	26	40
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.5	61	5	5	10	16	16	16	16										
18-20	2	4.5	1	4	4	4	5	5	5	5	1	11.0		11	11	11	11	11	11	11
21-24	4	10.0	79	3	3	7	15	23	23	23	6	4.7	11	1	1	4	5	10	11	11
25-34	23	7.9	54	1	2	5	10	20	25	29	18	7.2	27	2	2	5	9	13	19	23
35-54	20	10.0	64	3	3	7	14	24	28	29	2	4.5	5	3	3	4	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11	3	8.0	127	1	1	2	16	21	21	21
75 +											2	13.5	1	13	13	13	14	14	14	14
ALL AGES	52	8.9	55	2	3	6	12	22	27	29	32	7.1	31	1	2	5	11	14	20	23
SUBTOTAL	**110**	**10.3**	**91**	**1**	**2**	**6**	**15**	**24**	**29**	**45**	**90**	**8.2**	**58**	**1**	**2**	**5**	**11**	**20**	**23**	**37**
GRAND TOTAL	**176**	**9.6**	**91**	**1**	**2**	**5**	**14**	**24**	**29**	**43**	**143**	**8.3**	**76**	**1**	**2**	**5**	**10**	**21**	**29**	**41**

Total U.S. January - December 1986

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	2	15.5	421	1	1	15	30	30	30	30	3	13.3	214	3	3	7	24	30	30	30
18-20	13	9.8	149	1	1	3	20	31	34	35	12	13.2	134	1	2	9	24	28	30	30
21-24	39	10.5	110	1	1	5	19	27	28	38	53	16.2	113	1	3	21	26	28	30	30
25-34	107	11.9	132	1	1	5	23	29	30	39	167	16.3	114	1	3	21	25	29	31	37
35-54	22	11.0	126	1	1	5	20	29	30	31	62	16.9	117	2	3	21	26	30	32	34
55-74											2	17.5	5	16	16	17	19	19	19	19
75 +																				
ALL AGES	183	11.4	127	1	1	5	22	28	30	37	300	16.3	112	2	3	21	26	30	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	4	7.0	45	1	1	6	12	15	15	15	1	41.0		41	41	41	41	41	41	41
18-20	7	8.6	56	1	1	5	16	20	20	20	9	12.3	147	2	2	5	27	29	30	30
21-24	15	11.5	113	1	1	5	23	24	28	30	27	13.7	108	2	3	11	24	28	30	33
25-34	48	11.2	123	1	2	4	22	27	29	42	64	17.6	115	2	3	20	27	31	33	38
35-54	12	5.5	54	1	1	3	6	13	26	28	12	14.8	93	1	4	12	23	29	30	30
55-74																				
75 +																				
ALL AGES	86	10.0	105	1	1	4	21	24	28	38	113	16.1	120	2	3	17	26	30	33	40
SUBTOTAL	**269**	**11.0**	**119**	**1**	**1**	**4**	**22**	**28**	**30**	**37**	**413**	**16.2**	**115**	**2**	**3**	**20**	**26**	**30**	**31**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	20.3	229	2	3	28	31	38	41	41	4	13.5	146	1	1	13	23	27	27	27
18-20	28	12.1	142	1	1	8	21	29	36	43	17	12.0	120	1	2	10	21	30	32	33
21-24	38	11.4	97	2	2	5	21	25	28	31	37	18.7	109	1	2	22	26	30	31	32
25-34	152	12.4	123	1	2	7	22	29	30	44	193	15.2	118	2	2	18	26	28	30	37
35-54	43	13.2	107	1	2	12	22	28	29	38	51	16.1	116	2	3	18	26	30	30	33
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	273	12.7	125	1	2	7	22	29	30	43	303	15.6	116	2	2	19	26	29	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	14	16.0	295	1	1	6	33	44	45	45	7	17.6	346	1	1	14	34	44	46	46
18-20	3	12.7	165	2	2	9	22	27	27	27	10	14.5	149	1	1	14	27	28	29	29
21-24	36	8.7	86	1	1	4	13	25	29	32	25	13.6	141	1	1	13	26	30	34	37
25-34	67	10.2	95	1	1	6	14	29	30	34	47	14.9	136	1	1	12	25	30	31	42
35-54	10	6.9	80	1	1	3	12	21	29	29	10	8.0	88	1	1	4	6	25	27	27
55-74																				
75 +																				
ALL AGES	130	10.2	115	1	1	6	14	29	32	44	99	14.0	147	1	1	9	25	30	33	44
SUBTOTAL	**403**	**11.9**	**123**	**1**	**2**	**7**	**21**	**29**	**30**	**43**	**402**	**15.2**	**124**	**1**	**2**	**14**	**26**	**30**	**30**	**38**
GRAND TOTAL	**672**	**11.5**	**122**	**1**	**1**	**6**	**21**	**28**	**30**	**42**	**815**	**15.7**	**120**	**1**	**2**	**19**	**26**	**30**	**30**	**38**

AMPHETAMINE ABUSE (305.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	3	26.3	408	5	5	29	41	45	45	45
18-20	1	1.0		1	1	1	1	1	1	1	1	23.0		23	23	23	23	23	23	23
21-24	2	4.0	18	1	1	4	7	7	7	7	3	1.7		1	1	2	2	2	2	2
25-34	6	5.5	25	1	1	3	9	13	14	14	7	22.3	108	4	6	25	28	34	36	36
35-54	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	11	4.5	19	1	1	3	7	11	14	14	16	16.8	205	1	1	18	27	35	42	45
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.7	96	3	3	5	17	21	21	21	1	30.0		30	30	30	30	30	30	30
18-20	3	2.0	3	1	1	1	3	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	3	9.3	33	3	3	11	13	14	14	14	6	2.3	3	1	1	2	4	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	11	6.0	43	1	1	3	9	17	21	21	9	5.3	88	1	1	2	4	20	30	30
SUBTOTAL	**22**	**5.3**	**29**	**1**	**1**	**3**	**7**	**14**	**17**	**21**	**25**	**12.7**	**188**	**1**	**1**	**5**	**25**	**30**	**38**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	40.0		40	40	40	40	40	40	40	3	28.3	572	1	1	39	43	45	45	45
18-20	1	6.0		6	6	6	6	6	6	6	3	11.3	209	3	3	3	22	28	28	28
21-24	7	11.9	236	1	1	5	14	39	45	45	1	3.0		3	3	3	3	3	3	3
25-34	15	12.0	166	1	1	6	25	31	37	39	4	5.8	37	1	1	4	10	14	14	14
35-54	2	13.0	242	2	2	13	24	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	27	12.7	186	1	1	6	23	37	41	45	12	12.2	256	1	1	3	21	41	44	45
B. FEMALE																				
0-12 YRS.																				
13-17	7	23.3	417	4	4	17	43	49	50	50										
18-20	4	2.0	1	1	1	2	3	3	3	3	2	11.5	85	5	5	11	18	18	18	18
21-24	7	11.3	159	1	1	5	23	30	31	31	2	20.0	288	8	8	20	32	32	32	32
25-34	8	9.4	88	2	2	5	13	26	28	28	6	11.0	146	1	1	4	26	27	27	27
35-54	4	10.0	54	6	6	7	14	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	31	12.2	188	1	2	5	19	34	44	50	11	11.8	136	1	1	5	24	29	32	32
SUBTOTAL	**58**	**12.5**	**182**	**1**	**1**	**6**	**21**	**36**	**42**	**50**	**23**	**12.0**	**190**	**1**	**1**	**5**	**24**	**33**	**41**	**45**
GRAND TOTAL	**80**	**10.5**	**150**	**1**	**1**	**5**	**14**	**29**	**40**	**48**	**48**	**12.4**	**184**	**1**	**1**	**5**	**25**	**31**	**40**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	3	1.7	1	1	1	1	3	3	3	3
SUBTOTAL	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	5.5	5	4	4	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	4	6.0	29	3	3	4	9	14	14	14	4	5.3	24	1	1	4	9	12	12	12
55-74	2	18.0	200	8	8	18	28	28	28	28	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	8	8.1	81	2	2	4	11	24	28	28	6	4.7	16	1	1	4	6	11	12	12
SUBTOTAL	**10**	**7.6**	**64**	**2**	**2**	**4**	**8**	**21**	**28**	**28**	**7**	**4.1**	**16**	**1**	**1**	**2**	**6**	**11**	**12**	**12**
GRAND TOTAL	**14**	**6.0**	**52**	**1**	**2**	**3**	**7**	**15**	**25**	**28**	**11**	**3.3**	**11**	**1**	**1**	**2**	**4**	**8**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.8	710	1	1	3	34	63	63	63	1	5.0		5	5	5	5	5	5	5
13-17	84	20.4	246	1	1	18	36	41	44	50	18	14.8	346	1	1	6	28	47	57	60
18-20	48	9.6	89	1	1	6	13	27	28	29	11	6.4	59	1	1	4	9	17	26	27
21-24	54	10.0	113	1	1	4	20	28	30	35	13	11.9	146	1	1	7	24	30	34	35
25-34	125	10.9	113	1	2	5	21	29	30	35	68	11.4	130	1	2	6	21	28	29	46
35-54	64	9.0	93	1	1	4	14	27	29	38	19	9.5	100	1	2	4	14	27	31	32
55-74	9	6.9	39	1	2	4	11	17	20	20	10	8.5	65	1	2	6	9	20	30	30
75 +	2	15.0	18	12	12	15	18	18	18	18										
ALL AGES	391	12.4	156	1	1	6	21	30	38	46	140	11.0	143	1	1	6	15	28	31	53
B. FEMALE																				
0-12 YRS.	2	45.5	421	31	31	45	60	60	60	60										
13-17	42	25.6	263	2	4	27	38	46	51	61	13	11.7	469	1	1	3	6	52	67	71
18-20	17	14.0	213	1	1	6	27	36	39	41	5	1.8	2	1	1	1	2	4	4	4
21-24	34	12.3	138	1	1	8	22	26	30	52	11	9.8	148	1	1	5	19	30	31	31
25-34	79	13.3	121	1	2	8	24	29	31	40	30	10.9	110	1	2	6	15	28	30	42
35-54	44	10.6	97	1	2	7	15	28	30	32	27	10.5	123	1	1	5	19	31	31	32
55-74	12	10.1	54	2	3	10	12	21	27	28	12	7.9	55	1	2	6	9	18	27	29
75 +	9	9.1	58	1	2	6	12	21	25	25	3	7.3	31	2	2	7	11	13	13	13
ALL AGES	239	14.8	179	1	2	10	26	32	42	54	101	9.9	146	1	1	5	11	29	31	59
SUBTOTAL	**630**	**13.3**	**166**	**1**	**1**	**7**	**22**	**31**	**39**	**49**	**241**	**10.5**	**145**	**1**	**1**	**5**	**14**	**29**	**31**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	13.5	41	9	9	13	18	18	18	18	1	18.0		18	18	18	18	18	18	18
13-17	143	29.5	324	2	6	29	44	54	59	76	21	11.2	155	1	1	6	21	38	65	99 +
18-20	43	12.7	209	1	1	5	22	34	39	62	14	13.1	192	1	1	7	27	32	40	43
21-24	61	11.0	111	1	1	6	21	29	33	92	13	10.2	87	2	3	6	16	27	28	28
25-34	135	10.8	131	1	1	6	16	28	33	59	48	10.9	87	1	1	8	17	27	29	34
35-54	79	8.0	59	1	1	6	10	21	27	30	27	8.7	81	1	1	5	14	21	30	33
55-74	8	13.9	209	1	1	9	22	37	41	41	6	13.2	62	2	2	14	20	21	21	21
75 +																				
ALL AGES	471	16.3	259	1	1	10	28	42	50	66	130	10.8	104	1	1	8	18	28	31	54
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	74	28.8	384	1	2	29	42	60	63	94	27	13.6	277	1	1	6	21	37	50	70
18-20	16	13.8	138	1	2	8	21	34	38	39	11	7.5	69	1	1	4	9	21	27	28
21-24	34	8.1	94	1	1	5	11	17	25	49	16	5.6	19	1	1	5	8	13	14	14
25-34	98	11.4	131	1	2	7	16	28	36	52	38	6.9	48	1	1	5	8	17	25	29
35-54	53	11.3	94	1	2	8	16	28	34	37	21	7.6	75	1	2	4	10	18	28	37
55-74	24	10.9	68	2	3	8	16	23	28	28	4	11.3	41	7	7	8	15	21	21	21
75 +	4	12.8	43	6	6	13	18	19	19	19										
ALL AGES	304	15.3	234	1	2	9	22	37	49	65	117	8.6	109	1	1	5	10	21	29	54
SUBTOTAL	**775**	**15.9**	**249**	**1**	**1**	**9**	**25**	**41**	**50**	**66**	**247**	**9.8**	**106**	**1**	**1**	**6**	**14**	**26**	**30**	**46**
GRAND TOTAL	**1405**	**14.7**	**214**	**1**	**1**	**9**	**23**	**36**	**44**	**62**	**488**	**10.1**	**126**	**1**	**1**	**5**	**14**	**28**	**31**	**50**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	7	2.4	9	1	1	1	2	8	9	9	1	2.0		2	2	2	2	2	2	2
35-54	2	2.5	1	2	2	2	3	3	3	3	3	2.3	6	1	1	1	4	5	5	5
55-74	4	3.0	2	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	14	2.6	5	1	1	2	3	5	8	9	5	2.0	3	1	1	1	3	5	5	5
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	3	5.3	35	1	1	3	10	12	12	12	1	3.0		3	3	3	3	3	3	3
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	6	4.8	36	1	1	2	7	15	16	16	3	3.3	11	1	1	2	6	7	7	7
35-54	6	4.3	7	2	2	3	7	8	8	8	6	4.3	15	1	1	3	7	11	11	11
55-74	3	17.3	104	11	11	12	25	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	23	6.2	43	1	1	3	8	13	21	29	14	3.7	8	1	1	3	5	8	10	11
SUBTOTAL	**37**	**4.9**	**30**	**1**	**1**	**3**	**7**	**12**	**15**	**29**	**19**	**3.3**	**7**	**1**	**1**	**2**	**5**	**7**	**9**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	4	3.8	14	1	1	3	6	9	9	9	2	6.0	18	3	3	6	9	9	9	9
55-74	2	5.5	1	5	5	5	6	6	6	6										
75 +																				
ALL AGES	6	4.3	10	1	1	4	6	9	9	9	3	5.3	11	3	3	4	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	15.0	392	1	1	15	29	29	29	29	1	19.0		19	19	19	19	19	19	19
35-54	4	14.5	214	1	1	12	26	32	32	32	5	3.6	1	2	2	4	4	5	5	5
55-74	2	15.0	18	12	12	15	18	18	18	18	4	16.0	127	6	6	13	23	32	32	32
75 +																				
ALL AGES	10	12.3	144	1	1	8	21	30	32	32	11	9.4	87	2	2	5	14	24	31	32
SUBTOTAL	**16**	**9.3**	**105**	**1**	**1**	**5**	**15**	**28**	**31**	**32**	**14**	**8.5**	**72**	**2**	**2**	**5**	**11**	**20**	**29**	**32**
GRAND TOTAL	**53**	**6.2**	**56**	**1**	**1**	**3**	**8**	**16**	**28**	**32**	**33**	**5.5**	**40**	**1**	**1**	**3**	**6**	**12**	**18**	**32**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.8	9	1	1	3	6	8	8	8										
13-17	5	2.2	1	1	1	2	3	4	4	4	4	2.8	4	1	1	2	4	5	5	5
18-20	5	1.4		1	1	1	2	2	2	2	4	1.8	2	1	1	1	3	4	4	4
21-24	3	1.0		1	1	1	1	1	1	1	3	5.0	19	2	2	3	8	10	10	10
25-34	18	1.5	1	1	1	1	2	3	3	3	10	2.7	2	1	1	3	3	5	5	5
35-54	35	2.7	3	1	1	2	4	5	7	7	34	2.3	2	1	1	2	3	4	6	6
55-74	21	2.7	4	1	1	2	3	5	8	9	15	2.4	3	1	1	2	3	4	7	8
75 +	9	6.9	43	2	2	4	9	17	23	23	10	5.1	17	1	1	3	10	11	11	11
ALL AGES	100	2.7	8	1	1	2	3	5	8	16	80	2.8	6	1	1	2	4	6	9	11
B. FEMALE																				
0-12 YRS.	6	2.7		2	2	3	3	3	3	3	6	2.0	2	1	1	2	2	5	5	5
13-17	3	2.7	1	2	2	2	4	4	4	4	15	2.2	2	1	1	2	3	4	6	6
18-20	5	1.4		1	1	1	2	2	2	2	8	3.4	2	1	1	3	4	5	5	5
21-24	8	3.0	3	1	1	3	4	5	5	5	4	1.5		1	1	1	2	2	2	2
25-34	14	3.3	14	1	1	2	3	9	12	13	29	3.1	8	1	1	2	4	8	9	12
35-54	50	3.1	5	1	1	3	4	4	6	14	43	2.8	2	1	1	2	4	5	6	7
55-74	55	4.1	25	1	1	3	5	7	9	35	50	3.8	27	1	1	3	4	6	6	38
75 +	22	3.0	6	1	1	2	3	7	9	11	26	3.4	3	1	2	3	4	7	7	8
ALL AGES	163	3.4	12	1	1	3	4	5	8	14	181	3.1	10	1	1	2	4	6	7	11
SUBTOTAL	**263**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**8**	**14**	**261**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	3	3.7	5	1	1	5	5	5	5	5	4	1.5		1	1	1	2	2	2	2
18-20	3	2.3	3	1	1	2	3	4	4	4	2	2.0	2	1	1	2	3	3	3	3
21-24	5	2.0	1	1	1	2	3	3	3	3	4	2.0	1	1	1	2	3	3	3	3
25-34	9	2.0	3	1	1	1	3	5	6	6	7	2.3	1	1	1	3	3	3	3	3
35-54	8	4.1	10	1	1	3	6	9	10	10	4	1.3		1	1	1	2	2	2	2
55-74	10	3.9	7	1	1	3	6	8	9	9	7	2.3	1	1	1	2	3	4	4	4
75 +	4	5.3	4	3	3	5	7	8	8	8	4	4.5	10	2	2	3	6	9	9	9
ALL AGES	42	3.3	6	1	1	3	5	7	9	10	33	2.3	2	1	1	2	3	3	4	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	1.3		1	1	1	2	2	2	2	6	1.5		1	1	1	2	2	2	2
18-20	3	4.0	7	2	2	3	6	7	7	7	3	1.3		1	1	1	2	2	2	2
21-24											7	2.9	2	1	1	2	4	5	5	5
25-34	10	3.1	4	1	1	3	4	6	8	8	14	2.5	2	1	1	2	4	4	6	6
35-54	33	3.0	4	1	1	3	4	5	7	11	30	2.8	3	1	1	3	4	5	6	6
55-74	29	5.0	18	1	1	4	6	13	16	16	31	3.3	3	1	1	3	4	6	6	7
75 +	19	4.2	8	1	1	4	5	8	11	13	19	4.4	8	1	1	4	5	8	12	13
ALL AGES	97	3.8	10	1	1	3	4	7	11	16	110	3.1	4	1	1	3	4	5	6	11
SUBTOTAL	**139**	**3.7**	**8**	**1**	**1**	**3**	**4**	**7**	**10**	**16**	**143**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**
GRAND TOTAL	**402**	**3.3**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**	**404**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	2.6		2	2	3	3	3	3	3	5	2.4	1	1	1	3	3	3	3	3
35-54	16	4.9	10	2	2	4	6	11	11	11	4	2.5	3	1	1	2	4	4	4	4
55-74	22	3.2	3	1	1	3	5	6	7	7	10	4.7	27	1	1	3	4	13	18	18
75 +	10	5.9	20	1	1	4	9	13	14	14	8	4.8	6	2	2	4	7	9	9	9
ALL AGES	54	4.1	9	1	1	3	5	9	11	14	28	3.9	12	1	1	3	4	9	10	18
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	6	3.2		2	2	3	4	4	4	4
35-54	5	6.6	36	1	1	4	11	16	16	16	8	3.9	1	2	2	4	5	5	5	5
55-74	16	3.1	2	1	1	3	4	4	6	7	8	4.3	19	1	1	3	4	12	15	15
75 +	7	2.6	1	1	1	3	3	4	4	4	6	3.3	3	2	2	3	4	6	6	6
ALL AGES	31	3.5	8	1	1	3	4	5	9	16	29	3.6	6	1	2	3	4	5	6	15
SUBTOTAL	**85**	**3.9**	**9**	**1**	**1**	**3**	**4**	**7**	**11**	**15**	**57**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-20	3	3.0	3	1	1	4	4	4	4	4										
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	5	4.0	13	1	1	3	5	10	10	10	8	2.5	3	1	1	2	4	5	6	6
55-74	5	3.0	4	1	1	2	5	5	5	5	6	7.3	114	2	2	3	5	27	29	29
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	14	3.2	6	1	1	3	4	6	9	10	17	4.2	44	1	1	3	4	6	21	29
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	8	5.4	47	1	1	3	5	17	22	22	7	4.3	15	2	2	3	4	11	13	13
55-74	12	3.9	4	1	1	4	6	7	7	7	5	4.2	11	2	2	3	5	10	10	10
75 +	1	3.0		3	3	3	3	3	3	3	3	3.3	2	2	2	4	4	4	4	4
ALL AGES	24	4.4	17	1	2	4	5	6	11	22	15	4.1	10	2	2	3	4	10	12	13
SUBTOTAL	**38**	**3.9**	**13**	**1**	**1**	**3**	**5**	**6**	**9**	**22**	**32**	**4.2**	**26**	**1**	**1**	**3**	**4**	**7**	**13**	**29**
GRAND TOTAL	**123**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**18**	**89**	**3.9**	**15**	**1**	**1**	**3**	**4**	**6**	**10**	**25**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	83.0		83	83	83	83	83	83	83	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**2**	**9.5**	**25**	**6**	**6**	**9**	**13**	**13**	**13**	**13**
GRAND TOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**	**3**	**9.7**	**11**	**6**	**6**	**10**	**12**	**13**	**13**	**13**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	2.8	2	1	1	3	4	5	5	5	4	2.0	1	1	1	2	3	3	3	3
13-17	3	5.3	25	2	2	3	9	11	11	11	2	4.0		4	4	4	4	4	4	4
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	5	5.2	19	2	2	2	10	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	5	3.4	4	2	2	3	4	7	7	7	3	3.0		3	3	3	3	3	3	3
35-54	9	4.2	8	1	1	4	5	8	10	10	4	6.5	33	3	3	4	10	15	15	15
55-74	10	6.0	21	1	2	4	8	13	16	16	9	4.4	9	2	2	4	5	9	11	11
75 +											3	3.7	2	2	2	4	5	5	5	5
ALL AGES	46	4.3	11	1	2	3	5	10	10	16	26	4.0	9	1	1	3	5	6	12	15
B. FEMALE																				
0-12 YRS.	10	4.3	20	1	1	3	5	11	16	16	8	3.0	4	1	1	3	4	6	7	7
13-17	7	5.0	4	3	3	5	6	8	9	9	7	9.3	155	1	2	4	8	31	37	37
18-20	3	5.7	2	4	4	6	7	7	7	7	2	3.0		3	3	3	3	3	3	3
21-24	3	5.0	7	2	2	6	7	7	7	7	8	8.4	171	1	1	3	9	31	39	39
25-34	10	5.1	6	2	2	6	7	8	8	8	18	4.9	5	2	2	4	6	8	10	10
35-54	32	4.1	8	1	1	4	5	7	11	14	19	6.6	63	1	1	4	7	12	26	37
55-74	21	5.0	8	1	2	4	6	9	12	13	17	4.1	4	1	2	4	5	8	64	99 +
75 +	11	4.5	4	2	2	4	7	8	8	8	11	3.5	5	2	2	3	4	7	9	9
ALL AGES	97	4.6	8	1	2	4	6	7	10	15	90	5.4	43	1	2	4	6	9	14	75
SUBTOTAL	**143**	**4.5**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**16**	**116**	**5.1**	**35**	**1**	**2**	**4**	**5**	**9**	**13**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24	3	5.3	11	3	3	4	8	9	9	9										
25-34	5	4.4	2	2	2	5	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
35-54	12	7.4	103	1	2	5	6	17	36	39	5	4.2	4	2	2	5	6	6	6	6
55-74	9	8.7	15	3	4	8	11	14	16	16	7	8.1	142	1	1	3	9	29	34	34
75 +	2	9.0	72	3	3	9	15	15	15	15	3	14.7	71	5	5	18	20	21	21	21
ALL AGES	34	6.9	44	2	3	5	8	12	16	39	18	7.2	76	1	2	3	6	20	29	34
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-17	7	5.6	15	2	2	4	8	12	13	13	3	5.0	9	2	2	5	7	8	8	8
18-20	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
21-24	4	5.0	7	3	3	4	7	9	9	9	7	9.6	106	2	2	7	9	28	32	32
25-34	16	6.6	32	1	3	5	7	11	21	26	10	4.8	12	1	1	4	7	10	11	11
35-54	17	7.2	19	2	3	6	9	14	18	19	17	6.5	49	1	2	5	8	11	24	31
55-74	20	7.1	25	1	2	6	8	14	19	21	19	5.1	8	1	2	5	7	9	11	12
75 +	9	6.3	3	4	4	6	7	9	9	9	7	3.9	3	1	1	4	6	6	6	6
ALL AGES	76	6.6	19	2	3	6	8	10	17	25	65	5.7	29	1	2	5	7	10	11	32
SUBTOTAL	**110**	**6.7**	**27**	**2**	**3**	**6**	**8**	**11**	**16**	**31**	**83**	**6.0**	**39**	**1**	**2**	**5**	**7**	**11**	**19**	**33**
GRAND TOTAL	**253**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**	**199**	**5.5**	**37**	**1**	**2**	**4**	**6**	**10**	**14**	**38**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3												
13-17	1	7.0		7	7	7	7	7	7	7												
18-20																						
21-24																						
25-34	1	4.0		4	4	4	4	4	4	4		2	3.5	1	3	3	3	4	4	4	4	
35-54	1	2.0		2	2	2	2	2	2	2												
55-74	1	2.0		2	2	2	2	2	2	2												
75 +	2	4.5	13	2	2	4	7	7	7	7		1	3.0		3	3	3	3	3	3	3	
ALL AGES	8	3.5	5	1	1	3	5	7	7	7		3	3.3	1	3	3	3	4	4	4	4	
B. FEMALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4		1	2.0		2	2	2	2	2	2	2	
13-17												2	4.0	2	3	3	4	5	5	5	5	
18-20																						
21-24	3	2.0	1	1	1	2	3	3	3	3		1	2.0		2	2	2	2	2	2	2	
25-34	4	9.3	65	2	2	7	15	20	20	20		1	3.0		3	3	3	3	3	3	3	
35-54	1	3.0		3	3	3	3	3	3	3		1	1.0		1	1	1	1	1	1	1	
55-74																						
75 +	3	5.0	13	2	2	4	8	9	9	9												
ALL AGES	12	5.4	30	1	1	3	7	14	19	20		6	2.7	2	1	1	2	3	5	5	5	
SUBTOTAL	**20**	**4.7**	**20**	**1**	**1**	**3**	**6**	**10**	**15**	**20**		**9**	**2.9**	**1**	**1**	**1**	**3**	**4**	**5**	**5**	**5**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	1.0		1	1	1	1	1	1	1												
25-34	1	2.0		2	2	2	2	2	2	2												
35-54	2	9.0	2	8	8	9	10	10	10	10												
55-74	2	4.0	8	2	2	4	6	6	6	6												
75 +												1	7.0		7	7	7	7	7	7	7	
ALL AGES	6	4.8	14	1	1	4	8	10	10	10		1	7.0		7	7	7	7	7	7	7	
B. FEMALE																						
0-12 YRS.																						
13-17	2	6.5	1	6	6	6	7	7	7	7												
18-20												1	8.0		8	8	8	8	8	8	8	
21-24																						
25-34												1	5.0		5	5	5	5	5	5	5	
35-54	1	14.0		14	14	14	14	14	14	14		1	2.0		2	2	2	2	2	2	2	
55-74																						
75 +	3	3.3	17	1	1	1	6	8	8	8		1	7.0		7	7	7	7	7	7	7	
ALL AGES	6	6.2	23	1	1	6	8	13	14	14		4	5.5	7	2	2	6	7	8	8	8	
SUBTOTAL	**12**	**5.5**	**18**	**1**	**1**	**6**	**8**	**11**	**14**	**14**		**5**	**5.8**	**6**	**2**	**2**	**7**	**7**	**8**	**8**	**8**	
GRAND TOTAL	**32**	**5.0**	**18**	**1**	**1**	**3**	**7**	**10**	**14**	**20**		**14**	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**8**	

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	2.0		2	2	2	2	2	2	2												
18-20											2	5.5	5	4	4	5	7	7	7	7		
21-24																						
25-34	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5		
35-54	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4		
55-74																						
75 +																						
ALL AGES	5	2.0	2	1	1	2	3	4	4	4	4	5.0	2	4	4	5	6	7	7	7		
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1												
13-17																						
18-20											3	3.7	9	1	1	3	6	7	7	7		
21-24	1	3.0		3	3	3	3	3	3	3	3	2.3	1	2	2	2	3	3	3	3		
25-34	3	5.7	8	4	4	4	8	9	9	9												
35-54	3	4.0	1	3	3	4	5	5	5	5												
55-74	4	8.5	57	2	2	8	15	16	16	16	2	4.0	2	3	3	4	5	5	5	5		
75 +	2	3.0		3	3	3	3	3	3	3												
ALL AGES	14	5.2	21	1	2	4	5	14	16	16	8	3.3	3	1	1	3	4	6	7	7		
SUBTOTAL	**19**	**4.4**	**17**	**1**	**1**	**3**	**4**	**12**	**15**	**16**	**12**	**3.8**	**4**	**1**	**2**	**4**	**5**	**7**	**7**	**7**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4		
35-54	2	5.0	2	4	4	5	6	6	6	6												
55-74	1	5.0		5	5	5	5	5	5	5												
75 +																						
ALL AGES	4	4.0	5	1	1	4	5	6	6	6	1	4.0		4	4	4	4	4	4	4		
B. FEMALE																						
0-12 YRS.	1	9.0		9	9	9	9	9	9	9												
13-17	1	85.0		85	85	85	85	85	85	85												
18-20																						
21-24											1	4.0		4	4	4	4	4	4	4		
25-34	1	2.0		2	2	2	2	2	2	2												
35-54	3	5.0	3	4	4	4	6	7	7	7	4	9.8	19	3	3	12	12	12	12	12		
55-74	2	26.5	5	25	25	26	28	28	28	28												
75 +	1	3.0		3	3	3	3	3	3	3												
ALL AGES	9	18.6	712	2	2	7	26	62	85	85	5	8.6	22	3	3	12	12	12	12	12		
SUBTOTAL	**13**	**14.1**	**525**	**1**	**2**	**5**	**13**	**39**	**76**	**85**	**6**	**7.8**	**22**	**3**	**3**	**8**	**12**	**12**	**12**	**12**		
GRAND TOTAL	**32**	**8.3**	**237**	**1**	**1**	**4**	**6**	**19**	**28**	**85**	**18**	**5.2**	**12**	**1**	**2**	**4**	**7**	**12**	**12**	**12**		

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	2	12.5	221	2	2	12	23	23	23	23	1	1.0		1	1	1	1	1	1	1
35-54	3	5.0	3	3	3	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	9	6.3	42	2	2	5	6	16	23	23	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	4	4.3	20	2	2	2	7	11	11	11	3	3.3	17	1	1	1	6	8	8	8
18-20	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	5	7.4	46	2	2	6	10	19	19	19	4	4.8	8	1	1	5	7	8	8	8
35-54	14	7.6	93	1	2	4	7	25	33	35	6	3.2	8	1	1	2	5	8	8	8
55-74	5	7.8	67	1	1	3	15	19	19	19	7	2.9	3	1	1	3	4	5	5	5
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	33	6.8	59	1	2	3	7	19	23	35	23	3.3	6	1	1	2	5	8	8	8
SUBTOTAL	**42**	**6.7**	**54**	**1**	**2**	**4**	**7**	**19**	**23**	**35**	**27**	**3.1**	**5**	**1**	**1**	**2**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.0	361	3	3	14	33	40	40	40										
18-20	1	46.0		46	46	46	46	46	46	46										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	25.0	512	9	9	25	41	41	41	41	2	5.5	1	5	5	5	6	6	6	6
35-54	4	8.5	42	1	1	8	13	16	16	16										
55-74																				
75 +																				
ALL AGES	11	17.4	278	1	2	11	34	43	46	46	2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.											2	2.0	2	1	1	2	3	3	3	3
13-17	2	4.5	1	4	4	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-20											1	3.0		3	3	3	3	3	3	3
21-24											1	14.0		14	14	14	14	14	14	14
25-34	7	10.9	83	3	3	7	18	25	26	26	2	3.0	2	2	2	3	4	4	4	4
35-54	11	14.6	124	1	2	12	25	31	32	32	4	13.3	150	4	4	9	21	31	31	31
55-74	5	4.2	3	2	2	5	5	6	6	6	6	10.5	42	4	4	9	15	20	21	21
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	27	10.2	88	2	3	5	13	28	31	32	17	8.6	63	1	2	5	12	20	27	31
SUBTOTAL	**38**	**12.3**	**147**	**2**	**3**	**7**	**14**	**32**	**41**	**46**	**19**	**8.3**	**57**	**1**	**2**	**5**	**11**	**19**	**26**	**31**
GRAND TOTAL	**80**	**9.3**	**106**	**1**	**2**	**5**	**12**	**25**	**33**	**44**	**46**	**5.2**	**33**	**1**	**1**	**4**	**6**	**12**	**16**	**31**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	2	5.5	5	4	4	5	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**4**	**5.3**	**4**	**3**	**3**	**5**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**6.2**	**8**	**3**	**3**	**7**	**8**	**10**	**10**	**10**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN; NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1		4	3.0	5	1	1	2	4	6	6	6
13-17	6	26.2	807	4	4	17	29	76	81	81		3	19.7	255	3	3	21	31	35	35	35
18-20	2	31.5	1405	5	5	31	58	58	58	58											
21-24												1	1.0		1	1	1	1	1	1	1
25-34	4	11.5	87	3	3	11	19	21	21	21		3	11.3	166	2	2	6	21	26	26	26
35-54	5	6.4	7	4	4	6	11	91	99 +	99 +											
55-74												1	6.0		6	6	6	6	6	6	6
75 +												1	16.0		16	16	16	16	16	16	16
ALL AGES	18	16.6	448	2	3	8	22	72	91	99 +		13	9.8	124	1	1	6	17	28	34	35
B. FEMALE																					
0-12 YRS.	13	24.9	345	3	4	31	41	99 +	99 +	99 +		6	33.7	1631	3	3	14	68	96	99	99 +
13-17	85	26.2	421	3	4	23	45	60	76	99 +		34	28.2	697	1	3	24	50	79	97	99 +
18-20	50	27.7	567	3	4	25	47	69	90	99 +		23	24.2	576	2	3	20	35	64	75	89
21-24	38	24.2	482	2	3	20	39	79	99 +	99 +		30	8.3	111	1	1	5	10	19	29	52
25-34	53	19.5	271	1	2	13	33	49	51	98		31	20.5	511	2	2	11	33	55	68	77
35-54	28	15.1	190	3	3	11	30	45	99 +	99 +		23	20.5	371	1	2	12	33	42	57	80
55-74	7	8.9	21	5	5	8	15	75	99 +	99 +		4	14.0	110	5	5	12	22	27	27	27
75 +	2	10.5	1	10	10	10	11	11	11	11		2	3.5	1	3	3	4	76	99 +	99 +	99 +
ALL AGES	276	23.2	401	3	4	18	38	59	93	99 +		153	20.5	523	1	2	10	35	61	79	99 +
SUBTOTAL	**294**	**22.8**	**405**	**3**	**3**	**17**	**38**	**59**	**93**	**99 +**		**166**	**19.7**	**497**	**1**	**2**	**9**	**32**	**57**	**77**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	3	15.7	288	3	3	9	28	35	35	35		2	65.5	113	58	58	65	73	73	73	73
13-17	5	41.6	414	26	26	39	75	97	99 +	99 +		2	63.0	8	61	61	63	65	65	65	65
18-20	4	45.3	318	24	24	44	56	68	68	68											
21-24																					
25-34	6	10.8	55	4	4	10	20	84	99 +	99 +		1	10.0		10	10	10	10	10	10	10
35-54	3	9.7	1	9	9	10	10	10	10	10		1	41.0		41	41	41	41	41	41	41
55-74	1	24.0		24	24	24	24	24	24	24		2	4.5	1	4	4	4	5	5	5	5
75 +												2	5.5	13	3	3	5	8	8	8	8
ALL AGES	22	25.2	412	4	5	24	44	77	99 +	99 +		10	32.8	864	3	3	25	61	69	73	73
B. FEMALE																					
0-12 YRS.	5	33.8	919	1	1	39	56	73	73	73		4	23.3	990	3	3	42	99 +	99 +	99 +	99 +
13-17	76	30.0	539	3	4	28	51	85	99 +	99 +		29	44.8	1009	3	4	54	94	99 +	99 +	99 +
18-20	49	29.0	465	3	5	24	41	69	81	99 +		18	36.7	874	2	4	43	52	95	98	99 +
21-24	57	23.8	468	1	2	20	34	66	83	99 +		14	26.1	508	4	5	23	38	51	77	85
25-34	104	25.3	408	2	3	21	39	51	67	92		35	21.7	316	1	2	17	37	47	63	99 +
35-54	56	23.1	383	3	4	16	31	49	64	84		23	10.8	63	3	3	9	16	22	29	31
55-74	9	13.0	159	3	3	6	19	33	42	42		13	8.5	93	1	1	5	10	28	29	29
75 +	1	8.0		8	8	8	8	8	8	8		2	14.0	32	10	10	14	18	18	18	18
ALL AGES	357	26.0	453	2	4	21	42	65	82	99 +		138	25.8	648	2	3	18	47	93	99 +	99 +
SUBTOTAL	**379**	**25.9**	**452**	**2**	**4**	**21**	**42**	**66**	**83**	**99 +**		**148**	**26.3**	**658**	**2**	**3**	**18**	**48**	**92**	**99 +**	**99 +**
GRAND TOTAL	**673**	**24.6**	**431**	**2**	**4**	**20**	**41**	**63**	**85**	**99 +**		**314**	**22.8**	**583**	**2**	**3**	**12**	**42**	**70**	**96**	**99 +**

Total U.S. January - December 1986

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	6.6	89	1	1	2	6	22	31	33	1	2.0		2	2	2	2	2	2	2
13-17	6	10.5	239	1	1	3	12	38	41	41										
18-20	3	13.3	3	12	12	14	14	14	14	14										
21-24	2	23.0	512	7	7	23	39	39	39	39										
25-34	1	37.0		37	37	37	37	37	37	37										
35-54											2	3.0	2	2	2	3	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	28	10.1	158	1	1	4	13	36	39	41	3	2.7	1	2	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	5.0	4	3	3	4	6	8	8	8	4	3.5	2	2	2	3	4	5	5	5
SUBTOTAL	**33**	**9.4**	**136**	**1**	**1**	**4**	**12**	**34**	**39**	**41**	**7**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	24.6	188	3	7	24	35	44	48	48	1	76.0		76	76	76	76	76	76	76
13-17	7	23.6	507	3	4	15	35	62	67	67	2	3.0		3	3	3	3	3	3	3
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	19	23.7	278	3	5	20	35	45	58	67	4	21.0	1345	2	2	3	40	76	76	76
B. FEMALE																				
0-12 YRS.	2	30.0	722	11	11	30	49	49	49	49										
13-17	3	26.7	28	21	21	27	31	32	32	32	1	7.0		7	7	7	7	7	7	7
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3										
55-74	1	42.0		42	42	42	42	42	42	42	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	9	21.0	316	1	2	21	34	46	49	49	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**28**	**22.8**	**282**	**2**	**3**	**20**	**34**	**46**	**51**	**67**	**6**	**15.5**	**882**	**2**	**2**	**3**	**7**	**69**	**76**	**76**
GRAND TOTAL	**61**	**15.5**	**246**	**1**	**1**	**11**	**24**	**41**	**45**	**65**	**13**	**8.8**	**410**	**2**	**2**	**3**	**4**	**21**	**66**	**76**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	17.7	1435	1	1	2	4	86	95	95	1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	17.7	1435	1	1	2	4	86	95	95	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**8**	**13.8**	**1077**	**1**	**1**	**2**	**3**	**68**	**95**	**95**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**8**	**13.8**	**1077**	**1**	**1**	**2**	**3**	**68**	**95**	**95**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	3.1	6	1	1	2	4	7	8	8	2	1.5	1	1	1	1	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.0		2	2	2	2	2	2	2	3	7.7	133	1	1	1	16	21	21	21
35-54	2	2.0		2	2	2	2	2	2	2										
55-74											2	6.5	1	6	6	6	7	7	7	7
75 +	3	5.3	2	4	4	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	19	3.1	4	1	1	2	4	7	8	8	9	4.6	43	1	1	1	6	15	21	21
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	7	3.0	13	1	1	2	3	9	11	11										
55-74	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	14	2.4	7	1	1	2	2	5	10	11	2	6.0	18	3	3	6	9	9	9	9
SUBTOTAL	**33**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**11**	**4.8**	**37**	**1**	**1**	**2**	**7**	**14**	**20**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
35-54	2	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	6	2.5	3	1	1	2	2	6	6	6	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24																				
25-34	4	3.8	8	2	2	3	5	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	2.3		2	2	2	3	3	3	3										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	2.8	4	1	1	2	3	6	8	8	4	4.5	2	3	3	4	5	6	6	6
SUBTOTAL	**17**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**7**	**8**	**5**	**4.4**	**1**	**3**	**3**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**50**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**16**	**4.7**	**25**	**1**	**1**	**3**	**6**	**9**	**17**	**21**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	12	17.0	534	1	1	6	22	55	74	77	6	18.5	1303	1	1	4	8	84	92	92
13-17	7	22.6	515	2	3	13	46	55	55	55	2	18.0	450	3	3	18	33	33	33	33
18-20	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
21-24	3	24.0	427	2	2	27	39	43	43	43	5	5.0	8	2	2	4	8	8	8	8
25-34	7	7.1	211	1	1	2	3	33	40	40	5	3.6	2	2	2	3	4	6	6	6
35-54	5	6.6	64	1	1	3	11	20	20	20	4	10.5	188	3	3	4	18	31	31	31
55-74											4	2.5	1	1	1	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
ALL AGES	36	14.6	374	1	1	6	19	45	55	77	29	8.7	313	1	1	3	5	22	36	92
B. FEMALE																						
0-12 YRS.	19	11.5	332	1	1	5	10	57	87	99 +	8	3.1	10	1	1	2	4	8	10	10
13-17	69	26.8	302	2	2	26	37	49	55	80	23	30.7	514	1	2	29	45	76	92	99 +
18-20	74	26.1	368	2	3	26	35	45	65	93	21	26.0	492	1	1	29	40	47	66	87
21-24	60	28.6	237	2	5	30	35	48	59	63	20	30.9	317	3	4	31	43	55	59	63
25-34	69	22.0	260	1	2	25	31	40	51	77	33	30.3	245	2	12	29	39	43	66	74
35-54	32	20.8	245	2	4	18	32	42	52	55	20	19.0	311	2	2	14	29	49	55	56
55-74	7	11.0	75	2	3	8	14	25	28	28	3	5.3	13	2	2	5	8	9	9	9
75 +	5	14.0	138	4	4	12	20	33	33	33	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	335	24.0	303	2	3	26	34	45	55	82	130	25.4	386	1	2	26	39	50	63	91
SUBTOTAL	**371**	**23.1**	**316**	**1**	**2**	**24**	**33**	**45**	**55**	**82**	**159**	**22.3**	**415**	**1**	**2**	**22**	**36**	**47**	**60**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	3	18.3	179	3	3	25	26	27	27	27	1	6.0		6	6	6	6	6	6	6
13-17	2	33.0	32	29	29	37	84	99 +	99 +	99 +	2	46.5	85	40	40	46	53	53	53	53
18-20	3	6.3	17	4	4	4	9	11	11	11										
21-24	5	22.2	177	13	13	14	30	44	44	44	4	25.8	178	9	9	26	34	42	42	42
25-34	6	12.0	54	5	5	11	14	24	25	25	4	6.8	23	4	4	5	9	14	14	14
35-54	9	30.2	731	4	5	27	38	74	90	90	4	16.8	187	3	3	15	28	33	33	33
55-74	1	4.0		4	4	4	4	4	4	4	4	5.8	12	3	3	4	8	11	11	11
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	29	20.7	346	4	4	14	29	47	90	99 +	20	16.2	239	3	3	8	26	41	47	53
B. FEMALE																						
0-12 YRS.	7	23.4	465	7	7	14	37	59	63	63	2	2.5	1	2	2	2	3	3	3	3
13-17	92	28.0	379	4	7	28	42	70	90	99 +	20	28.0	375	4	5	28	39	67	82	99 +
18-20	87	24.1	312	2	5	21	32	48	53	92	39	30.6	435	1	2	31	43	57	62	89
21-24	75	26.1	378	3	4	27	38	60	90	99 +	34	30.1	350	2	6	31	42	60	65	69
25-34	139	23.7	394	1	3	20	34	47	63	99	57	27.7	282	3	5	28	39	47	52	83
35-54	71	24.5	318	2	4	24	39	42	59	99	33	23.2	475	2	3	24	31	57	61	88
55-74	8	20.9	271	6	6	11	40	41	41	41	13	15.5	445	1	1	7	27	68	93	99 +
75 +	1	4.0		4	4	4	4	4	4	4	6	17.8	239	5	5	9	35	39	40	40
ALL AGES	480	25.0	360	2	4	23	38	53	68	99 +	204	26.6	384	2	3	27	40	54	63	94
SUBTOTAL	**509**	**24.7**	**362**	**2**	**4**	**23**	**37**	**52**	**69**	**99 +**	**224**	**25.7**	**377**	**2**	**3**	**25**	**39**	**54**	**62**	**92**
GRAND TOTAL	**880**	**24.1**	**339**	**2**	**3**	**23**	**35**	**49**	**62**	**99 +**	**383**	**24.3**	**394**	**2**	**2**	**24**	**39**	**53**	**62**	**91**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	27.0		27	27	27	27	27	27	27
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**3**	**3.7**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**6**	**3.0**	**4**	**1**	**1**	**3**	**5**	**5**	**5**	**5**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8	1	48.0		48	48	48	48	48	48	48
13-17	1	80.0		80	80	80	80	80	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	30.0	1884	2	2	8	62	80	80	80	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	2	12.0	162	3	3	12	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	7.3	83	2	2	3	12	21	21	21	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**17.0**	**818**	**2**	**2**	**3**	**18**	**68**	**80**	**80**	**2**	**26.5**	**925**	**5**	**5**	**26**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	27.6	1011	2	2	14	44	80	93	93	1	2.0		2	2	51	99 +	99 +	99 +	99 +
13-17	1	25.0		25	25	25	25	25	25	25	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	27.3	886	2	2	21	40	76	93	93	2	16.0	392	2	2	30	82	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	19.5	313	7	7	19	32	32	32	32	1	66.0		66	66	83	99 +	99 +	99 +	99 +
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	11.8	183	3	3	6	19	32	32	32	2	33.5	2113	1	1	66	91	99 +	99 +	99 +
SUBTOTAL	**13**	**22.5**	**694**	**2**	**3**	**8**	**33**	**59**	**87**	**93**	**4**	**24.8**	**934**	**1**	**1**	**48**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**20**	**20.6**	**703**	**2**	**2**	**7**	**28**	**65**	**86**	**93**	**6**	**25.3**	**750**	**1**	**1**	**39**	**83**	**99 +**	**99 +**	**99 +**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.3	8	1	1	3	5	7	7	7	8	2.4		1	1	2	3	3	3	3
13-17	16	2.8	2	1	1	2	4	5	6	7	2	1.5	1	1	1	1	2	2	2	2
18-20	5	3.4	4	1	1	4	5	6	6	6	5	4.2	5	2	2	5	6	7	7	7
21-24	9	4.7	18	1	1	3	7	12	14	14	4	5.8	12	1	1	6	8	9	9	9
25-34	46	3.3	6	1	1	3	4	7	7	14	38	3.0	6	1	1	2	4	7	8	11
35-54	52	3.8	9	1	1	3	5	6	8	21	52	4.2	18	1	1	3	4	13	15	17
55-74	20	3.4	4	1	1	3	4	6	8	9	23	3.7	8	1	1	2	5	7	9	11
75 +	4	6.8	10	3	3	6	9	11	11	11	2	3.0		3	3	3	3	3	3	3
ALL AGES	156	3.6	7	1	1	3	5	7	8	14	134	3.7	10	1	1	3	5	7	11	17
B. FEMALE																				
0-12 YRS.	14	7.6	170	2	2	2	3	35	40	42	6	1.8	1	1	1	2	2	3	3	3
13-17	31	3.1	4	1	1	3	4	5	9	9	17	3.7	14	1	1	2	4	9	13	15
18-20	16	3.6	7	1	1	3	5	8	9	10	16	2.7	5	1	1	2	3	7	8	8
21-24	32	4.0	10	1	1	3	5	7	12	15	34	3.5	3	1	1	3	5	6	7	8
25-34	109	4.4	23	1	1	3	5	9	14	30	127	3.7	7	1	1	3	5	7	9	16
35-54	146	4.8	47	1	2	3	5	8	10	47	158	4.1	10	1	1	3	5	8	11	15
55-74	54	5.0	26	1	1	4	6	8	11	33	60	4.0	6	1	1	4	5	7	8	13
75 +	21	9.2	374	1	2	4	6	15	54	91	20	4.6	7	1	2	4	6	7	10	12
ALL AGES	423	4.8	51	1	1	3	5	8	11	36	438	3.9	8	1	1	3	5	7	9	15
SUBTOTAL	**579**	**4.5**	**39**	**1**	**1**	**3**	**5**	**8**	**10**	**33**	**572**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	9	5.2	81	1	1	2	3	19	29	29	2	7.5	61	2	2	7	13	13	13	13
18-20	3	3.0	7	1	1	2	5	6	6	6										
21-24	7	3.3	4	1	1	4	5	6	6	6	7	4.9	2	3	3	5	6	7	7	7
25-34	16	5.4	59	1	1	3	6	11	26	32	10	3.6	8	1	1	3	4	8	11	11
35-54	20	4.8	35	1	1	3	5	7	18	29	16	4.2	6	2	2	3	5	8	10	11
55-74	11	8.1	31	2	3	6	11	18	18	18	7	6.1	26	1	1	5	10	14	15	15
75 +	3	3.7	4	2	2	3	5	6	6	6	3	4.7	6	2	2	5	6	7	7	7
ALL AGES	71	5.1	39	1	1	3	6	9	18	31	45	4.6	11	1	2	4	5	11	12	15
B. FEMALE																				
0-12 YRS.	4	5.0	7	2	2	5	7	8	8	8	3	13.0	364	1	1	3	27	35	35	35
13-17	10	3.4	3	2	2	3	4	6	7	7	4	2.5	2	1	1	2	3	4	4	4
18-20	9	7.1	35	2	2	4	11	17	19	19	7	3.0	4	1	1	2	5	6	6	6
21-24	12	6.3	32	1	1	5	9	13	20	21	13	6.1	37	1	2	6	7	11	22	25
25-34	53	6.6	24	2	2	5	8	13	17	25	59	5.3	16	1	2	4	6	9	14	24
35-54	110	6.1	34	1	2	4	7	14	16	30	83	5.0	20	1	2	4	6	8	15	25
55-74	42	7.8	36	2	3	6	10	15	23	28	27	4.8	9	1	2	4	5	9	12	15
75 +	12	9.8	139	2	2	4	15	27	39	41	5	13.4	252	3	3	8	19	41	41	41
ALL AGES	252	6.6	35	2	2	5	8	14	17	28	201	5.3	28	1	2	4	6	9	15	30
SUBTOTAL	**323**	**6.3**	**36**	**1**	**2**	**4**	**7**	**13**	**18**	**30**	**246**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**14**	**26**
GRAND TOTAL	**902**	**5.1**	**39**	**1**	**1**	**4**	**6**	**10**	**14**	**32**	**818**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	9	3.8	16	1	1	2	5	11	13	13	4	1.8	1	1	1	2	2	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	3	5.7	65	1	1	1	11	15	15	15	1	9.0		9	9	9	9	9	9	9
25-34	4	4.3	6	2	2	3	6	8	8	8	2	1.5	1	1	1	1	2	2	2	2
35-54	8	7.0	35	1	1	4	11	16	18	18	3	4.7	2	3	3	5	6	6	6	6
55-74	5	9.4	16	4	4	9	12	15	15	15	3	1.7	1	1	1	1	2	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2	4	7.5	14	4	4	7	10	12	12	12
ALL AGES	32	5.6	24	1	1	4	8	14	15	18	18	3.8	11	1	1	3	5	9	11	12
B. FEMALE																					
0-12 YRS.	4	3.0	2	2	2	3	4	5	5	5	1	11.0		11	11	11	11	11	11	11
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	7	3.0	8	1	1	1	5	7	8	8										
35-54	7	6.4	171	1	1	1	3	29	36	36	4	3.3	3	2	2	3	4	6	6	6
55-74	5	5.4	5	3	3	6	7	8	8	8	5	5.0	7	2	2	5	6	9	9	9
75 +	6	14.2	599	2	2	4	8	58	64	64	7	5.0	9	2	2	3	8	9	9	9
ALL AGES	31	6.4	154	1	1	3	6	8	35	64	19	4.6	9	1	2	3	6	9	10	11
SUBTOTAL	**63**	**6.0**	**87**	**1**	**1**	**3**	**7**	**13**	**16**	**60**	**37**	**4.2**	**10**	**1**	**1**	**3**	**6**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	2	11.0	200	1	1	10	21	21	21	21										
21-24											2	16.0	200	6	6	16	26	26	26	26
25-34	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
35-54	5	7.0	34	1	1	6	12	14	14	14	5	2.8	5	1	1	2	4	6	6	6
55-74	5	9.0	109	2	2	4	13	27	27	27	2	18.5	313	6	6	18	31	31	31	31
75 +	10	9.0	41	2	3	7	13	19	24	24	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	24	8.3	53	1	1	6	12	21	25	27	13	7.4	94	1	1	4	7	27	30	31
B. FEMALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
13-17	2	7.0	72	1	1	7	13	13	13	13										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
35-54	4	4.3	15	1	1	3	7	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	8	4.5	4	2	2	4	6	7	8	8	9	2.2	2	1	1	2	3	4	4	4
75 +	3	9.0	31	4	4	8	13	15	15	15	9	5.7	17	1	1	5	7	12	15	15
ALL AGES	21	5.0	15	1	1	4	7	11	14	15	22	4.6	16	1	1	3	7	10	15	15
SUBTOTAL	**45**	**6.8**	**37**	**1**	**1**	**5**	**9**	**14**	**22**	**27**	**35**	**5.6**	**46**	**1**	**1**	**4**	**7**	**15**	**23**	**31**
GRAND TOTAL	**108**	**6.3**	**66**	**1**	**1**	**4**	**8**	**13**	**18**	**48**	**72**	**4.9**	**27**	**1**	**1**	**3**	**6**	**9**	**14**	**30**

Total U.S. January - December 1986

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	2	4.0	18	1	1	4	7	7	7	7	4	2.5	1	1	1	3	3	3	3	3
18-20	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	10	5.9	114	1	1	2	4	21	36	36	7	4.3	11	1	1	3	5	10	11	11
35-54	20	3.1	2	1	1	3	4	5	6	6	15	2.0	2	1	1	1	3	4	5	6
55-74	11	3.7	20	1	1	2	4	11	16	16	12	1.9	1	1	1	2	2	3	4	4
75 +	2	3.0	8	1	1	3	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	47	3.9	30	1	1	3	4	6	9	36	43	2.5	5	1	1	2	3	5	8	11
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	16.2	410	1	1	5	38	45	46	46	3	1.7	1	1	1	1	2	3	3	3
18-20	5	5.0	29	1	1	4	7	14	14	14	2	1.0		1	1	1	1	1	1	1
21-24	4	2.0	1	1	1	2	3	3	3	3	2	4.5	1	4	4	4	5	5	5	5
25-34	16	4.6	36	1	1	3	5	7	20	26	21	3.0	4	1	1	3	4	6	7	7
35-54	35	4.7	21	1	1	3	6	8	17	22	37	2.3	2	1	1	2	3	5	6	6
55-74	24	3.5	6	1	1	3	5	7	9	10	38	2.7	3	1	1	2	4	4	5	9
75 +	9	4.7	12	1	2	3	5	11	13	13	8	3.8	3	1	1	4	5	6	6	6
ALL AGES	100	5.0	45	1	1	3	5	8	16	42	111	2.7	3	1	1	2	4	5	6	8
SUBTOTAL	**147**	**4.6**	**41**	**1**	**1**	**3**	**5**	**7**	**14**	**38**	**154**	**2.6**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	7	1.4	1	1	1	1	2	3	3	3	8	2.3	1	1	1	2	3	4	4	4
35-54	12	5.2	75	1	1	2	5	14	29	32	5	3.2	4	1	1	4	5	5	5	5
55-74	7	3.3	4	1	1	3	5	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	27	4.0	39	1	1	2	5	7	16	32	17	2.4	2	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.5	20	1	1	5	9	11	11	11	1	1.0		1	1	1	1	1	1	1
18-20	3	1.7	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
21-24	5	6.2	11	1	1	7	9	9	9	9	5	6.8	97	1	1	2	10	24	24	24
25-34	13	5.9	18	1	1	5	9	12	14	14	14	6.5	68	1	1	3	8	22	25	26
35-54	26	6.2	24	1	1	5	9	14	16	19	30	3.9	14	1	1	3	4	8	14	17
55-74	19	5.8	23	1	2	4	5	12	17	21	14	2.9	2	1	2	3	3	4	6	6
75 +	4	8.0	31	3	3	7	12	15	15	15	5	6.6	9	3	3	7	8	11	11	11
ALL AGES	74	5.9	21	1	1	5	9	12	15	21	71	4.5	27	1	1	3	5	10	17	26
SUBTOTAL	**101**	**5.4**	**26**	**1**	**1**	**4**	**7**	**12**	**14**	**26**	**88**	**4.1**	**23**	**1**	**1**	**3**	**4**	**8**	**15**	**25**
GRAND TOTAL	**248**	**4.9**	**35**	**1**	**1**	**3**	**6**	**10**	**14**	**36**	**242**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**22**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-54	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	3	5.0	12	1	1	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
55-74	2	3.5	1	3	3	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	1.9	1	1	1	1	3	4	4	4	5	2.4	1	1	1	2	3	4	4	4
SUBTOTAL	**9**	**2.1**	**2**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**8**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54	3	10.7	119	2	2	7	19	23	23	23	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	5	7.4	80	2	2	3	11	23	23	23	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**8.2**	**67**	**2**	**2**	**5**	**12**	**22**	**23**	**23**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**15**	**4.5**	**35**	**1**	**1**	**2**	**5**	**12**	**20**	**23**	**11**	**3.2**	**5**	**1**	**1**	**3**	**4**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	4.8	18	1	1	3	7	11	11	11	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +											2	8.5	5	7	7	8	10	10	10	10
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	6.3	17	2	2	7	9	10	10	10
SUBTOTAL	**5**	**4.2**	**16**	**1**	**1**	**3**	**6**	**11**	**11**	**11**	**5**	**5.2**	**14**	**1**	**1**	**6**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	41.0		41	41	41	41	41	41	41	1	8.0		8	8	8	8	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	21.5	761	2	2	21	41	41	41	41	2	5.5	13	3	3	5	8	8	8	8
SUBTOTAL	**3**	**16.0**	**471**	**2**	**2**	**5**	**32**	**41**	**41**	**41**	**4**	**5.8**	**6**	**3**	**3**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**8**	**8.6**	**181**	**1**	**1**	**3**	**8**	**32**	**41**	**41**	**9**	**5.4**	**10**	**1**	**1**	**6**	**8**	**9**	**10**	**10**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51	1	5.0		5	5	5	5	5	5	5
13-17	5	11.4	340	1	1	3	17	44	44	44	2	2.0	2	1	1	2	3	3	3	3
18-20	4	2.8	5	1	1	2	4	6	6	6	2	2.5	1	2	2	2	3	3	3	3
21-24	13	3.7	10	1	1	3	6	9	9	9	2	3.5	13	1	1	3	6	6	6	6
25-34	18	5.7	32	1	1	4	7	13	20	23	10	3.3	6	1	1	3	4	7	9	9
35-54	22	4.8	52	1	1	2	5	12	22	33	10	2.1	3	1	1	2	3	5	6	6
55-74	9	5.8	16	1	1	4	9	12	12	12	9	4.0	6	2	2	3	5	8	9	9
75 +	3	2.7	4	1	1	2	4	5	5	5										
ALL AGES	75	5.8	76	1	1	3	7	11	21	49	36	3.1	5	1	1	2	4	6	8	9
B. FEMALE																				
0-12 YRS.	7	11.6	216	1	1	4	21	36	39	39	1	4.0		4	4	4	4	4	4	4
13-17	16	17.8	516	1	1	5	35	61	64	64	4	2.0	1	1	1	2	3	3	3	3
18-20	8	7.1	93	1	1	3	9	24	29	29	4	3.8	17	1	1	2	6	10	10	10
21-24	14	5.3	40	1	1	3	6	11	23	26	4	2.5	3	1	1	2	4	4	4	4
25-34	45	5.7	50	1	1	3	7	14	17	39	13	2.7	3	1	1	2	4	5	6	6
35-54	32	5.5	35	1	1	3	6	15	20	25	25	3.2	6	1	1	2	4	6	8	12
55-74	16	3.6	11	1	1	3	4	6	12	15	9	5.0	40	1	1	2	7	16	17	17
75 +	3	8.3	21	4	4	8	12	13	13	13	4	3.3	4	1	1	3	5	6	6	6
ALL AGES	141	7.2	115	1	1	3	7	18	32	63	64	3.3	10	1	1	2	4	6	11	17
SUBTOTAL	**216**	**6.7**	**101**	**1**	**1**	**3**	**7**	**15**	**28**	**55**	**100**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	43.0	12	41	41	41	46	47	47	47										
13-17	10	16.1	405	1	1	4	37	75	98	99 +	1	5.0		5	5	5	5	5	5	5
18-20	8	9.4	103	1	1	6	14	26	30	30										
21-24	3	6.3	21	2	2	6	10	11	11	11										
25-34	27	8.3	54	1	2	5	16	20	21	23	5	8.4	77	2	2	5	13	23	23	23
35-54	36	9.1	112	1	1	5	12	25	34	39	3	4.0	1	3	3	4	5	5	5	5
55-74	4	9.5	23	3	3	10	13	14	14	14	1	22.0		22	22	22	22	22	22	22
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	92	10.6	150	1	1	5	17	32	41	82	11	7.5	61	2	2	5	9	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	22	21.1	319	1	1	20	34	51	77	99 +	4	1.8	2	1	1	1	3	4	4	4
18-20	12	12.8	155	1	1	10	20	30	39	41	3	2.0	3	1	1	1	3	4	4	4
21-24	14	15.1	200	1	1	10	20	39	48	51	4	2.3	1	1	1	2	3	3	3	3
25-34	42	9.3	111	1	1	4	15	20	35	46	7	2.4	1	1	1	3	3	4	4	4
35-54	44	10.0	111	1	1	6	14	23	37	42	17	2.7	3	1	1	2	3	6	7	7
55-74	11	5.5	26	1	1	4	8	14	17	17	6	3.8	6	1	1	3	6	7	7	7
75 +	4	4.5	10	1	1	4	7	8	8	8	4	4.3	6	2	2	4	6	7	7	7
ALL AGES	149	11.7	160	1	1	6	17	32	41	65	45	2.8	3	1	1	2	3	6	7	7
SUBTOTAL	**241**	**11.3**	**155**	**1**	**1**	**6**	**17**	**32**	**41**	**67**	**56**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**23**
GRAND TOTAL	**457**	**9.1**	**135**	**1**	**1**	**4**	**12**	**25**	**38**	**63**	**156**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	5.0	8	3	3	5	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	5.0		5	5	5	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	4.5	4	3	3	4	6	7	7	7	6	3.2	4	1	1	3	4	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	2.0	1	1	1	2	3	3	3	3										
35-54	2	10.0	162	1	1	10	19	19	19	19	4	3.5	9	1	1	3	6	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	1.0		1	1	1	1	1	1	1	1	95.0		95	95	95	95	95	95	95
ALL AGES	7	4.0	44	1	1	1	3	16	19	19	5	21.8	1681	1	1	5	29	95	95	95
SUBTOTAL	**11**	**4.2**	**28**	**1**	**1**	**3**	**5**	**12**	**18**	**19**	**11**	**11.6**	**770**	**1**	**1**	**3**	**6**	**42**	**91**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	4	11.8	171	2	2	7	20	31	31	31	2	1.0		1	1	1	1	1	1	1
35-54	2	15.0	72	9	9	15	21	21	21	21	2	7.0	18	4	4	7	10	10	10	10
55-74	3	8.3	35	4	4	6	13	15	15	15										
75 +																				
ALL AGES	9	11.3	90	2	3	9	16	27	31	31	5	3.4	15	1	1	1	5	10	10	10
SUBTOTAL	**10**	**11.6**	**80**	**2**	**3**	**9**	**15**	**26**	**31**	**31**	**5**	**3.4**	**15**	**1**	**1**	**1**	**5**	**10**	**10**	**10**
GRAND TOTAL	**21**	**7.7**	**65**	**1**	**1**	**5**	**10**	**20**	**25**	**31**	**16**	**9.1**	**532**	**1**	**1**	**3**	**6**	**10**	**69**	**95**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	3	2.7	4	1	1	2	4	5	5	5										
18-20	5	1.8	1	1	1	1	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
21-24	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	7	8.9	243	1	1	4	6	36	44	44	6	2.5	3	1	1	2	4	5	5	5
35-54	12	1.8		1	1	2	2	3	3	3	10	3.3	8	1	1	2	6	8	9	9
55-74	4	5.3	10	2	2	5	8	9	9	9	6	1.8	1	1	1	2	2	3	3	3
75 +	3	4.7	8	3	3	3	7	8	8	8	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	38	4.7	86	1	1	2	3	8	28	44	27	2.9	6	1	1	2	4	7	9	9
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	4	2.8		2	2	3	3	3	3	3										
18-20	4	5.8	11	1	1	6	8	9	9	9	2	2.0	2	1	1	2	3	3	3	3
21-24	8	6.3	37	2	2	4	8	17	20	20	2	4.5	13	2	2	4	7	7	7	7
25-34	14	2.7	7	1	1	2	3	5	10	11	4	7.3	110	1	1	2	13	23	23	23
35-54	16	2.3	1	1	1	2	3	4	5	5	12	2.9	3	1	1	3	4	5	7	7
55-74	10	2.0	1	1	1	2	3	4	4	4	6	2.7	1	2	2	2	4	4	4	4
75 +	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	58	3.2	10	1	1	2	4	7	9	19	28	3.5	17	1	1	3	4	6	9	23
SUBTOTAL	**96**	**3.8**	**40**	**1**	**1**	**2**	**4**	**7**	**9**	**43**	**55**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	7	2.0	1	1	1	2	3	4	4	4										
25-34	4	4.0	13	1	1	3	6	9	9	9	3	6.3	6	5	5	5	8	9	9	9
35-54	7	10.7	76	4	4	7	14	25	28	28	3	2.3	1	2	2	2	3	3	3	3
55-74	3	1.3		1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	23	5.3	39	1	1	3	6	13	19	28	8	3.6	7	1	1	3	5	8	9	9
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	5	4.2	7	1	1	5	6	7	7	7	4	3.3	1	2	2	3	4	5	5	5
25-34	9	8.3	58	2	2	6	11	21	26	26	4	5.8	5	3	3	5	7	9	9	9
35-54	16	11.5	169	1	1	7	18	26	42	49	9	3.7	4	1	1	3	5	7	7	7
55-74	4	6.0	25	1	1	5	9	13	13	13	4	4.8	5	3	3	4	6	8	8	8
75 +	3	7.7	54	2	2	5	13	16	16	16	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	39	8.9	93	1	1	5	12	22	27	49	24	3.9	5	1	2	3	5	7	8	9
SUBTOTAL	**62**	**7.5**	**76**	**1**	**1**	**4**	**10**	**18**	**26**	**46**	**32**	**3.8**	**5**	**1**	**1**	**3**	**5**	**7**	**9**	**9**
GRAND TOTAL	**158**	**5.3**	**57**	**1**	**1**	**3**	**5**	**12**	**21**	**44**	**87**	**3.4**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	17.0	201	2	4	12	22	39	47	55	1	3.0		3	3	3	3	3	3	3
13-17	223	12.0	168	1	1	8	16	29	40	72	19	6.3	81	1	1	3	6	18	29	37
18-20	145	6.6	68	1	1	4	8	13	22	46	12	6.8	142	1	1	2	4	29	37	38
21-24	148	5.0	34	1	1	3	7	12	17	33	16	9.6	271	1	1	3	7	28	52	62
25-34	380	6.0	38	1	1	4	8	13	19	36	36	3.2	11	1	1	2	4	6	7	20
35-54	367	6.8	44	1	1	5	9	15	20	33	42	3.7	14	1	1	2	4	9	12	17
55-74	124	8.8	84	1	2	6	11	19	23	51	27	5.5	69	1	1	3	6	9	16	45
75 +	45	10.2	160	1	3	6	10	21	38	73	8	5.6	26	2	2	3	8	14	16	16
ALL AGES	1456	7.6	79	1	1	5	10	17	24	44	161	5.1	67	1	1	3	5	10	20	44
B. FEMALE																				
0-12 YRS.	28	15.4	216	1	1	9	23	41	45	55	5	7.6	157	1	1	2	10	30	30	30
13-17	556	11.6	142	1	2	7	15	29	37	63	27	6.9	94	1	1	2	9	26	32	34
18-20	225	6.8	78	1	1	4	9	16	22	44	25	4.2	26	1	1	2	5	10	18	20
21-24	270	5.8	31	1	1	4	8	14	17	23	21	3.5	6	1	1	3	6	7	8	8
25-34	625	6.3	43	1	1	4	8	14	19	34	59	4.5	28	1	1	3	6	10	16	32
35-54	702	7.8	69	1	1	5	10	18	25	42	125	3.8	11	1	1	3	5	8	11	17
55-74	177	10.7	97	1	2	8	15	22	28	51	54	4.6	12	1	1	4	6	7	9	23
75 +	84	11.8	126	1	3	8	15	27	38	54	25	6.9	35	1	2	5	9	11	20	29
ALL AGES	2667	8.3	86	1	1	5	11	20	27	44	341	4.6	26	1	1	3	6	10	14	30
SUBTOTAL	**4123**	**8.1**	**83**	**1**	**1**	**5**	**10**	**19**	**26**	**44**	**502**	**4.8**	**38**	**1**	**1**	**3**	**5**	**10**	**16**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	23.9	333	3	6	20	35	52	61	63	1	2.0		2	2	2	2	2	2	2
13-17	192	15.6	290	2	2	10	21	42	55	99 +	9	8.4	212	1	1	2	6	33	46	46
18-20	157	7.7	53	1	1	6	11	16	22	38	15	4.2	25	1	1	2	5	6	17	21
21-24	232	7.9	68	1	1	6	10	17	25	39	14	4.3	58	1	1	2	4	9	25	30
25-34	547	7.5	51	1	1	5	10	17	21	33	55	4.9	38	1	1	3	5	13	21	30
35-54	453	7.7	43	1	1	6	10	16	21	33	37	4.1	21	1	1	3	5	8	12	26
55-74	83	11.5	100	1	2	9	15	24	31	49	11	4.0	11	1	1	4	6	9	12	12
75 +	21	12.8	50	3	3	13	18	25	59	99 +	4	6.0	47	1	1	3	10	16	16	16
ALL AGES	1697	8.9	91	1	1	6	12	20	27	49	146	4.7	42	1	1	3	5	11	21	31
B. FEMALE																				
0-12 YRS.	12	27.8	288	3	4	28	39	52	55	56	1	4.0		4	4	4	4	4	4	4
13-17	323	15.4	231	1	2	10	21	38	51	74	14	5.2	30	1	1	3	9	19	80	99 +
18-20	209	8.8	83	1	1	6	10	18	26	48	11	4.3	36	1	1	3	4	12	21	22
21-24	267	8.6	96	1	1	6	10	19	28	54	17	6.2	72	1	1	3	5	22	27	29
25-34	693	8.9	89	1	1	6	12	19	25	45	52	5.2	33	1	1	4	6	9	17	30
35-54	574	8.4	81	1	1	6	10	17	25	41	74	5.6	36	1	1	4	6	12	23	29
55-74	148	10.7	101	1	2	8	15	22	29	49	25	4.3	7	1	1	4	5	9	9	10
75 +	46	11.7	63	2	2	9	18	25	27	30	6	3.7	4	1	1	3	6	6	6	6
ALL AGES	2272	9.9	116	1	2	7	12	22	30	57	200	5.2	33	1	1	4	6	10	20	30
SUBTOTAL	**3969**	**9.5**	**105**	**1**	**1**	**6**	**12**	**21**	**29**	**56**	**346**	**5.0**	**36**	**1**	**1**	**3**	**5**	**10**	**21**	**30**
GRAND TOTAL	**8092**	**8.8**	**94**	**1**	**1**	**6**	**11**	**20**	**28**	**50**	**848**	**4.9**	**37**	**1**	**1**	**3**	**5**	**10**	**17**	**32**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	21.5	802	1	3	8	29	72	83	83	1	1.0		1	1	1	1	1	1	1
18-20	6	5.2	13	1	1	5	9	9	9	9										
21-24	4	13.0	429	1	1	3	24	44	44	44	1	13.0		13	13	13	13	13	13	13
25-34	16	6.1	14	1	2	6	8	12	13	14	5	2.8	4	1	1	2	4	6	6	6
35-54	31	11.4	132	1	1	8	14	31	41	42	5	5.2	5	2	2	5	6	8	8	8
55-74	9	15.0	331	3	4	8	17	45	61	61	2	4.5	1	4	4	4	5	5	5	5
75 +	3	6.0	9	3	3	6	8	9	9	9	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	78	11.1	201	1	1	7	11	24	43	77	16	4.4	10	1	1	4	6	8	11	13
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	18	13.8	136	1	1	12	19	30	37	42	4	14.0	129	2	2	12	22	29	29	29
18-20	7	21.0	569	1	1	12	36	59	64	64	2	4.5	5	3	3	4	6	6	6	6
21-24	10	14.8	336	1	2	7	16	48	53	53	1	4.0		4	4	4	4	4	4	4
25-34	28	11.9	134	2	3	7	15	28	45	45	6	7.8	123	1	1	3	7	28	30	30
35-54	46	12.7	155	1	1	10	17	22	34	69	18	5.3	35	1	1	3	5	11	21	26
55-74	27	8.8	27	3	3	8	14	16	17	18	10	8.7	64	2	2	5	14	21	28	28
75 +	6	7.2	25	3	3	6	9	15	16	16	7	8.3	20	3	3	8	12	14	14	14
ALL AGES	143	12.6	167	1	2	9	16	29	44	64	48	7.4	56	1	2	4	9	15	28	30
SUBTOTAL	**221**	**12.1**	**178**	**1**	**2**	**8**	**15**	**28**	**44**	**65**	**64**	**6.7**	**45**	**1**	**2**	**4**	**8**	**14**	**27**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.5	265	14	14	25	37	37	37	37										
13-17	11	13.5	106	2	2	10	24	27	28	28	1	1.0		1	1	1	1	1	1	1
18-20	9	13.4	376	3	3	3	15	47	61	61	1	2.0		2	2	2	2	2	2	2
21-24	7	7.7	46	1	1	7	9	19	21	21	1	2.0		2	2	2	2	2	2	2
25-34	31	10.9	107	1	2	7	15	25	32	45	6	8.5	87	2	2	5	8	25	27	27
35-54	33	8.8	108	1	1	7	10	18	25	56										
55-74	8	15.3	24	5	7	16	19	20	21	21	4	6.0	18	3	3	5	9	12	12	12
75 +	3	4.7	21	2	2	2	8	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	104	11.0	120	1	2	7	15	25	29	58	14	5.9	45	1	2	3	6	13	24	27
B. FEMALE																				
0-12 YRS.																				
13-17	19	10.7	62	2	3	9	14	22	29	32	1	6.0		6	6	6	6	6	6	6
18-20	10	13.6	149	5	5	9	12	36	40	40	2	6.0	8	4	4	6	8	8	8	8
21-24	6	16.8	250	2	2	10	35	38	38	38	4	10.5	227	2	2	4	19	33	33	33
25-34	45	15.0	220	1	2	10	19	45	48	61	6	9.3	113	1	1	7	9	28	30	30
35-54	59	11.1	154	2	3	8	11	25	29	77	10	12.2	72	3	3	11	17	24	29	29
55-74	11	13.2	130	1	2	8	21	29	35	36	13	7.8	52	1	1	7	8	15	27	30
75 +	8	9.4	53	4	4	7	12	22	25	25	1	28.0		28	28	28	28	28	28	28
ALL AGES	158	12.6	157	2	2	9	16	29	39	60	37	9.9	84	1	2	7	12	29	30	33
SUBTOTAL	**262**	**12.0**	**142**	**1**	**2**	**8**	**16**	**26**	**36**	**60**	**51**	**8.8**	**76**	**1**	**2**	**6**	**9**	**27**	**30**	**33**
GRAND TOTAL	**483**	**12.0**	**159**	**1**	**2**	**8**	**15**	**26**	**41**	**61**	**115**	**7.6**	**60**	**1**	**2**	**5**	**8**	**17**	**29**	**31**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	33	20.5	434	1	2	12	30	42	76	85	4	13.5	417	2	2	4	25	44	44	44
13-17	139	12.5	149	1	1	9	17	34	42	47	10	20.5	675	1	1	8	29	65	77	77
18-20	66	5.0	34	1	1	3	7	12	13	35	2	1.0		1	1	1	1	1	1	1
21-24	56	7.5	66	1	1	4	10	18	30	33	4	4.0	12	1	1	3	6	9	9	9
25-34	147	6.3	32	1	1	5	9	12	17	26	10	5.4	82	1	1	3	5	59	96	99 +
35-54	141	6.9	46	1	1	5	9	15	21	35	21	7.1	99	1	1	3	5	30	30	30
55-74	45	10.6	94	1	2	9	13	19	29	57	7	12.0	92	2	2	10	19	26	28	28
75 +	11	9.6	31	1	3	9	13	17	21	21	4	3.3		2	2	3	4	4	4	4
ALL AGES	638	8.8	103	1	1	6	11	20	31	45	62	9.3	208	1	1	3	10	30	47	97
B. FEMALE																				
0-12 YRS.	32	12.5	142	1	2	10	15	39	45	99 +	5	35.4	1110	2	2	35	65	75	75	75
13-17	218	13.1	195	1	1	8	20	34	42	67	17	10.7	284	1	1	3	22	55	86	99 +
18-20	76	7.8	84	1	1	5	9	17	26	52	10	5.6	77	1	1	2	4	20	29	29
21-24	90	6.3	30	1	1	4	10	14	18	25	9	2.9	4	1	1	2	4	6	7	7
25-34	216	6.8	49	1	1	4	9	15	21	34	35	8.3	126	1	1	3	7	30	31	32
35-54	293	8.1	67	1	1	5	11	18	26	37	53	15.3	158	2	2	9	29	31	32	39
55-74	103	8.9	41	1	2	7	13	19	23	61	20	9.4	99	1	2	5	12	29	31	32
75 +	33	9.8	72	1	3	7	12	19	31	37	12	5.5	11	1	2	5	7	11	11	11
ALL AGES	1061	8.9	94	1	1	6	11	22	30	45	161	11.1	187	1	1	4	17	31	32	74
SUBTOTAL	**1699**	**8.9**	**96**	**1**	**1**	**6**	**11**	**21**	**30**	**45**	**223**	**10.6**	**193**	**1**	**1**	**4**	**14**	**31**	**32**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	34	28.4	375	4	4	30	42	48	52	87	1	2.0		2	2	2	2	2	2	2
13-17	101	18.0	311	2	3	13	28	44	57	95	3	18.7	112	7	7	21	26	28	28	28
18-20	61	9.0	79	1	1	7	12	22	27	43	5	11.8	185	1	1	7	18	35	35	35
21-24	73	8.6	77	1	1	6	9	19	29	45	2	10.0	2	9	9	10	11	11	11	11
25-34	204	7.6	59	1	2	5	10	17	24	32	29	6.3	84	1	1	3	5	22	30	34
35-54	180	7.9	55	1	1	6	10	19	26	33	27	13.4	134	1	1	12	26	30	31	31
55-74	44	9.0	32	3	4	7	11	18	22	26	9	18.0	195	1	1	16	30	35	39	39
75 +	2	14.0	98	7	7	21	80	99 +	99 +	99 +										
ALL AGES	699	10.6	138	1	2	7	13	27	35	58	76	11.1	131	1	1	5	19	30	31	38
B. FEMALE																				
0-12 YRS.	14	29.2	642	1	1	23	48	91	98	99 +	2	4.0	18	1	1	4	7	7	7	7
13-17	147	15.5	191	2	2	11	23	35	41	61	7	15.3	519	1	1	3	48	86	99 +	99 +
18-20	68	9.1	73	1	1	7	14	19	30	90	7	17.0	663	1	1	5	25	62	70	70
21-24	103	10.7	131	1	1	7	13	25	30	57	8	5.9	96	1	1	3	4	22	30	30
25-34	287	8.7	69	1	1	6	11	20	25	36	26	14.1	266	1	1	5	28	30	38	69
35-54	281	9.4	59	1	1	8	13	19	23	37	57	15.5	147	1	2	12	29	30	31	31
55-74	74	12.1	100	1	2	9	19	26	29	44	7	7.0	105	1	1	3	5	25	30	30
75 +	20	11.6	45	2	4	10	15	22	25	27	1	1.0		1	1	1	1	1	1	1
ALL AGES	994	10.7	111	1	2	8	14	24	32	56	115	13.8	215	1	1	6	28	30	32	80
SUBTOTAL	**1693**	**10.7**	**121**	**1**	**2**	**7**	**14**	**25**	**33**	**57**	**191**	**12.7**	**183**	**1**	**1**	**5**	**28**	**30**	**31**	**70**
GRAND TOTAL	**3392**	**9.8**	**109**	**1**	**1**	**6**	**13**	**23**	**32**	**54**	**414**	**11.6**	**188**	**1**	**1**	**5**	**24**	**30**	**32**	**76**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	25.1	305	2	4	23	39	52	58	60	1	26.0		26	26	63	99 +	99 +	99 +	99 +
13-17	46	17.4	335	2	2	13	23	42	69	99 +	6	13.5	145	1	1	14	29	86	99 +	99 +
18-20	12	4.8	16	1	1	3	8	10	13	14	2	2.0	2	1	1	1	3	3	3	3
21-24	10	8.1	82	1	1	4	19	22	23	23	2	1.5	1	1	1	1	2	2	2	2
25-34	12	7.3	87	1	1	5	10	18	32	34	5	8.2	99	1	1	2	16	23	23	23
35-54	10	5.5	33	1	1	3	8	15	18	18	2	13.5	265	2	2	13	25	25	25	25
55-74	1	2.0		2	2	2	2	2	2	2	4	5.8	55	2	2	2	10	17	17	17
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	109	14.0	255	1	1	8	20	36	50	99	22	9.3	108	1	1	3	23	38	99 +	99 +
B. FEMALE																				
0-12 YRS.	5	13.2	97	3	3	14	21	26	26	26	1	11.0		11	11	11	11	11	11	11
13-17	37	17.0	322	1	1	10	25	39	56	76	7	20.3	771	2	2	13	16	69	82	82
18-20	3	7.7	69	1	1	5	14	17	17	17	1	6.0		6	6	6	6	6	6	6
21-24	3	11.0	84	3	3	9	18	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	10	5.5	20	1	1	4	8	12	14	14	1	1.0		1	1	1	1	1	1	1
35-54	9	8.4	321	1	1	2	4	36	56	56	2	7.5	61	2	2	7	13	13	13	13
55-74	3	5.3	3	4	4	5	6	7	7	7										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	71	12.7	239	1	1	7	16	36	49	72	13	13.6	453	1	2	11	14	29	72	82
SUBTOTAL	**180**	**13.5**	**248**	**1**	**1**	**8**	**20**	**36**	**50**	**91**	**35**	**10.9**	**231**	**1**	**1**	**6**	**16**	**30**	**94**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	29.2	254	6	9	31	41	53	54	54	1	53.0		53	53	53	53	53	53	53
13-17	37	14.3	192	2	2	8	28	40	46	99 +	3	2.7	8	1	1	1	5	6	6	6
18-20	3	10.3	147	1	1	6	19	24	24	24										
21-24	11	6.6	69	1	2	5	6	17	30	31	4	5.0	54	1	1	1	9	16	16	16
25-34	14	5.0	33	1	1	3	5	12	20	22	4	2.0	2	1	1	2	3	4	4	4
35-54	16	6.6	39	1	1	5	8	14	22	25	1	2.0		2	2	2	2	2	2	2
55-74	8	7.8	37	1	1	7	13	16	17	17	2	2.0		2	2	2	2	2	2	2
75 +	5	15.0	141	4	4	15	20	34	34	34	1	4.0		4	4	4	4	4	4	4
ALL AGES	109	12.7	181	1	1	7	18	35	43	72	16	6.2	170	1	1	2	4	15	42	53
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30	1	5.0		5	5	5	5	5	5	5
13-17	23	14.2	118	3	5	10	28	38	99 +	99 +	1	40.0		40	40	40	40	40	40	40
18-20	3	7.3	35	3	3	5	12	14	14	14	1	2.0		2	2	2	2	2	2	2
21-24	3	3.0	1	2	2	3	4	4	4	4										
25-34	10	7.7	39	1	1	8	14	16	17	17	1	2.0		2	2	2	2	2	2	2
35-54	8	4.5	18	1	1	3	6	12	14	14	1	18.0		18	18	18	18	18	18	18
55-74	4	10.0	59	3	3	8	16	20	20	20										
75 +	2	11.0	32	7	7	11	15	15	15	15										
ALL AGES	54	10.4	88	1	2	8	15	30	37	99 +	5	13.4	265	2	2	5	23	40	40	40
SUBTOTAL	**163**	**11.9**	**151**	**1**	**2**	**7**	**16**	**34**	**42**	**99 +**	**21**	**7.9**	**190**	**1**	**1**	**2**	**5**	**27**	**46**	**53**
GRAND TOTAL	**343**	**12.8**	**200**	**1**	**1**	**8**	**18**	**35**	**45**	**99 +**	**56**	**9.8**	**214**	**1**	**1**	**3**	**15**	**29**	**70**	**99 +**

Total U.S. January - December 1986

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	38	21.2	227	1	2	24	32	45	53	99 +	2	22.0	882	1	1	22	43	43	43	43
13-17	129	18.9	340	1	2	14	28	47	70	99 +	5	10.0	44	4	4	15	79	99 +	99 +	99 +
18-20	35	5.4	38	1	1	3	6	15	22	24	2	49.5	4513	2	2	49	97	97	97	97
21-24	28	8.5	52	1	1	6	12	16	18	36	3	8.3	121	2	2	2	16	21	21	21
25-34	69	7.7	110	1	1	3	9	19	38	45	14	6.4	33	1	2	4	6	17	19	20
35-54	52	7.2	66	1	1	4	8	18	25	42	6	4.8	7	2	2	5	6	9	9	9
55-74	9	6.0	35	1	1	4	7	16	20	20	1	6.0		6	6	6	6	6	6	6
75 +	4	8.8	34	4	4	7	13	17	17	17										
ALL AGES	364	12.8	220	1	1	7	18	36	46	98	33	10.4	314	1	2	5	14	43	99	99 +
B. FEMALE																				
0-12 YRS.	27	21.4	427	2	5	14	32	55	97	99 +	4	10.0	91	2	2	9	18	21	21	21
13-17	237	20.6	300	2	3	16	31	43	53	81	15	14.1	381	1	1	4	26	41	57	63
18-20	32	8.1	93	1	1	4	10	23	30	40	1	1.0		1	1	1	1	1	1	1
21-24	42	7.5	59	1	1	5	10	19	22	35	5	1.2		1	1	1	1	2	2	2
25-34	80	8.9	121	1	1	5	12	19	24	56	11	2.7	8	1	1	2	3	8	10	10
35-54	90	8.9	71	1	2	6	14	19	22	47	9	7.0	16	2	2	9	10	12	12	12
55-74	27	10.6	111	1	1	8	16	19	33	47	3	4.3	9	1	1	6	6	6	6	6
75 +	6	14.7	219	3	3	10	17	40	43	43	1	3.0		3	3	3	3	3	3	3
ALL AGES	541	14.6	235	1	2	9	20	36	47	79	49	7.5	147	1	1	3	9	19	38	63
SUBTOTAL	**905**	**13.9**	**229**	**1**	**1**	**8**	**19**	**36**	**46**	**89**	**82**	**8.7**	**213**	**1**	**1**	**4**	**9**	**22**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	25	23.8	332	2	7	19	37	49	60	73	2	46.5	2813	9	9	46	84	84	84	84
13-17	100	19.3	313	2	3	14	29	42	62	71	4	31.8	960	2	2	32	58	61	61	61
18-20	27	10.8	121	1	2	6	15	24	39	42										
21-24	56	5.7	61	1	1	3	6	14	24	43	6	3.7	8	1	1	3	5	9	9	9
25-34	129	8.0	55	1	1	6	10	18	24	36	18	6.2	24	1	2	5	8	13	18	20
35-54	67	8.5	56	1	1	6	13	17	21	40	13	3.8	6	1	1	4	6	7	8	8
55-74	19	12.4	95	1	3	9	16	22	36	45	1	3.0		3	3	3	3	3	3	3
75 +	10	7.7	38	1	2	5	13	17	18	18										
ALL AGES	433	11.7	167	1	2	7	15	28	40	64	44	9.3	273	1	1	4	8	15	57	84
B. FEMALE																				
0-12 YRS.	9	23.9	155	2	6	29	36	69	99 +	99 +	2	36.0	2450	1	1	36	71	71	71	71
13-17	145	19.1	321	2	3	14	29	42	55	94	4	8.5	12	5	5	8	11	13	13	13
18-20	30	8.6	54	1	1	6	15	20	24	24	4	11.8	87	1	1	11	19	23	23	23
21-24	48	7.4	34	1	2	5	10	17	19	23	7	8.0	21	4	4	6	12	15	15	15
25-34	124	7.8	100	1	1	5	9	16	27	50	9	9.6	163	1	1	3	14	31	40	40
35-54	101	9.3	90	1	2	7	12	18	23	54	4	3.8	1	2	2	4	5	5	5	5
55-74	35	11.2	169	1	2	6	11	30	44	53	5	4.2	7	3	3	3	5	9	9	9
75 +	9	16.1	105	4	5	14	25	31	31	31	1	27.0		27	27	27	27	27	27	27
ALL AGES	501	12.1	182	1	2	7	16	30	39	81	36	9.9	179	1	2	5	13	22	36	71
SUBTOTAL	**934**	**11.9**	**175**	**1**	**2**	**7**	**15**	**30**	**39**	**68**	**80**	**9.6**	**228**	**1**	**1**	**5**	**9**	**19**	**48**	**80**
GRAND TOTAL	**1839**	**12.9**	**202**	**1**	**1**	**7**	**17**	**33**	**43**	**75**	**162**	**9.1**	**220**	**1**	**1**	**4**	**9**	**21**	**47**	**99**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	21.0	331	2	2	17	39	46	48	48										
13-17	15	9.1	53	1	1	6	16	18	22	24	3	20.3	286	1	1	28	31	32	32	32
18-20	8	3.4	6	1	1	3	5	7	8	8										
21-24	7	4.0	14	1	1	3	6	10	11	11	1	1.0		1	1	1	1	1	1	1
25-34	15	7.7	58	1	1	5	10	15	27	31	3	3.3	3	2	2	3	4	5	5	5
35-54	23	12.0	150	1	1	9	19	34	64	99 +	7	6.7	63	1	1	3	9	21	23	23
55-74	4	7.8	57	1	1	6	13	18	18	18										
75 +											2	9.0	18	6	6	9	12	12	12	12
ALL AGES	83	10.2	129	1	1	5	14	28	43	83	16	8.6	103	1	1	4	11	27	31	32
B. FEMALE																				
0-12 YRS.	6	9.0	163	1	1	2	14	31	33	33	2	16.0	338	3	3	16	29	29	29	29
13-17	44	10.5	107	1	1	6	13	28	32	37	6	10.3	363	1	1	2	6	45	49	49
18-20	5	4.2	17	1	1	2	8	10	10	10	1	1.0		1	1	1	1	1	1	1
21-24	6	10.8	220	1	1	3	18	36	38	38										
25-34	33	13.2	153	1	2	11	18	29	33	60	3	3.0	3	1	1	4	4	4	4	4
35-54	38	14.6	204	1	2	10	19	38	55	99 +	6	7.0	19	2	2	7	9	13	14	14
55-74	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
75 +	3	7.3	47	2	2	5	12	15	15	15										
ALL AGES	136	11.9	148	1	1	8	15	31	37	70	20	7.6	136	1	1	3	7	21	39	49
SUBTOTAL	**219**	**11.2**	**142**	**1**	**1**	**7**	**15**	**31**	**37**	**75**	**36**	**8.0**	**119**	**1**	**1**	**4**	**8**	**27**	**31**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	8.8	108	1	1	5	12	27	27	27	3	5.3	15	1	1	7	8	8	8	8
13-17	25	21.1	430	2	3	14	34	57	90	99 +	1	1.0		1	1	1	1	1	1	1
18-20	5	11.0	118	1	1	7	19	27	27	27	2	2.0	2	1	1	2	3	3	3	3
21-24	2	5.0	32	1	1	5	9	9	9	9	3	2.7	1	2	2	2	4	4	4	4
25-34	33	13.5	175	1	1	11	18	25	46	62	5	2.4	2	1	1	2	3	5	5	5
35-54	76	11.9	146	1	1	8	16	29	39	54	1	1.0		1	1	1	1	1	1	1
55-74	9	14.3	236	2	4	9	16	39	53	53										
75 +	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	156	13.6	205	1	1	9	19	33	45	86	16	2.7	5	1	1	2	3	7	8	8
B. FEMALE																				
0-12 YRS.	7	27.3	887	4	6	20	63	97	99 +	99 +										
13-17	38	20.5	400	3	3	14	29	49	83	99 +	1	8.0		8	8	8	8	8	8	8
18-20	9	21.2	719	2	2	14	22	63	90	90	3	7.7	44	2	2	6	13	15	15	15
21-24	12	13.1	154	2	3	9	16	31	45	47										
25-34	35	17.2	346	2	2	8	23	49	62	67	3	6.7	6	4	4	7	8	9	9	9
35-54	47	15.4	242	2	2	11	22	26	38	98	2	12.0	162	3	3	12	21	21	21	21
55-74	7	17.7	448	3	3	10	25	55	61	61										
75 +	2	11.5	41	7	7	11	16	16	16	16	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	157	17.8	351	2	3	12	24	46	67	99 +	11	7.4	35	1	2	6	9	17	21	21
SUBTOTAL	**313**	**15.7**	**282**	**1**	**2**	**10**	**22**	**37**	**52**	**99**	**27**	**4.6**	**22**	**1**	**1**	**3**	**7**	**9**	**16**	**21**
GRAND TOTAL	**532**	**13.9**	**227**	**1**	**1**	**9**	**19**	**33**	**47**	**98**	**63**	**6.5**	**80**	**1**	**1**	**3**	**7**	**16**	**28**	**47**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	10	12.3	292	1	1	7	14	38	58	58	3	3.0	7	1	1	2	5	6	6	6
13-17	78	11.1	187	1	1	4	17	30	47	89	17	22.9	452	1	2	18	33	49	68	78
18-20	25	6.5	106	1	1	3	6	12	32	48	9	5.2	103	1	1	1	4	21	32	32
21-24	20	4.2	17	1	1	3	6	10	14	16	1	4.0		4	4	4	4	4	4	4
25-34	32	4.2	26	1	1	2	4	10	12	27	3	12.7	280	2	2	4	25	32	32	32
35-54	35	5.4	41	1	1	3	8	10	14	36	5	6.4	46	2	2	3	10	18	18	18
55-74	6	6.8	100	1	1	3	4	25	27	27	3	4.7	14	2	2	3	7	9	9	9
75 +	3	4.3	9	1	1	6	6	6	6	6										
ALL AGES	209	7.7	119	1	1	3	9	22	30	61	41	13.0	297	1	1	4	19	35	48	78
B. FEMALE																					
0-12 YRS.	17	12.1	192	1	1	7	14	39	43	44	1	1.0		1	1	50	99 +	99 +	99 +	99 +
13-17	109	8.9	106	1	1	4	13	27	33	39	30	5.8	45	1	1	3	8	17	22	22
18-20	34	6.4	93	1	1	3	8	12	36	41	10	4.0	35	1	1	2	5	13	20	20
21-24	27	6.2	49	1	1	3	7	19	24	25	6	2.0	2	1	1	1	2	5	5	5
25-34	70	5.1	26	1	1	3	7	11	17	24	14	3.6	9	1	1	2	5	8	10	11
35-54	63	5.2	19	1	1	3	7	12	15	17	18	4.1	27	1	1	2	4	8	17	23
55-74	17	11.9	147	1	2	7	18	27	41	48	7	6.3	41	1	1	4	7	17	20	20
75 +	5	8.2	51	2	2	4	14	19	19	19	1	1.0		1	1	1	1	1	1	1
ALL AGES	342	7.3	76	1	1	4	10	18	29	41	87	4.5	31	1	1	2	5	15	20	71
SUBTOTAL	**551**	**7.4**	**93**	**1**	**1**	**4**	**9**	**19**	**30**	**48**	**128**	**7.3**	**129**	**1**	**1**	**3**	**7**	**22**	**32**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	16	18.2	202	3	4	13	24	46	49	49	1	2.0		2	2	2	2	2	2	2
13-17	75	16.8	216	1	1	12	28	40	45	57	6	2.0	3	1	1	1	3	5	5	5
18-20	44	8.2	84	1	1	5	12	24	30	35	6	1.8	2	1	1	1	3	4	4	4
21-24	49	6.1	41	1	1	3	9	14	23	25	1	2.0		2	2	2	2	2	2	2
25-34	86	6.7	94	1	1	3	7	16	24	57	13	5.5	38	1	1	2	12	14	18	19
35-54	57	7.6	74	1	1	3	10	23	28	36	11	4.4	12	1	1	4	4	11	12	12
55-74	13	8.0	40	1	1	8	10	17	22	23	2	10.0	50	5	5	10	15	15	15	15
75 +	4	1.8	2	1	1	1	3	4	4	4	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	344	9.7	129	1	1	5	13	27	35	49	42	4.1	20	1	1	2	4	12	14	19
B. FEMALE																					
0-12 YRS.	11	20.0	142	4	5	25	29	57	94	99 +	1	1.0		1	1	1	1	1	1	1
13-17	96	13.1	196	1	2	6	22	30	40	94	13	7.3	130	1	1	2	6	30	32	33
18-20	44	5.8	40	1	1	3	8	15	18	29	4	4.0	29	1	1	2	7	12	12	12
21-24	48	5.6	22	1	1	5	8	12	16	19	7	8.3	123	1	1	3	12	28	31	31
25-34	104	5.8	28	1	1	4	8	14	17	23	6	4.5	16	1	1	3	7	11	11	11
35-54	109	7.0	58	1	1	4	8	19	25	34	24	5.1	34	1	1	3	5	12	18	27
55-74	25	7.7	24	1	2	7	11	14	17	18	6	4.8	13	1	1	4	8	10	10	10
75 +	9	7.1	27	2	2	5	12	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	446	8.1	86	1	1	5	10	21	29	45	62	5.8	56	1	1	3	7	14	28	33
SUBTOTAL	**790**	**8.8**	**105**	**1**	**1**	**5**	**12**	**24**	**30**	**48**	**104**	**5.1**	**42**	**1**	**1**	**3**	**5**	**12**	**18**	**32**
GRAND TOTAL	**1341**	**8.2**	**101**	**1**	**1**	**4**	**11**	**22**	**30**	**48**	**232**	**6.3**	**91**	**1**	**1**	**3**	**6**	**17**	**28**	**55**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20											1	4.0		4	4	4	4	4	4	4
21-24	1	30.0		30	30	30	30	30	30	30										
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	3.0		3	3	3	3	3	3	3
55-74	4	8.0	15	5	5	7	11	13	13	13	3	8.0	13	5	5	7	11	12	12	12
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	6	11.2	94	5	5	7	13	28	30	30	7	7.7	29	3	3	5	11	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74	1	13.0		13	13	13	13	13	13	13	2	13.0	2	12	12	13	14	14	14	14
75 +	2	10.0	8	8	8	10	12	12	12	12	1	10.0		10	10	10	10	10	10	10
ALL AGES	6	9.7	11	5	5	10	13	13	13	13	3	12.0	4	10	10	12	13	14	14	14
SUBTOTAL	**12**	**10.4**	**50**	**5**	**5**	**8**	**13**	**18**	**28**	**30**	**10**	**9.0**	**25**	**3**	**3**	**8**	**12**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	13.5	221	3	3	13	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	26.0	72	20	20	26	32	32	32	32										
35-54																				
55-74	2	25.5	613	8	8	25	43	43	43	43										
75 +	3	8.7		8	8	8	10	10	10	10										
ALL AGES	8	16.5	199	3	4	9	26	40	43	43										
SUBTOTAL	**10**	**15.9**	**181**	**3**	**3**	**9**	**24**	**37**	**43**	**43**										
GRAND TOTAL	**22**	**12.9**	**112**	**3**	**4**	**9**	**13**	**31**	**36**	**43**	**10**	**9.0**	**25**	**3**	**3**	**8**	**12**	**16**	**18**	**18**

Total U.S. January - December 1986

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	42.8	52	36	36	41	46	54	55	55										
13-17	4	29.0	744	3	3	27	52	59	59	59	3	30.7	563	5	5	35	48	52	52	52
18-20	2	13.5	313	1	1	13	26	26	26	26	1	8.0		8	8	8	8	8	8	8
21-24	7	16.9	123	2	2	19	21	32	35	35	1	34.0		34	34	34	34	34	34	34
25-34	8	20.9	338	4	5	15	31	51	58	58	1	1.0		1	1	1	1	1	1	1
35-54	19	12.6	154	1	1	9	23	33	38	40	3	37.3	965	6	6	38	60	68	68	68
55-74	34	13.7	140	2	2	9	22	32	48	99 +	7	3.7	5	1	1	5	6	6	6	6
75 +	27	8.3	48	1	2	7	10	17	27	30	13	6.5	17	2	3	5	9	13	15	16
ALL AGES	107	15.1	204	2	2	9	25	37	47	76	29	12.3	278	1	1	6	11	37	53	68
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22										
13-17	2	32.0	882	11	11	32	53	53	53	53										
18-20																				
21-24	5	34.2	1360	2	2	18	74	74	74	74										
25-34	9	19.2	296	6	7	11	25	49	56	56	4	24.3	800	2	2	15	44	64	64	64
35-54	7	13.3	95	5	5	10	15	30	34	34	3	8.3	22	3	3	11	11	11	11	11
55-74	26	15.1	189	3	5	10	21	29	48	62	8	5.5	23	1	1	4	7	14	16	16
75 +	49	12.3	161	2	2	7	16	28	34	69	24	6.3	16	2	2	6	10	15	99 +	99 +
ALL AGES	100	15.2	252	2	3	9	20	33	54	74	39	8.1	110	1	2	6	10	20	80	99 +
SUBTOTAL	**207**	**15.1**	**227**	**2**	**2**	**9**	**21**	**36**	**53**	**74**	**68**	**9.9**	**182**	**1**	**2**	**6**	**11**	**34**	**64**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	4	47.0	686	12	12	51	65	74	74	74										
18-20	2	5.5	25	2	2	5	9	9	9	9										
21-24	4	19.5	883	3	3	5	35	64	64	64	2	6.5	1	6	6	6	7	7	7	7
25-34	7	9.9	78	2	2	5	15	24	26	26	6	13.7	264	1	1	5	28	39	40	40
35-54	23	13.8	130	1	3	11	20	28	41	44	8	10.9	237	2	2	5	10	37	48	48
55-74	18	12.9	151	2	3	9	20	42	77	99 +	7	8.0	21	2	2	7	11	14	15	15
75 +	12	9.5	57	2	2	9	18	37	88	99 +	6	17.8	852	3	3	6	12	70	77	77
ALL AGES	71	14.3	234	2	2	9	20	44	63	99 +	29	11.9	277	2	2	6	12	35	49	77
B. FEMALE																				
0-12 YRS.	3	25.3	229	11	11	24	37	41	41	41										
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	25.0		25	25	25	25	25	25	25
25-34	4	11.8	43	5	5	10	16	21	21	21	1	6.0		6	6	6	6	6	6	6
35-54	4	18.5	38	11	11	18	22	26	26	26										
55-74	11	20.8	342	2	3	17	25	54	56	56	5	4.4	12	1	1	4	6	10	10	10
75 +	16	12.4	65	2	3	12	18	25	26	27	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	39	16.1	160	2	3	12	23	27	48	56	9	7.3	53	1	1	5	9	19	25	25
SUBTOTAL	**110**	**15.0**	**205**	**2**	**3**	**11**	**20**	**40**	**56**	**99 +**	**38**	**10.8**	**226**	**1**	**2**	**6**	**10**	**27**	**45**	**77**
GRAND TOTAL	**317**	**15.1**	**218**	**2**	**3**	**10**	**21**	**37**	**53**	**82**	**106**	**10.2**	**197**	**1**	**2**	**6**	**11**	**32**	**53**	**99 +**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	90	2.0	7	1	1	1	2	4	6	16	101	1.5	2	1	1	1	2	3	4	52
13-17	69	1.9	2	1	1	1	2	4	4	81	75	2.8	24	1	1	1	3	7	8	33
18-20	43	6.5	244	1	1	2	4	9	28	98	57	5.1	50	1	1	3	6	10	22	37
21-24	55	6.4	213	1	1	2	4	11	34	86	94	5.6	26	1	1	5	7	10	14	29
25-34	104	5.7	108	1	1	3	5	9	24	83	226	5.6	21	1	1	5	7	10	12	25
35-54	79	7.8	211	1	1	4	6	14	53	94	219	6.1	18	1	2	6	7	10	15	23
55-74	47	5.7	31	1	1	4	8	11	11	36	57	7.2	122	1	1	4	8	12	19	75
75 +	17	5.9	17	1	2	5	7	13	14	15	14	8.9	149	1	2	4	11	23	41	46
ALL AGES	504	5.0	108	1	1	2	5	8	15	82	843	5.1	32	1	1	4	7	10	13	32
B. FEMALE																				
0-12 YRS.	51	1.8	5	1	1	1	2	3	4	17	77	1.8	4	1	1	1	2	3	9	76
13-17	38	5.2	158	1	1	2	4	5	35	60	47	4.3	110	1	1	2	4	8	9	73
18-20	28	2.8	8	1	1	2	3	7	9	13	40	4.0	8	1	1	3	6	8	9	10
21-24	42	4.8	113	1	1	2	5	7	11	70	63	5.6	31	1	1	5	7	9	12	34
25-34	91	5.4	96	1	1	3	6	9	14	64	154	6.1	69	1	1	5	8	11	13	22
35-54	87	5.0	19	1	1	4	7	9	14	24	186	6.2	21	1	2	6	8	11	14	25
55-74	62	4.8	20	1	2	4	6	8	10	31	61	6.8	23	1	2	6	9	13	17	23
75 +	31	8.0	64	1	1	5	9	16	30	35	41	7.7	134	1	2	5	8	13	16	75
ALL AGES	430	4.7	59	1	1	3	5	9	13	39	669	5.5	46	1	1	4	7	10	13	30
SUBTOTAL	**934**	**4.9**	**85**	**1**	**1**	**2**	**5**	**9**	**14**	**69**	**1512**	**5.3**	**38**	**1**	**1**	**4**	**7**	**10**	**13**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	2	6.0	8	4	4	8	77	99 +	99 +	99 +
13-17	4	7.0	29	2	2	6	11	13	13	13										
18-20	6	6.7	43	1	1	3	14	16	16	16	2	16.5	365	3	3	16	30	30	30	30
21-24	4	4.3	26	1	1	2	7	12	12	12	5	2.0	2	1	1	1	3	4	4	4
25-34	21	4.8	13	1	1	4	7	11	12	13	7	3.7	4	1	1	4	5	6	6	6
35-54	23	9.2	82	1	2	6	12	22	29	37	10	6.8	32	1	2	5	9	16	20	20
55-74	8	7.5	79	1	2	5	7	22	29	29	4	9.5	136	3	3	4	16	27	27	27
75 +	3	15.3	72	10	10	11	21	25	25	25	5	9.4	65	2	2	8	12	23	23	23
ALL AGES	72	7.1	51	1	1	4	10	15	24	35	35	6.7	53	1	1	4	8	23	29	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
13-17	1	1.0		1	1	1	1	1	1	1	3	2.0		2	2	2	2	2	2	2
18-20	5	4.6	20	1	1	4	7	12	12	12	2	7.0	50	2	2	7	12	12	12	12
21-24	6	7.0	3	4	4	7	8	9	9	9	4	8.3	46	2	2	7	14	16	16	16
25-34	14	9.2	167	2	2	5	6	32	43	46	3	4.3	3	3	3	4	5	6	6	6
35-54	14	7.3	37	1	1	5	11	15	20	22	12	5.3	22	1	1	4	8	13	14	14
55-74	6	11.0	134	2	2	7	14	31	33	33	5	8.2	150	1	1	3	10	30	30	30
75 +	5	8.6	62	2	2	7	11	22	22	22	7	7.9	20	3	3	7	9	15	17	17
ALL AGES	52	7.8	77	1	1	5	9	16	30	46	37	6.2	36	1	1	4	8	14	17	30
SUBTOTAL	**124**	**7.4**	**62**	**1**	**1**	**5**	**9**	**15**	**24**	**39**	**72**	**6.4**	**44**	**1**	**1**	**4**	**8**	**16**	**26**	**84**
GRAND TOTAL	**1058**	**5.2**	**83**	**1**	**1**	**3**	**5**	**10**	**15**	**62**	**1584**	**5.3**	**39**	**1**	**1**	**4**	**7**	**10**	**14**	**31**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	200	5	5	15	25	25	25	25										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	24.0		24	24	24	24	24	24	24										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	3	11.3	50	4	4	12	16	18	18	18										
35-54	4	7.8	20	3	3	7	11	14	14	14	2	13.0	162	4	4	13	22	22	22	22
55-74	10	15.5	245	4	5	9	17	41	56	56										
75 +	6	7.7	11	2	2	8	11	11	11	11	7	13.4	77	4	4	11	21	26	27	27
ALL AGES	27	12.2	119	3	4	9	14	25	30	56	10	12.2	81	2	3	10	22	25	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	18.7	238	3	3	19	30	34	34	34										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	74.0		74	74	74	74	74	74	74	1	8.0		8	8	8	8	8	8	8
35-54	3	14.7	205	4	4	9	25	31	31	31	1	7.0		7	7	7	7	7	7	7
55-74	12	14.9	368	2	3	9	16	35	68	73	1	33.0		33	33	33	33	33	33	33
75 +	10	11.0	69	2	2	11	16	58	96	99 +	6	10.5	46	4	4	9	14	21	22	22
ALL AGES	31	15.3	314	2	3	11	18	46	74	99 +	9	12.3	91	4	4	8	16	29	33	33
SUBTOTAL	**58**	**13.9**	**221**	**2**	**3**	**9**	**17**	**31**	**65**	**98**	**19**	**12.3**	**80**	**3**	**4**	**10**	**20**	**25**	**30**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	99.0		99	99	99	99	99	99 +	99 +
18-20	1	45.0		45	45	45	45	45	45	45										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	48.0	2888	10	10	48	86	86	86	86										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	4	15.8	171	3	3	13	24	34	34	34	2	12.5	25	9	9	12	16	16	16	16
75 +	2	30.5	41	26	26	30	35	35	35	35	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	25.2	604	3	3	15	35	61	84	86	4	31.5	2058	2	2	12	57	99	99	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34	2	10.0	18	7	7	10	13	13	13	13										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	4	9.5	36	4	4	8	13	18	18	18	1	14.0		14	14	14	14	14	14	14
75 +	4	16.3	248	3	3	11	26	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	12	11.1	99	2	3	8	13	24	37	39	3	7.3	35	3	3	5	12	14	14	14
SUBTOTAL	**23**	**17.8**	**377**	**2**	**3**	**10**	**24**	**40**	**59**	**86**	**7**	**21.1**	**1209**	**2**	**2**	**9**	**15**	**82**	**99**	**99 +**
GRAND TOTAL	**81**	**15.0**	**265**	**2**	**3**	**9**	**18**	**34**	**63**	**96**	**26**	**14.7**	**363**	**2**	**3**	**9**	**16**	**27**	**46**	**99**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	5.0	32	1	1	5	9	9	9	9											
13-17	2	20.5	421	6	6	20	35	35	35	35	1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	5	1	1	2	4	4	4	4	2	48.5	145	40	40	48	57	57	57	57
21-24	3	9.3	6	8	8	8	11	12	12	12	1	12.0		12	12	12	12	12	12	12
25-34	14	12.9	364	1	1	7	14	38	64	72	5	8.4	52	2	2	7	12	20	20	20
35-54	38	10.9	122	1	1	5	16	30	35	38	13	8.0	26	1	2	7	10	16	18	18
55-74	148	11.5	141	1	2	8	14	24	40	72	80	7.1	27	1	2	6	9	13	16	31
75 +	195	10.0	83	2	3	7	12	22	33	44	178	8.4	113	2	2	7	9	16	23	99 +
ALL AGES	404	10.7	118	1	2	7	13	24	35	66	280	8.3	94	1	2	6	10	16	20	99
B. FEMALE																					
0-12 YRS.	3	3.0	4	1	1	4	52	99 +	99 +	99 +	3	5.3	10	2	2	6	7	8	8	8
13-17	7	19.4	536	1	1	16	20	59	69	69										
18-20											2	6.5	41	2	2	6	11	11	11	11
21-24	3	4.7	10	1	1	6	53	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
25-34	7	11.6	68	3	3	12	18	23	24	24	3	14.7	104	6	6	12	22	26	26	26
35-54	28	6.1	14	1	2	6	9	11	14	14	15	8.9	150	1	2	3	10	26	41	46
55-74	138	10.9	98	2	3	8	14	22	26	62	82	6.2	39	1	2	5	7	11	24	99 +
75 +	367	10.3	106	2	2	7	13	23	36	99 +	329	8.9	106	1	2	6	11	18	32	99 +
ALL AGES	553	10.3	104	1	2	8	13	22	33	99 +	435	8.4	94	1	2	6	10	18	32	99 +
SUBTOTAL	**957**	**10.5**	**109**	**1**	**2**	**8**	**13**	**23**	**34**	**80**	**715**	**8.4**	**93**	**1**	**2**	**6**	**10**	**17**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	6	13.3	105	2	2	12	22	26	27	27	2	7.0	72	1	1	7	13	13	13	13
18-20	5	12.0	214	1	1	9	17	37	37	37	1	2.0		2	2	2	2	2	2	2
21-24	11	8.3	39	2	2	6	13	17	21	21	2	35.5	1405	9	9	35	62	62	62	62
25-34	25	17.7	230	2	3	16	28	43	48	54	2	3.0	2	2	2	3	4	4	4	4
35-54	56	12.4	133	1	1	11	18	24	37	58	12	5.3	42	1	1	3	5	15	23	24
55-74	100	13.8	169	2	3	10	17	27	35	74	36	8.0	93	2	2	5	8	17	22	56
75 +	97	9.6	47	2	4	8	12	17	24	75	41	9.4	67	2	3	8	13	20	34	99 +
ALL AGES	300	12.2	128	2	2	9	16	25	35	60	96	8.7	100	2	2	5	10	19	27	82
B. FEMALE																					
0-12 YRS.	2	43.5	113	36	36	43	51	51	51	51	1	17.0		17	17	58	99 +	99 +	99 +	99 +
13-17	3	9.3	87	3	3	5	16	20	20	20	1	2.0		2	2	2	2	2	2	2
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	2.0	4	1	1	1	3	5	5	5	3	2.7	8	1	1	1	5	6	6	6
25-34	10	5.1	10	2	2	4	8	10	11	11										
35-54	33	16.5	305	3	3	11	21	34	39	95	2	5.0	18	2	2	5	8	8	8	8
55-74	116	13.7	126	3	4	11	19	25	39	83	39	12.5	162	2	3	9	12	39	42	53
75 +	134	11.8	126	2	3	9	15	31	58	99 +	73	8.7	91	2	3	7	9	20	45	99 +
ALL AGES	302	12.9	149	2	3	10	16	28	47	99 +	120	9.7	113	2	3	7	12	24	45	99 +
SUBTOTAL	**602**	**12.6**	**137**	**2**	**3**	**9**	**16**	**27**	**40**	**99 +**	**216**	**9.3**	**106**	**2**	**2**	**6**	**11**	**21**	**41**	**99 +**
GRAND TOTAL	**1559**	**11.3**	**121**	**2**	**3**	**8**	**14**	**25**	**36**	**98**	**931**	**8.6**	**96**	**2**	**2**	**6**	**10**	**17**	**30**	**99 +**

Total U.S. January - December 1986

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	10.1	225	1	1	4	9	38	48	51	2	28.0	1152	4	4	28	52	52	52	52
13-17	59	10.4	189	1	1	5	13	23	43	67	14	4.5	65	1	1	2	3	9	27	32
18-20	21	7.6	60	1	1	4	10	15	24	34	13	3.3	6	1	1	2	5	7	8	8
21-24	41	8.8	68	1	1	7	11	24	28	31	7	1.7	1	1	1	2	2	3	3	3
25-34	118	8.7	84	1	1	6	13	21	27	74	32	7.3	46	1	1	5	10	19	22	28
35-54	236	8.8	96	1	1	5	12	19	28	48	70	5.6	56	1	1	4	7	9	15	51
55-74	153	10.1	78	2	2	7	14	22	32	38	80	7.2	67	2	2	5	8	14	20	51
75 +	76	10.2	119	1	2	6	11	23	34	51	45	7.7	31	2	3	6	9	16	19	30
ALL AGES	718	9.3	100	1	1	6	12	22	30	51	263	6.6	58	1	1	4	8	13	19	50
B. FEMALE																				
0-12 YRS.	11	12.1	198	1	2	5	13	39	43	43	2	16.5	313	4	4	16	29	29	29	29
13-17	116	12.2	300	1	1	4	15	30	44	88	30	7.0	152	1	1	3	4	23	43	49
18-20	56	8.1	120	1	1	4	10	22	28	53	15	10.8	525	1	1	3	8	23	74	91
21-24	94	7.0	47	1	1	4	12	16	21	30	44	3.6	31	1	1	2	4	5	10	37
25-34	327	9.1	120	1	1	6	11	20	29	49	123	6.8	85	1	1	3	7	20	28	44
35-54	484	9.1	72	1	1	6	13	19	27	39	233	5.4	40	1	1	4	6	10	17	39
55-74	392	11.6	106	2	2	8	15	26	31	46	184	6.3	25	1	2	5	8	12	17	26
75 +	177	10.3	93	2	3	7	14	23	27	55	106	8.4	124	1	2	6	10	16	24	70
ALL AGES	1657	9.9	110	1	1	6	14	22	29	49	737	6.4	71	1	1	4	7	12	22	42
SUBTOTAL	**2375**	**9.7**	**108**	**1**	**1**	**6**	**13**	**22**	**29**	**50**	**1000**	**6.4**	**68**	**1**	**1**	**4**	**7**	**12**	**21**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	23.4	698	2	2	15	42	86	96	99 +	4	32.5	1084	4	4	32	61	62	62	62
13-17	76	18.5	255	2	3	14	27	36	56	66	6	10.5	321	1	1	2	37	89	99 +	99 +
18-20	42	12.3	168	1	1	8	18	29	43	57	4	3.8	10	1	1	3	6	7	7	7
21-24	67	7.6	92	1	1	4	11	15	22	59	8	4.6	15	1	1	3	6	11	13	13
25-34	232	8.7	65	1	1	6	12	21	25	36	35	5.3	36	1	1	3	7	13	20	28
35-54	262	10.1	83	1	2	7	14	23	28	44	59	6.5	47	1	1	5	8	17	25	29
55-74	116	10.7	75	2	2	9	14	22	28	41	42	7.1	42	1	2	5	9	12	25	30
75 +	23	14.5	196	2	4	10	19	36	45	57	17	7.4	47	1	1	5	10	20	21	21
ALL AGES	832	10.8	120	1	2	8	14	25	32	58	175	7.1	82	1	1	4	8	17	26	61
B. FEMALE																				
0-12 YRS.	7	24.6	659	3	3	7	44	64	68	68	1	64.0		64	64	64	64	64	64	64
13-17	124	19.1	384	1	2	12	25	52	71	99 +	20	9.1	401	1	1	3	5	22	61	88
18-20	61	12.0	200	2	2	7	13	38	42	65	15	7.2	74	2	2	3	7	21	30	33
21-24	101	8.8	85	1	1	5	12	21	32	74	19	5.5	34	1	1	3	7	16	19	20
25-34	329	10.2	105	1	1	7	14	25	30	55	82	6.9	50	1	1	4	10	16	28	78
35-54	367	10.6	107	1	1	7	14	23	31	50	108	6.5	37	1	2	4	8	13	22	30
55-74	181	12.8	128	2	3	10	16	27	32	62	70	6.6	80	1	2	5	7	12	17	62
75 +	78	11.7	101	2	2	9	15	22	37	48	32	7.5	24	3	3	6	9	15	16	25
ALL AGES	1248	11.7	150	1	2	8	15	27	38	66	347	7.0	78	1	1	4	8	14	21	64
SUBTOTAL	**2080**	**11.4**	**137**	**1**	**2**	**8**	**15**	**26**	**35**	**64**	**522**	**7.0**	**80**	**1**	**1**	**4**	**8**	**15**	**23**	**63**
GRAND TOTAL	**4455**	**10.5**	**122**	**1**	**1**	**7**	**14**	**24**	**32**	**58**	**1522**	**6.6**	**72**	**1**	**1**	**4**	**8**	**13**	**22**	**47**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	73	26.2	410	4	6	22	35	65	98	99 +	5	42.6	707	4	8	44	79	98	99 +	99 +
13-17	170	23.1	421	1	3	18	37	60	91	99 +	5	33.4	1206	3	5	70	99 +	99 +	99 +	99 +
18-20	7	7.4	16	1	1	8	11	11	11	11										
21-24	3	6.3	35	2	2	4	11	13	13	13										
25-34	4	9.5	62	4	4	6	14	21	21	21	1	27.0		27	27	27	27	27	27	27
35-54	3	9.0	112	1	1	5	17	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74	1	29.0		29	29	29	29	29	29	29										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	262	23.0	404	1	4	19	32	60	92	99 +	12	34.8	782	3	4	44	91	99 +	99 +	99 +
B. FEMALE																					
0-12 YRS.	23	21.9	461	2	3	15	33	76	86	99 +	1	3.0		3	3	3	3	3	3	3
13-17	62	20.7	420	1	2	14	34	58	66	97	2	9.0	50	4	4	14	78	99 +	99 +	99 +
18-20	1	23.0		23	23	23	23	23	23	23										
21-24																				
25-34	3	5.3	2	4	4	6	6	6	6	6										
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	90	20.5	408	1	3	13	31	58	76	99 +	3	7.0	37	3	3	9	57	99 +	99 +	99 +
SUBTOTAL	**352**	**22.3**	**408**	**1**	**3**	**18**	**32**	**60**	**79**	**99 +**	**15**	**29.2**	**755**	**3**	**3**	**42**	**91**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	108	36.3	654	4	7	36	59	97	99 +	99 +	9	36.1	1394	3	3	27	89	97	99 +	99 +
13-17	198	27.9	540	3	4	23	42	76	94	99 +	9	20.2	245	4	4	22	40	70	99 +	99 +
18-20	1	4.0		4	4	4	4	4	4	4	1	29.0		29	29	29	29	29	29	29
21-24																				
25-34	4	3.8	4	2	2	4	5	6	6	6	2	4.0	2	3	3	4	5	5	5	5
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	315	30.1	598	3	4	26	51	80	99 +	99 +	23	23.9	740	2	3	22	40	95	99 +	99 +
B. FEMALE																					
0-12 YRS.	28	26.7	316	2	4	23	43	57	68	99 +	1	40.0		40	40	99 +	99 +	99 +	99 +	99 +
13-17	57	36.9	620	3	5	37	56	82	98	99 +	3	45.3	77	39	39	42	52	55	55	55
18-20	3	23.0	603	2	2	17 -	42	50	50	50										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	91	32.5	535	3	4	29	50	71	97	99 +	6	31.3	431	1	4	41	77	99 +	99 +	99 +
SUBTOTAL	**406**	**30.[illegible]**	**580**	**3**	**4**	**27**	**50**	**79**	**99 +**	**99 +**	**29**	**25.4**	**669**	**2**	**3**	**23**	**45**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**758**	**26.8**	**517**	**2**	**4**	**21**	**43**	**72**	**97**	**99 +**	**44**	**26.7**	**684**	**3**	**3**	**29**	**68**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	32.6	817	2	5	35	54	89	97	99 +	1	11.0		11	11	11	11	11	11	11
13-17	36	27.9	605	2	5	31	46	96	99 +	99 +	2	29.5	113	22	22	29	37	37	37	37
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34	2	10.5	25	7	7	10	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	53	28.1	638	2	5	28	45	91	99 +	99 +	3	23.3	173	11	11	22	33	37	37	37
B. FEMALE																				
0-12 YRS.	9	15.7	285	2	2	10	21	45	45	45	2	1.0		1	1	1	1	1	1	1
13-17	44	32.7	525	3	5	28	57	75	99 +	99 +										
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	56	28.9	507	2	3	25	52	71	91	99 +	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**109**	**28.5**	**566**	**2**	**4**	**25**	**49**	**82**	**99 +**	**99 +**	**5**	**14.4**	**235**	**1**	**1**	**11**	**26**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	28.3	461	2	4	30	48	76	99 +	99 +	3	72.3	212	60	60	69	83	88	88	88
13-17	67	33.5	909	3	3	23	59	85	91	99	1	30.0		30	30	30	30	30	30	30
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	1	52.0		52	52	52	52	52	52	52										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	92	31.8	794	3	3	25	57	84	93	99 +	4	61.8	576	30	30	64	78	88	88	88
B. FEMALE																				
0-12 YRS.	8	35.0	777	1	3	36	57	67	72	72										
13-17	69	30.0	742	2	3	24	50	78	85	94	4	33.8	166	17	17	36	44	46	46	46
18-20	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	80	29.5	737	1	2	21	51	75	83	94	6	23.3	365	2	2	23	42	46	46	46
SUBTOTAL	**172**	**30.7**	**766**	**2**	**3**	**24**	**55**	**78**	**89**	**99 +**	**10**	**38.7**	**790**	**2**	**2**	**36**	**60**	**78**	**88**	**88**
GRAND TOTAL	**281**	**29.9**	**684**	**2**	**3**	**25**	**53**	**80**	**92**	**99 +**	**15**	**30.6**	**716**	**1**	**1**	**30**	**45**	**69**	**83**	**88**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	43	33.9	573	4	7	36	54	82	99 +	99 +	6	25.5	1210	2	2	9	41	85	90	90
13-17	237	23.6	430	2	3	19	39	71	99 +	99 +	13	9.2	136	1	1	3	14	27	38	41
18-20	10	19.2	425	1	1	8	44	49	50	50	2	14.0	200	4	4	14	24	24	24	24
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	292	24.9	461	2	3	20	42	71	99 +	99 +	22	13.7	436	1	1	4	15	41	61	90
B. FEMALE																				
0-12 YRS.	26	21.7	412	2	4	17	29	64	88	99 +	5	13.2	337	1	1	8	45	94	99 +	99 +
13-17	248	22.6	382	2	3	17	33	57	72	99 +	17	14.2	434	1	1	8	16	25	67	89
18-20	3	22.7	320	9	9	16	36	43	43	43	1	40.0		40	40	40	40	40	40	40
21-24	2	26.0	968	4	4	26	48	48	48	48	1	23.0		23	23	23	23	23	23	23
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	279	22.5	384	2	3	17	32	57	72	99 +	24	15.4	393	1	1	9	23	45	92	99 +
SUBTOTAL	**571**	**23.7**	**426**	**2**	**3**	**19**	**38**	**63**	**87**	**99 +**	**46**	**14.6**	**404**	**1**	**1**	**7**	**22**	**41**	**89**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	73	36.4	513	5	7	40	50	76	96	99 +	3	10.0	243	1	1	1	21	28	28	28
13-17	269	25.3	430	2	3	21	39	56	72	98	57	32.3	439	1	2	40	44	50	95	99 +
18-20	14	16.9	167	1	2	13	29	36	38	38	6	30.5	246	3	5	33	39	47	48	48
21-24	1	16.0		16	16	16	16	16	16	16										
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	357	27.2	459	2	3	24	42	60	78	99 +	67	30.7	433	1	2	39	44	49	93	99 +
B. FEMALE																				
0-12 YRS.	32	34.0	687	2	4	35	59	99	99 +	99 +	2	36.5	61	31	31	36	42	42	42	42
13-17	254	25.2	495	2	3	19	38	61	85	99 +	33	28.3	249	2	3	33	43	55	99 +	99 +
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	2	12.5	13	10	10	12	15	15	15	15										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	291	25.9	517	2	3	20	40	70	89	99 +	35	28.8	238	2	3	33	42	53	99 +	99 +
SUBTOTAL	**648**	**26.6**	**486**	**2**	**3**	**22**	**41**	**61**	**84**	**99 +**	**102**	**30.1**	**360**	**1**	**2**	**38**	**44**	**49**	**97**	**99 +**
GRAND TOTAL	**1219**	**25.3**	**456**	**2**	**3**	**20**	**40**	**62**	**85**	**99 +**	**148**	**25.3**	**422**	**1**	**1**	**25**	**42**	**48**	**92**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	21.6	392	3	3	11	41	48	49	49	1	5.0		5	5	52	99 +	99 +	99 +	99 +
13-17	23	17.6	279	1	2	9	31	41	49	56	4	14.5	120	2	2	15	23	26	26	26
18-20	10	15.5	81	4	5	13	23	29	29	29										
21-24	13	11.4	196	3	3	7	14	28	49	54	1	4.0		4	4	4	4	4	4	4
25-34	34	11.2	120	1	2	8	14	27	36	46	1	5.0		5	5	5	5	5	5	5
35-54	16	8.5	184	1	1	3	10	22	45	54	1	5.0		5	5	5	5	5	5	5
55-74	7	12.0	148	1	1	11	18	32	35	35										
75 +	2	11.0	72	5	5	11	17	17	17	17	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	112	13.2	188	1	1	8	19	35	45	55	10	9.2	63	2	3	6	18	56	96	99 +
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	8	18.4	154	4	5	17	22	38	44	44	1	1.0		1	1	1	1	1	1	1
18-20	7	20.0	148	5	6	19	29	36	38	38										
21-24	4	5.5	14	1	1	5	8	10	10	10										
25-34	7	18.7	153	3	4	18	25	37	40	40										
35-54	5	17.0	520	2	2	7	25	57	57	57										
55-74																				
75 +																				
ALL AGES	32	17.6	195	2	4	14	25	39	44	57	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**144**	**14.2**	**191**	**1**	**2**	**9**	**21**	**36**	**44**	**56**	**11**	**8.5**	**62**	**1**	**2**	**6**	**15**	**48**	**93**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	18.4	47	8	8	22	23	25	25	25	1	99.0		99	99	99	99	99	99 +	99 +
13-17	30	14.5	221	1	1	10	22	42	48	53	4	26.3	899	2	2	19	50	65	65	65
18-20	22	12.9	66	2	3	11	18	25	30	32	2	3.0	2	2	2	3	4	4	4	4
21-24	12	8.5	135	1	1	5	9	21	41	44	1	3.0		3	3	3	3	3	3	3
25-34	28	11.2	104	2	2	7	16	27	31	41	4	13.0	102	1	1	13	21	24	24	24
35-54	20	8.7	65	2	2	7	9	19	29	35	2	11.0	8	9	9	11	13	13	13	13
55-74	16	18.5	243	2	3	14	30	42	45	47										
75 +	4	13.5	171	5	5	8	21	33	33	33										
ALL AGES	137	12.8	140	1	2	8	18	30	41	49	14	20.5	819	1	2	9	24	68	92	99
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	5	19.0	632	2	2	9	30	62	62	62										
18-20	2	19.5	25	16	16	19	23	23	23	23										
21-24	4	12.5	156	1	1	9	21	30	30	30	5	39.8	1396	4	4	43	57	98	98	98
25-34	9	9.3	21	4	5	8	13	16	17	17										
35-54	8	11.6	106	1	2	9	17	29	31	31	1	3.0		3	3	3	3	3	3	3
55-74	2	7.5	1	7	7	7	8	8	8	8										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	32	13.1	148	1	2	9	17	27	31	62	6	33.7	1340	3	3	26	44	93	98	98
SUBTOTAL	**169**	**12.8**	**142**	**1**	**2**	**8**	**18**	**30**	**40**	**52**	**20**	**24.5**	**949**	**1**	**2**	**10**	**39**	**81**	**98**	**99**
GRAND TOTAL	**313**	**13.5**	**163**	**1**	**2**	**9**	**19**	**31**	**42**	**55**	**31**	**18.8**	**683**	**1**	**2**	**9**	**25**	**75**	**99**	**99 +**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	12.0	162	3	3	12	21	21	21	21	1	4.0		4	4	4	4	4	4	4
13-17	5	15.0	202	4	4	5	30	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	14.1	165	3	3	5	27	31	32	32	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	13	15.8	110	6	7	10	23	33	37	38										
18-20																				
21-24																				
25-34																				
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	15	14.8	106	4	6	10	21	32	36	38	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**22**	**14.6**	**117**	**3**	**4**	**10**	**22**	**32**	**35**	**38**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	1	2.0		2	2	2	2	2	2	2
13-17	3	25.0	525	5	5	20	42	50	50	50										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	28.0		26	28	28	28	28	28	28										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	8	17.8	249	3	3	16	24	43	50	50	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.7	10	3	3	8	9	9	9	9										
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	5	5.0	12	1	1	4	8	9	9	9										
SUBTOTAL	**13**	**12.8**	**193**	**1**	**2**	**8**	**20**	**32**	**47**	**50**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**35**	**13.9**	**142**	**3**	**3**	**9**	**21**	**32**	**37**	**50**	**5**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	7.3	174	1	1	3	7	71	99 +	99 +	4	2.0	1	1	1	2	3	3	3	3
13-17	7	15.6	294	1	1	6	27	44	47	47	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	7	17.0	319	1	1	12	27	46	50	50										
25-34	5	5.6	45	1	1	3	9	17	17	17										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	32	10.9	198	1	1	5	17	43	50	99 +	5	1.8	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	15	8.2	136	1	1	2	8	22	38	43	2	10.5	181	1	1	10	20	20	20	20
13-17	6	9.5	53	2	2	7	17	20	20	20	3	2.0	1	1	1	2	3	3	3	3
18-20	2	7.0	50	2	2	7	12	12	12	12	1	22.0		22	22	22	22	22	22	22
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	14.7	24	10	10	14	18	20	20	20										
35-54	2	13.0	72	7	7	13	19	19	19	19	1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	31	8.8	87	1	1	7	13	20	22	43	7	7.4	87	1	1	3	16	22	22	22
SUBTOTAL	**63**	**9.9**	**142**	**1**	**1**	**6**	**16**	**30**	**44**	**93**	12	5.1	56	1	1	2	3	21	22	22
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0	1352	10	10	36	62	62	62	62										
13-17	7	20.1	770	3	3	14	15	69	82	82										
18-20																				
21-24																				
25-34	5	5.2	17	2	2	4	7	12	12	12	2	5.0	32	1	1	4	9	9	9	9
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	17	14.8	495	2	2	6	14	53	75	82	2	5.0	32	1	1	4	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	8	22.1	645	1	1	14	32	65	76	76										
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	20.8	450	1	1	15	28	50	72	76	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**29**	**17.3**	**468**	**1**	**2**	**10**	**20**	**53**	**76**	**82**	4	3.5	14	1	1	2	6	9	9	9
GRAND TOTAL	**92**	**12.2**	**253**	**1**	**1**	**6**	**17**	**33**	**50**	**92**	16	4.7	44	1	1	2	3	19	21	22

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	14.1	266	1	2	6	16	47	50	53	11	8.0	103	1	2	4	6	26	33	34
13-17	71	20.5	422	1	2	15	29	47	75	99	12	9.0	264	1	1	3	7	28	55	59
18-20	8	5.5	15	1	1	5	8	11	12	12	1	1.0		1	1	1	1	1	1	1
21-24	9	11.6	337	3	3	5	9	41	60	60	1	3.0		3	3	3	3	3	3	3
25-34	5	6.8	61	1	1	2	13	18	18	18	3	6.0	75	1	1	1	12	16	16	16
35-54	2	5.0	18	2	2	5	8	8	8	8	2	3.5	5	2	2	3	5	5	5	5
55-74	2	8.0		8	8	8	8	8	8	8										
75 +	3	7.7	36	2	2	7	12	14	14	14										
ALL AGES	132	16.2	340	1	2	8	25	45	56	98	30	7.5	146	1	1	3	6	18	34	59
B. FEMALE																				
0-12 YRS.	17	13.1	382	1	1	4	16	33	63	78	7	2.3	1	1	1	2	3	4	4	4
13-17	76	17.1	343	1	1	10	29	51	58	95	11	11.3	132	1	1	11	23	54	93	99 +
18-20	2	22.0		22	22	22	22	22	22	22	2	34.0	1922	3	3	34	65	65	65	65
21-24	3	4.7	9	2	2	4	7	8	8	8										
25-34	6	12.8	184	4	4	9	10	37	40	40										
35-54	6	11.3	44	2	2	13	16	19	19	19										
55-74																				
75 +	2	16.0	98	9	9	16	23	23	23	23										
ALL AGES	112	15.7	306	1	2	9	22	41	57	87	20	10.4	254	1	1	3	16	46	81	99 +
SUBTOTAL	**244**	**16.0**	**322**	**1**	**2**	**9**	**25**	**44**	**57**	**97**	**50**	**8.7**	**186**	**1**	**1**	**3**	**9**	**29**	**58**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	24	12.0	119	1	2	8	16	32	36	38	3	11.3	141	4	4	25	99 +	99 +	99 +	99 +
13-17	77	17.4	286	1	2	13	22	42	65	92	4	1.5	1	1	1	1	27	99 +	99 +	99 +
18-20	4	3.8	3	1	1	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	3	15.3	74	7	7	15	22	24	24	24										
25-34	6	21.2	1314	1	1	5	19	86	94	94										
35-54	3	4.7	2	3	3	5	6	6	6	6										
55-74	1	8.0		8	8	8	8	8	8	8	3	5.3	2	4	4	6	6	6	6	6
75 +																				
ALL AGES	118	15.6	280	1	2	11	19	37	58	96	11	5.5	46	1	1	5	25	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	8	25.9	803	5	6	13	37	75	85	85										
13-17	49	14.6	125	2	2	13	23	30	37	44	5	22.0	620	2	2	17	32	64	64	64
18-20	3	4.3	13	1	1	4	7	8	8	8										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	15.5	236	1	1	12	27	36	36	36										
35-54	7	6.9	17	2	2	6	11	13	13	13	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	73	14.4	201	1	2	11	20	30	38	78	6	18.5	569	1	1	11	22	60	64	64
SUBTOTAL	**191**	**15.1**	**250**	**1**	**2**	**11**	**20**	**35**	**51**	**90**	**17**	**10.1**	**247**	**1**	**1**	**5**	**23**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**435**	**15.6**	**290**	**1**	**2**	**9**	**22**	**39**	**56**	**94**	**67**	**9.0**	**200**	**1**	**1**	**4**	**14**	**44**	**98**	**99 +**

Total U.S. January - December 1986

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	19	24.1	182	2	6	26	37	68	99+	99+												
13-17	10	34.0	221	8	14	32	42	53	63	63												
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	29	27.5	211	3	8	28	42	53	98	99+												
B. FEMALE																						
0-12 YRS.	7	23.6	590	2	3	19	56	90	99+	99+												
13-17	11	34.8	427	3	10	33	46	68	68	68												
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	18	30.4	493	2	3	26	47	68	86	99+												
SUBTOTAL	**47**	**28.6**	**314**	**2**	**6**	**28**	**45**	**67**	**99+**	**99+**												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	26	40.5	478	4	10	42	59	97	99+	99+												
13-17	28	31.3	288	6	10	28	43	54	81	99+												
18-20	1	16.0		16	16	16	16	16	16	16												
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	55	35.4	391	5	10	38	49	80	99+	99+												
B. FEMALE																						
0-12 YRS.	8	42.3	471	21	23	40	57	97	99+	99+												
13-17	25	36.2	590	3	11	30	48	77	88	98												
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	33	37.7	551	5	13	32	47	86	97	99+												
SUBTOTAL	**88**	**36.2**	**451**	**5**	**12**	**35**	**48**	**81**	**99**	**99+**												
GRAND TOTAL	135	33.6	411	4	8	31	46	78	99+	99+												

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.0	128	9	9	17	25	25	25	25										
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	34.5	2113	2	2	34	67	67	67	67										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	34.5	2113	2	2	34	67	67	67	67	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**25.8**	**845**	**2**	**2**	**17**	**46**	**67**	**67**	**67**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59										
SUBTOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**										
GRAND TOTAL	**5**	**32.4**	**858**	**2**	**2**	**25**	**61**	**67**	**67**	**67**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	23.0	722	4	4	23	42	42	42	42										
13-17	3	22.3	365	4	4	21	37	42	42	42										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	22.6	362	4	4	21	42	42	42	42										
B. FEMALE																				
0-12 YRS.	2	59.5	221	49	49	59	70	70	70	70	1	1.0		1	1	1	1	1	1	1
13-17	2	8.5	85	2	2	15	79	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	34.0	969	2	2	49	77	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**27.7**	**578**	**2**	**3**	**31**	**49**	**85**	**99 +**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	13.0		13	13	13	13	13	13	13
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	30.7	198	18	18	28	41	46	46	46										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	30.7	198	18	18	28	41	46	46	46										
SUBTOTAL	**4**	**28.8**	**145**	**18**	**18**	**25**	**37**	**46**	**46**	**46**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**13**	**28.0**	**424**	**2**	**4**	**25**	**46**	**73**	**94**	**99 +**	**2**	**7.0**	**72**	**1**	**1**	**7**	**13**	**13**	**13**	**13**

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2										
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	50	30.0	423	2	8	28	43	57	81	99 +	3	16.0	367	3	3	7	30	38	38	38
13-17	71	26.1	392	3	6	22	40	65	77	99 +	5	41.8	585	7	7	48	62	64	64	64
18-20	4	3.8	6	1	1	3	5	7	7	7	1	43.0		43	43	43	43	43	43	43
21-24	1	25.0		25	25	25	25	25	25	25										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	126	27.0	403	2	5	22	41	60	80	99 +	9	33.3	556	3	4	38	51	63	64	64
B. FEMALE																				
0-12 YRS.	34	26.4	381	2	3	27	41	58	77	99 +	2	30.0	18	27	27	30	33	33	33	33
13-17	122	22.7	303	3	4	19	33	47	56	99	10	16.8	176	1	1	14	28	36	43	43
18-20	2	3.5	5	2	2	3	5	5	5	5										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	158	23.2	324	2	4	20	35	49	59	99 +	12	19.0	172	1	2	16	29	36	42	43
SUBTOTAL	**284**	**24.9**	**360**	**2**	**4**	**21**	**39**	**52**	**72**	**99 +**	**21**	**25.1**	**371**	**2**	**3**	**27**	**39**	**54**	**63**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	59	33.2	317	5	9	33	43	56	66	99 +	7	47.1	452	28	28	38	61	80	84	84
13-17	83	30.2	453	3	7	29	45	71	96	99 +	3	27.0	727	9	9	36	79	99 +	99 +	99 +
18-20	5	8.0	105	1	1	4	11	26	26	26										
21-24																				
25-34	2	6.0	32	2	2	6	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	149	30.4	401	3	6	30	43	65	84	99 +	10	41.1	555	9	12	38	61	90	99	99 +
B. FEMALE																				
0-12 YRS.	34	33.8	378	12	15	32	46	87	99 +	99 +	5	40.2	1335	3	3	55	84	98	99 +	99 +
13-17	114	26.3	408	3	5	23	38	55	66	95	8	20.8	286	1	2	15	36	44	47	47
18-20	3	28.3	435	13	13	20	44	52	52	52										
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	1	33.0		33	33	33	33	33	33	33										
55-74																				
75 +																				
ALL AGES	154	27.8	406	3	5	25	43	56	84	99 +	14	26.4	702	1	2	16	46	84	96	99 +
SUBTOTAL	**303**	**29.1**	**403**	**3**	**5**	**28**	**43**	**58**	**84**	**99 +**	**24**	**32.5**	**670**	**2**	**3**	**34**	**58**	**84**	**99 +**	**99 +**
GRAND TOTAL	**587**	**27.0**	**390**	**3**	**5**	**24**	**41**	**55**	**78**	**99 +**	**45**	**29.1**	**530**	**2**	**3**	**28**	**46**	**66**	**87**	**99 +**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	19.2	453	3	3	4	42	43	43	43	1	4.0		4	4	4	4	4	4	4
13-17	3	25.7	1295	1	1	9	52	67	67	67	2	2.5	5	1	1	2	4	4	4	4
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	19.3	609	1	1	4	42	57	67	67	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	7	5.1	23	1	1	3	6	13	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	5.1	23	1	1	3	6	13	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**16**	**13.1**	**387**	**1**	**1**	**4**	**12**	**43**	**60**	**67**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	2	9.0	2	8	8	9	10	10	10	10										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.0	4	8	8	10	11	12	12	12										
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	5	3.2	7	1	1	2	5	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	3.2	7	1	1	2	5	7	7	7	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**8**	**5.8**	**17**	**1**	**1**	**6**	**9**	**11**	**12**	**12**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**24**	**10.7**	**269**	**1**	**1**	**4**	**9**	**42**	**50**	**67**	**5**	**3.0**	**2**	**1**	**1**	**4**	**4**	**4**	**4**	**4**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	136	15.5	336	1	2	4	28	42	50	76	12	13.1	322	1	1	4	21	44	49	50
13-17	34	21.0	352	1	3	17	33	42	57	81	2	10.5	145	2	2	10	19	19	19	19
18-20	2	27.0	968	5	5	27	49	49	49	49	1	2.0		2	2	2	2	2	2	2
21-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	2	17.5	545	1	1	17	34	34	34	34										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	177	16.6	339	1	2	7	29	42	50	77	15	12.0	272	1	1	4	16	41	48	50
B. FEMALE																						
0-12 YRS.	33	16.8	263	2	2	11	28	36	54	64	5	25.8	1178	1	1	11	45	83	83	83
13-17	8	28.1	73	20	20	26	33	41	44	44										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	18.8	239	2	2	18	29	36	49	64	5	25.8	1178	1	1	11	45	83	83	83
SUBTOTAL	**219**	**17.0**	**320**	**1**	**2**	**9**	**29**	**42**	**50**	**76**	**20**	**15.5**	**485**	**1**	**1**	**4**	**25**	**45**	**66**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	137	29.6	520	2	3	27	50	70	86	99 +	17	18.0	638	1	1	7	56	89	99 +	99 +
13-17	75	27.0	534	3	4	22	44	69	90	99 +	7	20.9	351	3	3	18	37	46	48	48
18-20	4	17.3	89	9	9	14	23	31	31	31										
21-24	3	17.0	259	2	2	15	29	34	34	34										
25-34	3	25.7	78	20	20	21	32	36	36	36										
35-54	3	20.3	66	12	12	21	26	28	28	28										
55-74																				
75 +																				
ALL AGES	225	28.2	501	3	3	25	44	67	88	99 +	24	18.8	539	1	1	8	48	71	99 +	99 +
B. FEMALE																						
0-12 YRS.	53	30.9	304	5	11	28	45	58	82	99 +	7	24.0	819	1	1	4	51	65	67	67
13-17	13	27.8	296	5	7	35	41	48	54	56										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	2	14.5	145	6	6	14	23	23	23	23										
35-54	2	16.5	145	8	8	16	25	25	25	25										
55-74																				
75 +																				
ALL AGES	71	29.1	303	5	7	27	43	54	63	99 +	7	24.0	819	1	1	4	51	65	67	67
SUBTOTAL	**296**	**28.4**	**454**	**3**	**4**	**26**	**44**	**65**	**84**	**99 +**	**31**	**20.0**	**581**	**1**	**1**	**7**	**49**	**68**	**96**	**99 +**
GRAND TOTAL	**515**	**23.6**	**426**	**2**	**2**	**20**	**38**	**57**	**73**	**99 +**	**51**	**18.2**	**539**	**1**	**1**	**5**	**37**	**65**	**81**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	4	6.5	94	1	1	2	12	21	21	21	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	6.5	94	1	1	2	12	21	21	21	1	1.0		1	1	1	1	1	1	1

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	25.0		25	25	25	25	25	25	25
13-17	1	64.0		64	64	64	64	64	64	64										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**64.0**		**64**	**64**	**64**	**64**	**64**	**64**	**64**	**1**	**25.0**		**25**	**25**	**25**	**25**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42	2	47.0	288	35	35	47	59	59	59	59
13-17	1	48.0		48	48	48	48	48	48	48										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**45.0**	**18**	**42**	**42**	**45**	**48**	**48**	**48**	**48**	**2**	**47.0**	**288**	**35**	**35**	**47**	**59**	**59**	**59**	**59**
GRAND TOTAL	**3**	**51.3**	**134**	**42**	**42**	**48**	**60**	**64**	**64**	**64**	**3**	**39.7**	**301**	**25**	**25**	**35**	**53**	**59**	**59**	**59**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.												1	9.0		9	9	9	9	9	9	9	
13-17	1	1.0		1	1	1	1	1	1	1												
18-20	1	30.0		30	30	30	30	30	30	30												
21-24												1	4.0		4	4	4	4	4	4	4	
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	2	15.5	421	1	1	15	30	30	30	30		2	6.5	13	4	4	6	9	9	9	9	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**		**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	35.0		35	35	35	35	35	35	35		2	39.0	128	31	31	39	47	47	47	47	
13-17	3	12.0	108	6	6	6	20	24	24	24		2	27.0	1352	1	1	26	53	53	53	53	
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	4	17.8	202	6	6	15	29	35	35	35		4	33.0	541	1	1	39	50	53	53	53	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**4**	**17.8**	**202**	**6**	**6**	**15**	**29**	**35**	**35**	**35**		**4**	**33.0**	**541**	**1**	**1**	**39**	**50**	**53**	**53**	**53**	
GRAND TOTAL	**6**	**17.0**	**208**	**1**	**1**	**15**	**30**	**34**	**35**	**35**		**6**	**24.2**	**513**	**1**	**1**	**20**	**47**	**52**	**53**	**53**	

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	11.5	181	2	2	11	21	21	21	21										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	8.3	121	2	2	2	16	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	14.0		14	14	14	14	14	14	14
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	5	2.6	2	1	1	2	3	5	5	5	7	4.7	18	2	2	3	5	12	14	14
SUBTOTAL	**8**	**4.8**	**44**	**1**	**1**	**2**	**4**	**16**	**21**	**21**	**8**	**4.9**	**15**	**2**	**2**	**3**	**5**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	2	10.5	5	9	9	10	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**4**	**8.3**	**13**	**3**	**3**	**9**	**11**	**12**	**12**	**12**										
GRAND TOTAL	**12**	**5.9**	**35**	**1**	**1**	**3**	**9**	**15**	**20**	**21**	**8**	**4.9**	**15**	**2**	**2**	**3**	**5**	**12**	**14**	**14**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1030	17.7	367	1	1	10	30	48	66	99 +	269	6.5	191	1	1	2	4	27	47	99 +
13-17	3267	17.9	335	1	1	12	29	45	63	99 +	896	12.0	295	1	1	2	20	42	50	80
18-20	2023	11.9	170	1	1	7	18	30	38	59	577	10.1	160	1	1	4	18	28	34	46
21-24	3625	12.7	180	1	1	8	19	29	37	71	1061	11.4	126	1	1	6	21	28	30	42
25-34	12559	12.1	140	1	2	8	18	28	33	56	4339	11.3	123	1	1	6	21	28	30	41
35-54	15835	11.5	117	1	2	7	17	27	31	48	6149	10.5	113	1	2	5	18	28	30	39
55-74	8126	12.9	132	1	2	9	19	28	34	56	3539	9.4	103	1	2	5	11	27	30	41
75 +	2956	12.6	146	2	3	9	17	28	38	65	1615	8.6	95	1	2	6	10	19	28	98
ALL AGES	49421	12.6	156	1	2	8	19	29	37	64	18445	10.4	124	1	1	5	16	28	30	47
B. FEMALE																				
0-12 YRS.	698	16.3	343	1	1	9	27	46	62	99 +	242	6.7	196	1	1	2	4	21	35	99 +
13-17	4303	17.6	325	1	1	11	27	45	59	99 +	885	10.8	268	1	1	3	13	38	48	99 +
18-20	1968	12.3	196	1	1	7	17	30	42	70	510	9.0	187	1	1	3	9	28	36	66
21-24	3495	11.9	150	1	1	8	17	28	36	63	855	8.7	119	1	1	4	9	27	31	47
25-34	12584	12.4	138	1	2	9	17	28	35	58	3116	9.3	117	1	1	5	11	27	30	47
35-54	19143	13.1	132	1	2	10	18	28	35	56	4621	8.9	104	1	1	5	11	25	30	43
55-74	13737	15.6	165	2	3	13	21	32	41	66	3801	9.0	98	1	2	5	11	22	29	52
75 +	6194	14.3	177	2	3	10	19	32	42	81	2847	8.5	89	1	2	6	10	18	28	81
ALL AGES	62122	13.9	166	1	2	10	19	30	40	66	16877	9.0	116	1	1	5	10	25	30	55
SUBTOTAL	**111543**	**13.3**	**163**	**1**	**2**	**9**	**19**	**29**	**38**	**66**	**35322**	**9.7**	**121**	**1**	**1**	**5**	**13**	**28**	**30**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	926	29.9	495	2	4	29	46	69	92	99 +	116	28.6	866	1	2	24	62	98	99 +	99 +
13-17	4056	24.1	401	2	3	20	39	54	70	99 +	940	24.8	358	1	2	27	38	49	61	99 +
18-20	2136	14.3	184	1	2	10	22	31	41	69	712	15.2	186	1	1	10	27	32	36	55
21-24	3728	12.7	139	1	2	9	21	28	32	52	1363	13.8	140	1	2	9	24	30	32	41
25-34	13444	12.1	123	1	2	8	20	28	30	48	6207	11.6	117	1	2	6	21	28	30	40
35-54	15001	11.4	113	1	2	7	17	27	30	49	6822	9.3	92	1	2	5	12	27	29	37
55-74	5440	12.8	128	2	3	9	18	28	34	56	2662	8.8	77	2	2	5	10	22	29	39
75 +	1246	13.2	127	2	3	10	18	28	35	76	613	8.9	95	1	2	6	11	21	28	59
ALL AGES	45977	13.6	173	1	2	9	21	30	40	69	19435	11.4	135	1	2	5	20	29	32	50
B. FEMALE																				
0-12 YRS.	433	28.3	470	2	4	27	45	72	99 +	99 +	62	26.0	760	1	1	26	61	99	99 +	99 +
13-17	4049	23.0	412	2	3	18	36	57	76	99 +	747	21.3	424	1	1	17	37	53	72	99 +
18-20	1866	14.3	205	1	2	9	21	32	44	72	487	14.0	242	1	1	6	25	34	44	82
21-24	3471	13.3	175	1	2	9	20	30	38	71	877	11.8	169	1	1	5	21	30	34	53
25-34	11577	13.0	155	1	2	9	19	28	36	64	3196	10.7	119	1	2	6	16	28	31	45
35-54	13366	13.4	148	1	2	10	19	29	36	62	3658	9.1	89	1	2	5	11	26	30	39
55-74	7007	15.9	173	2	3	13	22	33	42	71	2135	9.2	97	1	2	5	11	23	30	45
75 +	2546	15.0	156	2	3	11	20	32	42	65	910	9.1	89	2	2	6	10	19	28	55
ALL AGES	44315	14.9	194	1	2	11	21	32	44	79	12072	10.8	144	1	2	6	14	29	34	60
SUBTOTAL	**90292**	**14.2**	**185**	**1**	**2**	**10**	**21**	**31**	**42**	**75**	**31507**	**11.1**	**140**	**1**	**2**	**6**	**17**	**29**	**33**	**54**
GRAND TOTAL	**201835**	**13.7**	**173**	**1**	**2**	**9**	**20**	**30**	**40**	**70**	**66829**	**10.4**	**130**	**1**	**1**	**5**	**14**	**28**	**31**	**53**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care
B. Psychiatric acute care not available
C. Psychiatric acute care provided by another hospital or provider
D. Hospital-based pediatric psychiatric acute care
E. Pediatric psychiatric acute care not available
F. Pediatric psychiatric acute care provided by another hospital or provider
G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				**Hospitals without a Psych Unit/Beds**			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 unspecified	
	1 subchronic	
	2 chronic	
	3 subchronic with acute exacerbation	
	4 chronic with acute exacerbation	
	5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe, without mention of psychotic behavior	
	4 severe, specified as with psychotic behavior	
	5 in partial or unspecified remission	
	6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.1	Zoophilia	86
302.2	Pedophilia	87
302.3	Transvestism	88
302.4	Exhibitionism	89
302.5	Trans-sexualism	90
302.50	With unspecified sexual history	90
302.51	With asexual history	90
302.52	With homosexual history	90
302.53	With heterosexual history	90
302.6	Disorders of psychosexual identity	91
302.7	Psychosexual dysfunction	92
302.70	Psychosexual dysfunction, unspecified	92
302.71	With inhibited sexual desire	92
302.72	With inhibited sexual excitement	92
302.73	With inhibited female orgasm	92
302.74	With inhibited male orgasm	92
302.75	With premature ejaculation	92
302.76	With functional dyspareunia	92
302.79	With other specified psychosexual dysfunctions	92
302.8	Other specified psychosexual disorders	93
302.81	Fetishism	93
302.82	Voyeurism	93
302.83	Sexual masochism	93
302.84	Sexual sadism	93
302.85	Gender identity disorder of adolescent or adult life	93
302.89	Other	93
302.9	Unspecified psychosexual disorder	94

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	95
303.9	Other and unspecified alcohol dependence	96
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	97
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	98
304.2	Cocaine dependence	99
304.3	Cannabis dependence	100
304.4	Amphetamine and other psychostimulant dependence	101
304.5	Hallucinogen dependence	102
304.6	Other specified drug dependence	103
304.7	Combinations of opioid type drug with any other	104
304.8	Combinations of drug dependence excluding opioid type drug	105
304.9	Unspecified drug dependence	106
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	107
305.1	Tobacco use disorder	108
305.2	Cannabis abuse	109
305.3	Hallucinogen abuse	110
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	111
305.5	Opioid abuse	112
305.6	Cocaine abuse	113
305.7	Amphetamine or related acting sympathomimetic abuse	114
305.8	Antidepressant type abuse	115
305.9	Other, mixed, or unspecified drug abuse	116
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	117
306.1	Respiratory	118
306.2	Cardiovascular	119
306.3	Skin	120
306.4	Gastrointestinal	121
306.5	Genitourinary	122
306.50	Psychogenic genitourinary malfunction, unspecified	122
306.51	Psychogenic vaginismus	122
306.52	Psychogenic dysmenorrhea	122
306.53	Psychogenic dysuria	122
306.59	Other	122
306.6	Endocrine	123

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
306.7	Organs of special sense	124
306.8	Other specified psychophysiological malfunction	125
306.9	Unspecified psychophysiological malfunction	126
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	127
307.1	Anorexia nervosa	128
307.2	Tics	129
307.20	Tic disorder, unspecified	129
307.21	Transient tic disorder of childhood	129
307.22	Chronic motor tic disorder	129
307.23	Gilles de la Tourette's disorder	129
307.3	Stereotyped repetitive movements	130
307.4	Specific disorders of sleep of nonorganic origin	131
307.40	Nonorganic sleep disorder, unspecified	131
307.41	Transient disorder of initiating or maintaining sleep	131
307.42	Persistent disorder of initiating or maintaining sleep	131
307.43	Transient disorder of initiating or maintaining wakefulness	131
307.44	Persistent disorder of initiating or maintaining wakefulness	131
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	131
307.46	Somnambulism or night terrors	131
307.47	Other dysfunctions of sleep stages or arousal from sleep	131
307.48	Repetitive intrusions of sleep	131
307.49	Other	131
307.5	Other and unspecified disorders of eating	132
307.50	Eating disorder, unspecified	132
307.51	Bulimia	132
307.52	Pica	132
307.53	Psychogenic rumination	132
307.54	Psychogenic vomiting	132
307.59	Other	132
307.6	Enuresis	133
307.7	Encopresis	134
307.8	Psychalgia	135
307.80	Psychogenic pain, site unspecified	135
307.81	Tension headache	135
307.89	Other	135
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	136
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	137
308.1	Predominant disturbance of consciousness	138
308.2	Predominant psychomotor disturbance	139
308.3	Other acute reactions to stress	140
308.4	Mixed disorders as reaction to stress	141
308.9	Unspecified acute reaction to stress	142
309	**Adjustment reaction**	
309.0	Brief depressive reaction	143
309.1	Prolonged depressive reaction	144
309.2	With predominant disturbance of other emotions	145
309.21	Separation anxiety disorder	145
309.22	Emancipation disorder of adolescence and early adult life	145
309.23	Specific academic or work inhibition	145
309.24	Adjustment reaction with anxious mood	145
309.28	Adjustment reaction with mixed emotional features	145

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.29	Other	145
309.3	With predominant disturbance of conduct	146
309.4	With mixed disturbance of emotions and conduct	147
309.8	Other specified adjustment reactions	148
309.81	Prolonged posttraumatic stress disorder	148
309.82	Adjustment reaction with physical symptoms	148
309.83	Adjustment reaction with withdrawal	148
309.89	Other	148
309.9	Unspecified adjustment reaction	149
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	150
310.1	Organic personality syndrome	151
310.2	Postconcussion syndrome	152
310.8	Other specified nonpsychotic mental disorders following organic brain damage	153
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	154
311	**Depressive disorder, not elsewhere classified**	155
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe	
312.0	Undersocialized conduct disorder, aggressive type	156
312.1	Undersocialized conduct disorder, unaggressive type	157
312.2	Socialized conduct disorder	158
312.3	Disorders of impulse control, not elsewhere classified	159
312.30	Impulse control disorder, unspecified	159
312.31	Pathological gambling	159
312.32	Kleptomania	159
312.33	Pyromania	159
312.34	Intermittent explosive disorder	159
312.35	Isolated explosive disorder	159
312.39	Other	159
312.4	Mixed disturbance of conduct and emotions	160
312.8	Other specified disturbances of conduct, not elsewhere classified	161
312.9	Unspecified disturbance of conduct	162
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	163
313.1	Misery and unhappiness disorder	164
313.2	Sensitivity, shyness, and social withdrawal disorder	165
313.21	Shyness disorder of childhood	165
313.22	Introverted disorder of childhood	165
313.23	Elective mutism	165
313.3	Relationship problems	166
313.8	Other or mixed emotional disturbances of childhood or adolescence	167
313.81	Oppositional disorder	167
313.82	Identity disorder	167
313.83	Academic underachievement disorder	167
313.89	Other	167
313.9	Unspecified emotional disturbance of childhood or adolescence	168
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	169
314.00	Without mention of hyperactivity	169

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
314.01	With hyperactivity	169
314.1	Hyperkinesis with developmental delay	170
314.2	Hyperkinetic conduct disorder	171
314.8	Other specified manifestations of hyperkinetic syndrome	172
314.9	Unspecified hyperkinetic syndrome	173
290-314.9	**All psychiatric diagnosis codes**	174

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	167
Acute alcoholic intoxication	303.0	95
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	145
Adjustment reaction with mixed emotional features	309.28	145
Adjustment reaction with physical symptoms	309.82	148
Adjustment reaction with withdrawal	309.83	148
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	107
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	95-96
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	101
Amphetamine or related acting sympathomimetic abuse	305.7	114
Anorexia nervosa	307.1	128
Antidepressant type abuse	305.8	115
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	169
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	98
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	111
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	143
Bulimia	307.51	132
Cannabis abuse	305.2	109
Cannabis dependence	304.3	100
Cardiovascular	306.2	119
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	129
Cocaine abuse	305.6	113
Cocaine dependence	304.2	99
Combinations of drug dependence excluding opioid type drug	304.8	105
Combinations of opioid type drug with any other	304.7	104
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	155
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	159
Disorders of psychosexual identity	302.6	91
Disorganized type	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	156-158
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	97-106
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	132
Elective mutism	313.23	165
Emancipation disorder of adolescence and early adult life	309.22	145
Encopresis	307.7	134
Endocrine-Physiological malfunction arising from mental factors	306.6	123
Enuresis	307.6	133
Excitative type psychosis	298.1	56
Exhibitionism	302.4	89
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	93
Frontal lobe syndrome	310.0	150
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	121
Gender identity disorder of adolescent or adult life	302.85	93
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	122
Gilles de la Tourette's disorder	307.23	129
Hallucinogen abuse	305.3	110
Hallucinogen dependence	304.5	102
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hyperkinesis with developmental delay	314.1	170
Hyperkinetic conduct disorder	314.2	171
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	167
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	159
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	159
Introverted disorder of childhood	313.22	165
Introverted personality	301.21	77
Isolated explosive disorder	312.35	159
Kleptomania	312.32	159
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	164
Mixed disorders as reaction to stress	308.4	141
Mixed disturbance of conduct and emotions	312.4	160
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	117
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	107-116
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	131
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	112
Opioid type dependence	304.0	97
Oppositional disorder	313.81	167
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	151
Organs of special sense-Physiological malfunction arising from mental factors	306.7	124
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	122
Other-Specific disorders of sleep of nonorganic origin	307.49	131
Other-Other and unspecified disorders of eating	307.59	132
Other-Psychalgia	307.89	135
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	145
Other-Other specified adjustment reactions	309.89	148
Other-Disorders of impulse control not elsewhere classified	312.39	159
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	167
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and specified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	93
Other acute reactions to stress	308.3	140
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	96
Other and unspecified disorders of eating	307.5	132
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	136
Other dysfunctions of sleep stages or arousal from sleep	307.47	131
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	116
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	167
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	148
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	161
Other specified drug dependence	304.6	103

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	172
Other specified nonpsychotic mental disorders following organic brain damage	310.8	153
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	125
Other specified psychosexual disorders	302.8	93
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	163
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	159
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining wakefulness	307.44	131
Persistent disorder of initiating or maintaining sleep	307.42	131
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	131
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	132
Postconcussion syndrome	310.2	152
Predominant disturbance of consciousness	308.1	138
Predominant disturbance of emotions	308.0	137
Predominant psychomotor disturbance	308.2	139
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	144
Prolonged posttraumatic stress disorder	309.81	148
Psychalgia	307.8	135
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	122
Psychogenic dysuria	306.53	122
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	122
Psychogenic pain, site unspecified	307.80	135
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	132
Psychogenic vaginismus	306.51	122
Psychogenic vomiting	307.54	132

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	92
Psychosexual dysfunction, unspecified	302.70	92
Pyromania	312.33	159
Reactive confusion	298.2	57
Relationship problems	313.3	166
Repetitive intrusions of sleep	307.48	131
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	118
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	165
Separation anxiety disorder	309.21	145
Sexual masochism	302.83	93
Sexual sadism	302.84	93
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	165
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	120
Social phobia	300.23	67
Socialized conduct disorder	312.2	158
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	131
Specific academic or work inhibition	309.23	145
Specific disorders of sleep of nonorganic origin	307.4	131
Stammering and stuttering	307.0	127
Stereotyped repetitive movements	307.3	130
Subacute delirium	293.1	22
Tension headache	307.81	135
Tic disorder, unspecified	307.20	129
Tics	307.2	129
Tobacco use disorder	305.1	108
Trans-sexualism	302.5	90
Transient disorder of initiating or maintaining wakefulness	307.43	131

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Transient disorder of initiating or maintaining sleep	307.41	131
Transient tic disorder of childhood	307.21	129
Transvestism	302.3	88
Undersocialized conduct disorder, aggressive type	312.0	156
Undersocialized conduct disorder, unaggressive type	312.1	157
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	142
Unspecified adjustment reaction	309.9	149
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	162
Unspecified drug dependence	304.9	106
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	168
Unspecified hyperkinetic syndrome	314.9	173
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	154
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	126
Unspecified psychosexual disorder	302.9	94
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	93
With asexual history-Trans-sexualism	302.51	90
With functional dyspareunia-Psychosexual dysfunction	302.76	92
With heterosexual history-Trans-sexualism	302.53	90
With homosexual history-Trans-sexualism	302.52	90
With hyperactivity-Attention deficit disorder	314.01	169
With inhibited female orgasm-Psychosexual dysfunction	302.73	92
With inhibited male orgasm-Psychosexual dysfunction	302.74	92
With inhibited sexual desire-Psychosexual dysfunction	302.71	92
With inhibited sexual excitement-Psychosexual dysfunction	302.72	92
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	147
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	92
With predominant disturbance of conduct-Adjustment reaction	309.3	146
With predominant disturbance of other emotions-Adjustment reaction	309.2	145
With premature ejaculation-Psychosexual dysfunction	302.75	92
With unspecified sexual history-Trans-sexualism	302.50	90
Without mention of hyperactivity-Attention deficit disorder	314.00	169
Zoophilia	302.1	86

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

> A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
>
> A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.